



Mental Health Information Development

Mental Health National Outcomes and Casemix Collection

Technical specification of State and Territory reporting requirements for the
outcomes and casemix components of 'Agreed Data'

Version 1.50

*Prepared by Technical Specifications Drafting Group,
Information Strategy Committee,
Australian Health Ministers Advisory Council
National Mental Health Working Group,
December 2003*



Document information

Title: Mental Health National Outcomes and Casemix Collection: Technical specification of State and Territory reporting requirements for the outcomes and casemix components of 'Agreed Data'.
Version: 1.50
File: NOCC Specifications V1.5_Final_20031201.doc

Document history

Version	Date	Details
1.0 (Draft 1)	16/9/2001	Initial draft distributed to Drafting Group, amended following comment by site coordinators and substantial new content added to incomplete sections.
1.0 (Draft 2)	10/10/2001	Distributed to States and Territories for internal consultation and comment
1.0 (Draft 3)	18/02/2002	Draft revised following comment on Draft 2 and provided for 'sign off' by States and Territories.
1.0 (Final pre-publication)	1/6/2002	Final pre-publication version produced for National Mental Health Outcomes Trainers' Forum.
1.0	30/8/2002	Final version 1.0
1.5 (Draft 1)	24/07/2003	Initial draft distributed to Drafting Group
1.5 (Draft 2)	15/9/2003	Distributed to States and Territories for internal consultation and comment
1.5 (Draft 3)	27/10/2003	Draft revised following comment on Draft 2 and provided for 'sign off' by the National Mental Health Working Group
1.5	1/12/2003	Final version 1.5

Acknowledgments

While this document is published under the authority of the Commonwealth, it was developed in collaboration with the States and Territories through the organisational arrangements for the implementation of the National Mental Health Strategy. The Information Strategy Committee (ISC), a subcommittee of the Australian Health Ministers Advisory Council (AHMAC) National Mental Health Working Group served as the expert committee that provided comment on drafts. Preparation of the details of the document was guided by a Technical Specifications Drafting Group established from ISC members. Current membership details are provided at Appendices 5 and 6.

This document contains both original material and content taken from other sources. However, special acknowledgment is made to the Centre for Mental Health, New South Wales Department of Health Department, for allowing access to and use of internal documentation developed to support the Mental Health Outcomes and Assessment Training Initiative (MH-OAT) being implemented in that State. Acknowledgment is also given to the Mental Health Branch, Victorian Department of Human Services, for use of various documentation prepared to support the Victorian Mental Health Outcomes Strategy.

In addition, special acknowledgment to the Child and Adolescent Mental Health Outcomes Expert Group, particularly Mr Peter Brann, Ms Merrie Carling and Ms Jennifer Chipps, for the development of the protocol for the inclusion of the Strengths and Difficulties Questionnaire.

Suggested citation for this document:

Mental Health National Outcomes and Casemix Collection: Technical specification of State and Territory reporting requirements for the outcomes and casemix components of 'Agreed Data', Version 1.50. Department of Health and Ageing, Canberra, 2003.

Other related publications:

Mental Health National Outcomes and Casemix Collection: Overview of clinician rated and consumer self-report measures, Version 1.50. Department of Health and Ageing, Canberra, 2003.

Mental Health Information Development: National Information Priorities and Strategies under the Second National Mental Health Plan 1998 – 2003 (First Edition). Department of Health and Aged Care, Canberra, June 1999

Comments on the document should be forwarded to:

Director, Quality and Effectiveness Section
Mental Health and Suicide Prevention Branch
MDP 37
Department of Health and Ageing
GPO Box 9848
CANBERRA ACT 2601

Foreword

Since the inception of the National Mental Health Strategy, Australia has shown its commitment to quality improvement through the implementation of routine outcome measurement in all specialised public mental health services. Under the Second National Mental Health Plan (1998-2003), substantial progress was made in the development and implementation of an information infrastructure to support outcome measurement, although progress has been varied across the States and Territories.

National, State and Territory activity is still ongoing under the National Mental Health Plan (2003-08). This Plan reaffirms the commitment to the collection and use of outcome information to enhance the quality and effectiveness of public specialised mental health services.

This document outlines the data reporting requirements that apply to the Mental Health National Outcomes and Casemix Collection (NOCC). While its main purpose is to describe the technical aspects of the datasets to be prepared annually, it also presents an overview of the data to be collected and the key concepts underpinning the collection protocol. The concepts and business rules covered in this document need to be understood to guide the system development and workforce training being undertaken by all jurisdictions.

Every attempt has been made to simplify the content as much as possible and distil it to the common ground of the 'national minimum requirements', nevertheless the document is detailed and technical in nature. Much of the detail in fact stems from the complexity of the mental health system being measured, and the need to develop common measurement tools that span inpatient and community-based care.

Because many of the concepts and definitions used in Australia's standard health collections are centred on hospital care, development of a comprehensive reporting protocol for mental health services has been unable to draw on established precedents. This is particularly the case in the specification of 'counting rules' for episodes of community care, and processes for measuring outcomes in consumers who receive treatment across hospital and community settings.

To produce a coherent set of guidelines that are applicable across the hospital-community spectrum of care, it has been necessary to introduce a number of new concepts as well as, at times, depart from definitions that have become well established in Australia's hospital-oriented information collections. For example, under the current National Health Data Dictionary patients attending day hospitals or hospital-based day programs are defined as 'admitted patients' and counted in hospital statistics but in the current specifications for the NOCC, are grouped with ambulatory care. While this is believed to provide a better representation of the actual care provided, it is recognised that this may cause difficulties for some jurisdictions and not all may be able to implement every aspect of the specifications.

It is of particular note that the reporting requirements outlined in this document represent the agreed national minimum requirements and are not intended to limit the scope of data collections maintained by individual service agencies or State and Territory jurisdictions.

The current document represents 'Version 1.50' specification of requirements, developed collaboratively by all jurisdictions under the auspice of the AHMAC National Mental Health Working Group Information Strategy Committee and based on initial experiences with Version 1.0 of the specification. Further changes are expected over time, based on experience with this version.



Dr Aaron Groves
Chair, Information Strategy Committee
AHMAC National Mental Health Working Group
December 2003

CONTENTS

PART 1

1. BACKGROUND	5
2. PURPOSE AND SCOPE OF DOCUMENT	9
3. OVERVIEW OF THE CLINICAL DATA TO BE COLLECTED	10
3.1 Clinical data specific to adults and older people	10
3.1.1 Health of the Nation Outcome Scales (HoNOS & HoNOS65+)	10
3.1.2 Abbreviated Life Skills Profile (LSP-16)	11
3.1.3 Resource Utilisation Groups – Activities of Daily Living (RUG-ADL)	11
3.1.4 Focus of Care	11
3.1.5 Consumer self-report outcome measure	12
3.2 Clinical data specific to children and adolescents	14
3.2.1 Health of the Nation Outcome Scales for Children and Adolescents (HoNOSCA)	14
3.2.2 Children’s Global Assessment Scale (CGAS)	14
3.2.3 Factors Influencing Health Status (FIHS)	14
3.2.4 Parent and Consumer self report measure – the Strengths and Difficulties Questionnaire (SDQ)	14
3.3 Other clinical data common to all consumer groups	15
3.3.1 Principal and Additional Diagnoses	15
3.3.2 Mental Health Legal Status	15
3.4 Purpose of the clinical data	15
4. SCOPE OF THE NOCC COLLECTION	17
5. KEY CONCEPTS UNDERPINNING THE NOCC PROTOCOL	18
5.1 Episodes of Mental Health Care and Mental Health Service Setting	18
5.2 Collection Occasion	19
5.3 Age Group	23
5.4 Mental Health Provider Entity	23
5.5 Patient identifiers	28
6. UNIT OF REPORTING	29
6.1 Basic unit of reporting – the <i>Collection Occasion</i>	29
6.2 Reporting context - <i>Reason for Collection</i>	29
6.3 Collection Occasion Date	31
7. COLLECTION PROTOCOL	32
7.1 Data requirements at each Collection Occasion	32
7.2 Rating periods for the clinical and consumer self-report measures and data items	34
7.3 Special issues in interpreting the protocol at service delivery level	35
7.4 Special considerations applying to the collection of consumer self-report and parent measures	38
7.5 Future development of the protocol	40
8. NOCC DATA EXTRACT AND FILE LAYOUT SPECIFICATION	41
8.1 Overview of data model for NOCC extract	41
8.2 File type and naming convention	43

8.3 Reporting period and delivery date	43
8.4 File structure.....	43
8.5 Data integrity	44
8.6 File header and termination records	45
8.7 Data records.....	45
9. DATA VALIDATION PROCESS.....	52
10. MENTAL HEALTH PROVIDER ENTITY REFERENCE FILE.....	67

PART TWO: APPENDICES

APPENDIX 1: DATA DICTIONARY.....	70
APPENDIX 2: RELATIONSHIP BETWEEN NATIONAL OUTCOMES AND CASEMIX COLLECTION AND NATIONAL MINIMUM DATA SETS FOR MENTAL HEALTH.....	120
APPENDIX 3: PRIORITY FUTURE DEVELOPMENT ISSUES	123
APPENDIX 4: FUTURE DEVELOPMENT OF THE EPISODE MODEL FOR AMBULATORY MENTAL HEALTH CARE	127
APPENDIX 5: MEMBERSHIP OF INFORMATION STRATEGY COMMITTEE.....	131
APPENDIX 6: MEMBERSHIP OF TECHNICAL SPECIFICATIONS DRAFTING GROUP.....	132
APPENDIX 7: LOG OF AMENDMENTS TO THE NATIONAL OUTCOMES AND CASEMIX COLLECTION TECHNICAL SPECIFICATIONS VERSION 1.5	133

1. Background

- 1.1 The emphasis on health outcomes and information systems to support service quality improvement has been gaining momentum in the wider health sector for several years. Increasing focus is being given to the responsibility of health care providers right across the world to use outcome measures to contribute to the ongoing review and development of clinical practice as well as to inform health service planning, policy development and the broader community. Many initiatives are underway throughout Australia's health system to achieve these ends.
- 1.2 The regular assessment of outcomes has been an aim of the National Mental Health Strategy since it was first agreed by all Australian Health Ministers in 1992. Two objectives of the Strategy related specifically to outcomes:
 - to institute regular reviews of outcomes of services provided to persons with serious mental health problems and mental disorders as a central component of mental health service delivery; and
 - to encourage the development of national outcome standards for mental health services, and systems for assessing whether services are meeting these standards.
- 1.3 Instruments for measuring mental health consumer outcomes were not available when the National Mental Health Strategy commenced. In response to this need, a major research and development program was initiated under the First National Mental Health Plan (1993-98) to identify and field trial consumer outcome measures that would serve two needs. Firstly, the outcome measures had to be useful in routine clinical practice to allow monitoring of the health and wellbeing of the individual consumer. Secondly, the measures had to be suitable for monitoring outcomes at the broader service level. In a related national project, to develop a casemix classification for mental health services, significant experience was gained in the use of standardised scales for the measurement of 'clinical severity' in mental health services that could serve as the basis for the further development of casemix concepts in mental health. An understanding of variations in casemix is essential to interpreting outcome data. Current Australian Refined Diagnosis Related Groups (AR-DRG) casemix models are widely agreed to be unsatisfactory for understanding variation in case complexity in mental health.¹
- 1.4 Development of information to support mental health service delivery and planning was emphasised as a priority under the Second National Mental Health Plan, a priority that has been reaffirmed under the National Mental Health Plan (2003-08). These Plans recognise that many of the goals of the National Mental Health Strategy depend on improving the quality of information available to guide decisions at all levels of the health system.
 - At the *service delivery level*, clinicians need access to information that informs treatment decisions, contributes to evaluation of the effectiveness of interventions and the monitoring of client progress. Consumers and carers need information to evaluate the value of the treatments they receive and provide a structure that guides dialogue with the provider about treatment planning and personal progress.

¹ Buckingham et al (1998). *Developing a Casemix Classification for Mental Health Services. Volume 1: Main Report*. Commonwealth of Australia, Canberra.

- At the *service management level*, access to information is necessary to manage resources, monitor workflows, conduct clinical audits and monitor the overall efficiency and effectiveness of the service.
- At the *policy level*, information is necessary to assess the population needs for mental health services, plan and pay for services, determine priorities for the allocation of resources and inform value-for-money decisions in the allocation of funds.

1.5 The Second National Mental Health Plan (1998-2003) acknowledged that information development in mental health services had lagged behind mainstream health services and that substantial work was required to enable the data needed to inform mental health service delivery and planning. To accelerate progress, the AHMAC National Mental Health Working Group released a statement of *National Mental Health Information Priorities* in June 1999 that outlined an ambitious plan to develop information infrastructure in all public mental health services.² The essence of the plan is the development of comprehensive, local clinical information systems within mental health services that:

- support and encourage good practice;
- regularly inform about consumer outcome;
- inform judgements about value for money; and
- produce national and State/Territory data as a by-product.

Further work is currently underway to review and revise priorities within the context of the National Mental Health Plan (2003-08).

- 1.6 The Second National Mental Health Plan (1998-2003), agreed by all Australian Health Ministers in 1998, entailed a national commitment to extend the research and development work by introducing the routine collection of outcome and casemix data in specialised public mental health services.
- 1.7 Under the previous Australian Health Care Agreements (1998-2003), the Australian Government made in excess of \$38 million in funding available to the States and Territories that provided funds to support the workforce training and information system development needed to enable collection of an agreed ‘outcomes and casemix’ dataset. The scope of the initiative covers all specialised mental health services funded in the public sector.³ By October 2001, all States and Territories had signed Information Development Agreements with the Australian Government to participate in the national initiative.

² *Mental Health Information Development: National Information Priorities and Strategies under the Second National Mental Health Plan 1998 – 2003 (First Edition)*. Commonwealth Department of Health and Aged Care, Canberra, June 1999.

³ Aged care residential services (eg, psychogeriatric nursing homes) in receipt of funding under the *Aged Care Act* and subject to Australian Government reporting requirements (ie, report to the System for the Payment of Aged Residential Care (SPARC) collection) are considered to be ‘out of scope’ for reporting under NOCC on the condition that they are accredited or are formally engaged in a quality improvement process aimed at achieving accreditation under Aged Care standards.

1.8 The Information Development Agreements required participating States and Territories to annually provide to the Australian Government de-identified, patient-level unit record data for the ‘outcomes dataset’ and the ‘casemix dataset’ specified in the *National Mental Health Information Priorities* document. Clause 2.1.16 within the Agreements states:

“Agreed Data” for the purposes of this Agreement means the following de-identified, patient-level unit record data described in the National Mental Health Information Priorities document:

- (i) the outcomes data set referred to in Module 1 of the document, comprising the Health of the Nation Outcomes Scales, the abbreviated Life Skills Profile and the Mental Health Inventory (or an agreed alternative consumer self rating measure);*
- (ii) the casemix data set referred to in Module 3 of the document as identified in Table 12, page 49; and*
- (iii) the patient-level components of the National Minimum Data Set – Mental Health Care as described in the most current version of the National Health Data Dictionary.*

For convenience, the combined outcomes and casemix datasets (i.e. (i) and (ii) above) are referred to as the *National Outcomes and Casemix Collection (NOCC)* throughout this document.

1.9 The national data collected under this arrangement will be the focus of extensive research and development over future years, designed to further develop the application of outcomes and casemix concepts in mental health and used to inform further development of information to support quality mental health service delivery in Australia. The process will involve publication of a range of national reports and other resources designed to support benchmarking.

1.10 The current document provides the technical specification of the outcomes and casemix data to be provided to the Australian Government by States and Territories based on initial experiences with Version 1.0. Preparation of the document has taken account of the following considerations:

1.10.1 The NOCC dataset is a ‘research and development’ collection intended to supplement the basic data collected under the National Minimum Data Set – Mental Health Care. While future inclusion of outcomes and casemix data within the national minimum data set arrangements is anticipated, it is premature at this stage given the extensive industry development required within the mental health sector to establish the systems and workforce practices necessary to support routine collection.

1.10.2 Definitions developed for the purposes of the NOCC protocol elaborate concepts and data elements not currently covered by the National Health Data Dictionary (NHDD) as well as providing alternative definitions for items where current definitions do not provide an adequate basis for development in mental health services. Future work will be required to both incorporate definitions of new items and concepts which prove to be sufficiently robust and reconcile differences between the NHDD and the alternative NOCC definitions. Changes along these lines will be negotiated under the processes and structures of the National Health Information Agreement.

- 1.10.3 Successful introduction of the data set is dependent upon mental health organisations understanding the ‘counting rules’ for collecting and reporting data. There are many options and considerable ambiguity as the counting rules have not yet been established beyond a broad schema outlined in the *National Mental Health Information Priorities* document. The issues involved are considerably more complex than defining the list of data elements, particularly in regard to reporting of patient-level data for non-inpatient services for which there are few precedents in Australia’s national health data collections. The new arrangements are therefore unable to draw on established reporting guidelines.
- 1.11 The document does not address reporting requirements in relation to the patient-level component of the National Minimum Data Set – Mental Health Care. Provision by States and Territories to the Australian Government of these datasets is expected to conform with arrangements developed by the Australian Institute of Health and Welfare (AIHW).
- 1.12 Future revisions of the NOCC reporting specification are anticipated, based on experience with the current version. The specification will be reviewed regularly and all revisions will be developed collaboratively between the Australian Government and the States and Territories.

2. Purpose and scope of document

- 2.1 The purpose of this document is to outline the reporting requirements for provision of the NOCC dataset by States and Territories to the Australian Government. The document provides details about the:
- *data content* of all items included in the Mental Health National Outcomes and Casemix Collection;
 - *business rules* to be followed in the reporting of those data items (ie what data are required when); and
 - *extract format* to be used when preparing data files for submission to the Australian Government.
- 2.2 The document limits its scope to the above and does not include detailed discussion of the data collection and system design issues that need to be resolved at State and Territory level to enable collection of NOCC data. While common issues will be faced by all jurisdictions, solutions will vary depending on local requirements and system contexts. Most jurisdictions have prepared documentation to approach issues to be resolved in developing a local data collection protocol to guide service agencies.
- 2.3 Similarly, the document does not address issues concerning the analysis and interpretation of the outcomes and casemix data to be gathered under the reporting arrangements. This will be covered in separate papers.
- 2.4 The reporting requirements outlined in this document represent the agreed national minimum requirements and are not intended to limit the scope of data collections maintained by individual service agencies or State and Territory jurisdictions.
- 2.5 National agreement on the current version of the NOCC specifications indicates an agreement by jurisdictions to follow the protocol but does not dictate the timetable for state and territory full implementation of the measures. This will be dependent on each jurisdiction's capacity.
- 2.6 Additional documentation will be prepared to address a range of issues relevant to the NOCC dataset, and will cover, for example, the national approach to data analysis and reporting.

3. Overview of the clinical data to be collected

- The agreed national requirements for outcomes and casemix data were first outlined in broad terms in the publication, *Mental Health Information Development: National Information Priorities and Strategies under the Second National Mental Health Plan 1998-2003 (First Edition June 1999)*.
- The specific clinical data to be collected depend on the type of *Episode of Mental Health Care* (inpatient, ambulatory, residential), the *Age Group* of the consumer, the *Mental Health Service Setting* and the *Reason for Collection*. Each of these concepts is discussed later in this document along with details on how they influence specific reporting requirements.
- Each of the standard clinical and consumer self-rated measures is subject to its own set of collection guidelines, documented in their respective glossaries. These are not included in the current document but have been compiled separately in a resource document.⁴
- This section provides an overview of each of the clinical and consumer self-rated measures and data items included in the *Mental Health National Outcomes and Casemix Collection*.

3.1 Clinical data specific to adults and older people

3.1.1 Health of the Nation Outcome Scales (HoNOS & HoNOS65+)

The Health of the Nation Outcome Scales (HoNOS) is a 12 item clinician-rated measure designed by the Royal College of Psychiatrists specifically for use in the assessment of consumer outcomes in mental health services. Ratings are made by clinicians based on their assessment of the consumer. In completing their ratings, the clinician makes use of a glossary which details the meaning of each point on the scale being rated.

The 65+ variant of the HoNOS has been designed for use with adults aged older than 65 years. It consists of the same item set and is scored in the same way, however the accompanying glossary has been modified to better reflect the problems and symptoms likely to be encountered when rating older persons.

References for versions used:

General adult version:

Wing J, Beevor A, Curtis R, Park S, Hadden S, Burns A (1998) Health of the Nation Outcome Scales (HoNOS). Research and development. *British Journal of Psychiatry*, 172, 11-18.

Wing J, Curtis R, Beevor A (1999) Health of the Nation Outcome Scales (HoNOS): Glossary for HoNOS score sheet. *British Journal of Psychiatry*, 174, 432-434.

*Older persons version:*⁵

Burns A, Beevor A, Lelliott P, Wing J, Blakey A, Orrell M, Mulinga J, Hadden S (1999) Health of the Nation Outcome Scales for Elderly People (HoNOS 65+). *British Journal of Psychiatry*, 174, 424-427.

⁴ See *Mental Health National Outcomes and Casemix Collection: Overview of clinical and consumer self-report measures and data items, Version 1.50*. Commonwealth Department of Health and Ageing, Canberra 2003.

⁵ The version listed below is recommended for use in Australia. A newer version (the HoNOS 65+ Version 3, Tabulated) is published on the UK Royal College of Psychiatrists website at <http://www.rcpsych.ac.uk/cru/honoscales/honos65/> but is not recommended for use at this stage due to non comparability with the general adult HoNOS.

Burns A, Beevor A, Lelliott P, Wing J, Blakey A, Orrell M, Mulinga J, Hadden S (1999) Health of the Nation Outcome Scales for Elderly People (HoNOS 65+): Glossary for HoNOS 65+ score sheet. *British Journal of Psychiatry*, 174, 435-438.

3.1.2 Abbreviated Life Skills Profile (LSP-16)

The original LSP was developed by a team of clinical researchers in Sydney (Rosen et al 1989, Parker et al 1991) and is in fairly wide use in Australia as well as several other countries. It was designed to be a brief, specific and jargon free scale to assess a consumer's abilities with respect to basic life skills. It is capable of being completed by family members and community housing members as well as professional staff.

The original form of the LSP consists of 39 items. Work undertaken as part of the Australian Mental Health Classification and Service Costs (MH-CASC) study saw the 39 items reduced to 16 by the original designers in consultation with the MH-CASC research team. This reduction in item number aimed to minimise the rating burden on clinicians when the measure is used in conjunction with the HoNOS. The abbreviated 16-item instrument is the version to be reported under the Mental Health National Outcomes and Casemix Collection.

References for the LSP (original 39 item version)

Rosen A, Hadzi-Pavlovic D, Parker G (1989) The Life Skills Profile: A measure assessing function and disability in schizophrenia. *Schizophrenia Bulletin*, 1989, 325-337.

Parker G, Rosen A, Emdur N, Hadzi-Pavlov D (1991) The Life Skills Profile: Psychometric properties of a measure assessing function and disability in schizophrenia *Acta Psychiatrica Scandinavica* 83 145-152.

Trauer T, Duckmanton RA, Chiu E (1995) The Life Skills Profile: A study of its psychometric properties. *Australian and New Zealand Journal of Psychiatry*, 29, 492-499.

Reference for LSP-16 (abbreviated 16 item version):

Buckingham W, Burgess P, Solomon S, Pirkis J, Eagar K (1998) *Developing a Casemix Classification for Mental Health Services. Volume 2: Resource Materials*. Canberra: Commonwealth Department of Health and Family Services.

3.1.3 Resource Utilisation Groups – Activities of Daily Living (RUG-ADL)

Developed by Fries et al for the measurement of nursing dependency in skilled nursing facilities in the USA, the RUG-ADL measures ability with respect to 'late loss' activities – those activities that are likely to be lost last in life (eating, bed mobility, transferring and toileting). 'Early loss' activities (such as managing finances, social relationships, grooming) are included in the LSP. The RUG-ADL is widely used in Australia nursing homes and other aged care residential settings.

The RUG-ADL comprises 4 items only and is usually completed by nursing staff.

Reference for version used:

Fries BE, Schneider DP, et al (1994) Refining a casemix measure for nursing homes. Resource Utilisation Groups (RUG-III). *Medical Care*, 32, 668-685.

3.1.4 Focus of Care

Focus of Care is a data item developed in the Australian Mental Health Classification and Service Costs (MH-CASC) study that requires the clinician to make a judgement about each consumer's primary goal of care. It is a single item requiring selection of one of four options: Acute; Functional Gain; Intensive Extended; and Maintenance.

References for version used:

Buckingham W, Burgess P, Solomon S, Pirkis J, Eagar K (1998) *Developing a Casemix Classification for Mental Health Services. Volume 2: Resource Materials*. Canberra: Commonwealth Department of Health and Family Services.

3.1.5 Consumer self-report outcome measure

While the Information Priorities document proposed the national use of a specific self-report measure (the Mental Health Inventory – MHI), this has been changed to allow States and Territories to introduce an ‘agreed’ alternative measure. This recognises that limited Australian research has been undertaken on consumer rated measures, and additional exploratory work in this area is important.

Following consultations with consumers within their jurisdictions, States and Territories are introducing one of the following:

- Mental Health Inventory (MHI-38);
- Behaviour and Symptoms Identification Scale (BASIS-32); or
- Kessler–10 Plus (K-10+).

3.1.5.1 Mental Health Inventory (MHI-38)

The Mental Health Inventory (MHI-38) was designed to measure general psychological distress and well-being in the RAND Health Insurance Experiment, a study designed to estimate the effects of different health care financing arrangements on the demand for services as well as on the health status of the patients in the study.

The full form contains 38 items. Each item includes a description of a particular symptom or state of mind. The MHI can be completed either as a self-report measure or as part of an interview.

References:

Veit CT and Ware JE (1983) The structure of psychological distress and well-being in general populations. *Journal of Consulting and Clinical Psychology*, 51 730-742.

Davies AR, Sherbourne CD, Peterson JR and Ware JE (1998) *Scoring manual: Adult health status and patient satisfaction measures used in RAND's Health Insurance Experiment*. Santa Monica. RAND Corporation.

3.1.5.2 Behaviour and Symptom Identification Scale (BASIS-32)

The Behaviour and Symptom Identification Scale (BASIS-32) was developed in the early 1990's by a team in the United States for use in outcome assessment. The BASIS-32 asks the consumer to respond to 32 questions that assess the extent to which the person has been experiencing difficulties on a range of dimensions.

References:

Eisen SV, Dill, DL and Grob MC (1994) Reliability and validity of a brief patient-report instrument for psychiatric patient outcome evaluation. *Hospital and Community Psychiatry*, 45, 242-247.

Eisen SV, Dickey B and Sederer LI (2000) A self-report symptom and problem scale to increase inpatients' involvement in treatment. *Psychiatric Services*, 51, 349-353.

3.1.5.3 Kessler 10 Plus (K10+)

Originally developed in 1992 by Kessler & Mroczek⁶ for use in the United States National Health Interview Survey, the K10 is a ten-item self-report questionnaire designed to yield a global measure of ‘non-specific psychological distress’ based on questions about the level of nervousness, agitation, psychological fatigue and depression in the relevant rating period. The K10+ contains additional questions to assess functioning and related factors, and it is this instrument which is currently being used by some jurisdictions (South Australia, Northern Territory and New South Wales) in the NOCC. Overall, the K10+ is an extremely brief symptoms and functioning measure, validated against diagnosis, that is intended to be supplemented with additional measures of domains relevant to consumers.

Key References:

Andrews et al (1998): Andrews G, Sanderson K, Beard J (1998) Burden of disease. Methods of calculating disability from mental disorder. *British Journal of Psychiatry* 1998;173:123-31.

Kessler R, Costello EJ, Merikangas KR, Ustun TB (2000) Psychiatric Epidemiology: Recent Advances and Future Directions Chapter 5 in Manderscheid R, Henderson MJ (2000) *Mental Health, United States, 2000*. Rockville MD: Substance Abuse & Mental Health Services Administration, www.mentalhealth.org/publications/allpubs/SMA01-3537/

Andrews G and Slade T (2001) Interpreting scores on the K10. *Australian and New Zealand Journal of Public Health*, 25, 494-497.

Kessler RC, Andrews G, Colpe LJ, Hiripi E, Mroczek DK, Normand S, Walters EE (2002) Short screening scales to monitor population prevalence and trends in non-specific psychological distress. *Psychological Medicine*, 32(6): 959-976.

Kessler RC, Colpe LJ, Epstein JF, Groerer JC, Hiripi E, Howes MJ, Normnad S-L T, Manderscheid RW, Walters EE, Zaslavsky AM (2003) Screening for serious mental illness in the general population. *Archives of General Psychiatry* 2003; 60(2), 184-189.

Note: Additional resource material is being prepared by the Centre for Mental Health, New South Wales Health Department and will be made available to all jurisdictions. See also <http://www.health.nsw.gov.au/policy/cmh/mhoat>

Table 1 provides a summary of the consumer self rated measure to be used with adult and older consumers within each of the States and Territories.

Table 1: State and Territory selected adult consumer self rated measures

Jurisdiction	
Victoria	BASIS-32
New South Wales	K10+
Tasmania	BASIS-32
Australian Capital Territory	BASIS 32
Northern Territory	K10+
South Australia	K10+
Western Australia	MHI-38
Queensland	MHI-38

⁶ Kessler R, Mroczek D. Final versions of our Non-Specific Psychological Distress Scale. Ann Arbor MI: Survey Research Centre of the Institute for Social Research, University of Michigan, Memo dated March 10, 1994

3.2 Clinical data specific to children and adolescents

3.2.1 Health of the Nation Outcome Scales for Children and Adolescents (HoNOSCA)

The Health of the Nation Outcome Scales for Children and Adolescents (HoNOSCA) is a 15 item clinician-rated measure modelled on the HoNOS and designed specifically for use in the assessment of child and adolescent consumer outcomes in mental health services. Ratings are made by clinicians based on their assessment of the patient. In completing their ratings, the clinician makes use of a specific glossary which details the meaning of each point on the scale being rated.

References for version used:

Gowers S, Harrington R, Whitton A, Lelliott P, Beevor A, Wing J, Jezzard R (1999a) Brief scale for measuring the outcomes of emotional and behavioural disorders in children: Health of the Nation Outcome Scales for Children and Adolescents (HoNOSCA). *British Journal of Psychiatry*, 174, 413-416.

Gowers S, Harrington R, Whitton A, Beevor A, Lelliott P, Jezzard R, Wing J (1999b) Health of the Nation Outcome Scales for Children and Adolescents (HoNOSCA): Glossary for HoNOSCA score sheet. *British Journal of Psychiatry*, 174, 428-433.

3.2.2 Children's Global Assessment Scale (CGAS)

The CGAS was developed by Schaffer and colleagues at the Department of Psychiatry, Columbia University to provide a global measure of severity of disturbance in children and adolescents. Similar to the HoNOSCA, it is designed to reflect the lowest level of functioning for a child or adolescent during a specified period. The measure provides a single global rating only, on a scale of 1–100.

References for version used:

Schaffer D, Gould MS, Brasic J, et al (1983) A children's global assessment scale (CGAS). *Archives of General Psychiatry*, 40, 1228-1231.

3.2.3 Factors Influencing Health Status (FIHS)

The Factors Influencing Health Status (FIHS) measure is a checklist of seven 'psychosocial complications' based on the problems and issues identified in the chapter of ICD-10 regarding Factors Influencing Health Status. It is a simple checklist of the ICD factors, originally developed for use in the MH-CASC project.

References for version used:

Buckingham W, Burgess P, Solomon S, Pirkis J, Eagar K (1998) *Developing a Casemix Classification for Mental Health Services. Volume 2: Resource Materials*. Canberra: Commonwealth Department of Health and Family Services.

3.2.4 Parent and Consumer self report measure – the Strengths and Difficulties Questionnaire (SDQ)

The Strengths and Difficulties Questionnaire (SDQ) is a brief behavioural screening questionnaire designed for 4-17 year olds and developed by Goodman et al in the United Kingdom. It exists in several versions to meet the needs of researchers, clinicians and educationalists.

General documentation of the SDQ is available on the website: www.sdqinfo.com⁷.

Key References:

Goodman, R. (1997) The Strengths and Difficulties Questionnaire: A Research Note. *Journal of Child Psychology and Psychiatry*, 38, 581-586

Goodman, R. Meltzer, H. & Bailey, V. (1998) The Strengths and Difficulties Questionnaire: A pilot study on the validity of the self-report version. *European Child and Adolescent Psychiatry*, 7, 125-130. (Abstract)

Goodman, R. & Scott, S. (1999) Comparing the Strengths and Difficulties Questionnaire and the Child Behavior Checklist: Is small beautiful? *Journal of Abnormal Child Psychology*, 27, 17-24.

Goodman, R. (1999) The extended version of the Strengths and Difficulties Questionnaire as a guide to child psychiatric caseness and consequent burden. *Journal of Child Psychology and Psychiatry*, 40, 791-801.

Goodman, R. (2001) Psychometric properties of the Strengths and Difficulties Questionnaire. *Journal of the American Academy of Child and Adolescent Psychiatry*, 40:11, November 2001.

3.3 Other clinical data common to all consumer groups

3.3.1 Principal and Additional Diagnoses⁸

The *Principal Diagnosis* is the diagnosis established after study to be chiefly responsible for occasioning the patient or client's care in the period of care preceding the *Collection Occasion*. *Additional Diagnoses* identify main secondary diagnoses that affected the person's care during the period in terms of requiring therapeutic intervention, clinical evaluation, extended management, or increased care or monitoring. Up to two *Additional Diagnoses* may be recorded.

3.3.2 Mental Health Legal Status⁹

This item is used to indicate whether the person was treated on an involuntary basis under the relevant State or Territory mental health legislation, at some point during the period preceding the *Collection Occasion*.

3.4 Purpose of the clinical data

The standard measures will be used for the purpose of measuring consumer outcomes or casemix classification, or both.

⁷ Please note that the versions labelled 'English (Austral)' currently on the SDQ website are not the versions specified for use in Australia. The versions for use in Australia can be found in the document:

Mental Health National Outcomes and Casemix Collection: Overview of clinician rated and consumer self-report measures, Version 1.50.

⁸ Although both *Principal Diagnosis* and *Additional Diagnosis* are collected as part of the NMDS - Admitted Patient Mental Health Care, and *Principal Diagnosis* (but not *Additional Diagnosis*) is included in the NMDS - Community Mental Health Care. Both data items are incorporated in the NOCC dataset because the NMDS definitions are not suitable for development of outcomes and casemix analysis. Specifically, the reporting under the NMDS-Admitted Patient Mental Health Care is based on the total hospital episode, while the NMDS-Community Mental Health Care requires the diagnosis at the point of each service contact. Under NOCC, the diagnoses assigned to the consumer is based on the *Period of Care* preceding the *Collection Occasion*.

⁹ Like the diagnosis items, *Mental Health Legal Status* is also collected under the National Mental Health Minimum Data Set arrangements but also included in the NOCC requirements due to differences in the reporting period used as the basis for recording the data item.

Table 2 summarises the data to be collected across the various consumer groups and the purposes of collection. In general, many of the measures will be used for both casemix development and outcome evaluation purposes.

Table 2: Data to be collected and purpose of collection

	Age Group			Purpose	
	Child & Adolescent	Adults	Older People	Outcomes Evaluation	Casemix Classification
Clinical measurement scales					
Health of the Nation Outcome Scales (HoNOS)		●		●	●
Health of the Nation Outcome Scales for Older People (HoNOS 65+)			●	●	●
Health of the Nation Outcome Scales for Children and Adolescents (HoNOSCA)	●			●	●
Life Skills Profile (LSP-16)		●	●	●	●
Resource Utilisation Groups – Activities of Daily Living Scale (RUG-ADL)			●		●
Children’s Global Assessment Scale (CGAS)	●				●
Factors Influencing Health Status (FIHS)	●			○	●
Focus of Care		●	●	○	●
Other clinical data					
Mental Health Legal Status	●	●	●	○	●
Principal and Additional diagnosis	●	●	●	○	●
Consumer self-report	●	●	●	●	

Note: See also Table 4 for details on when each of the above measures are to be collected.

Key to symbols

- Indicates the data will be used for the specified purpose of building the casemix classification or measuring outcomes.
- Indicates the data is not an outcomes measure as such but is important for the interpretation of outcome data.

4. Scope of the NOCC collection

- 4.1 The scope of the NOCC reporting requirements covers all specialised mental health services managed or funded by the State and Territory health administrations. In general, the scope of the NOCC initiative is equivalent to the coverage of the annual *National Survey of Mental Health Services*.
- 4.2 Specialised mental health services include:
 - 4.2.1 Public psychiatric hospitals and designated psychiatric units in general hospitals;¹⁰
 - 4.2.2 Community-based residential services;¹¹ and
 - 4.2.3 Ambulatory care mental health services.
- 4.3 Recognising the variable development of an information infrastructure in specialised mental health services, the timetable for implementation of the outcome measures and the NOCC specifications was negotiated separately by the Australian Government with each jurisdiction. At 30 June 2003, approximately 57 per cent of services across seven jurisdictions have the capacity to collect the NOCC, either in part or full.

¹⁰ Use of the term ‘designated’ to refer to mental health services in this document is not intended to imply any specific status under the State or Territory mental health legislation. Instead, it refers to the service as having as its primary function the delivery of treatment or care to people affected by mental illness. It is equivalent to the concept of ‘specialised mental health service’ as used in the annual National Survey of Mental Health Services.

¹¹ Aged care residential services (eg, psychogeriatric nursing homes) in receipt of funding under the *Aged Care Act* and subject to Australian Government reporting requirements (ie, report to the System for the Payment of Aged Residential Care (SPARC) collection) are considered to be ‘out of scope’ for reporting under NOCC on the condition that they are accredited or are formally engaged in a quality improvement process aimed at achieving accreditation under Aged Care standards.

5. Key concepts underpinning the NOCC protocol

Specification of the reporting protocol is based on five concepts: *Episode of Mental Health Care*; *Mental Health Service Setting*; *Collection Occasion*, *Age Group*; and *Mental Health Provider Entity*. Each of these is discussed below.

5.1 Episodes of Mental Health Care and Mental Health Service Setting

- 5.1.1 Concepts of episodes are used widely throughout the health system as a convenient method to describe the activities of health services and to organise data collection, reporting and analysis. In general, an episode of care is used to refer to a period of care with discrete start and end points.
- 5.1.2 Most work on defining episodes has been tied to acute hospital settings, where the principle is relatively simple – one episode per patient per hospital at any one time, with the episode beginning at admission and ending at discharge.
- 5.1.3 Significant problems arise when translating this concept to mental health services because no concept of episode has been agreed to quantify community services and many patients undergo care over extended periods. Additionally, multiple agencies or teams may be involved in providing care during a particular period, with each agency or team regarding their intervention as a discrete episode.
- 5.1.4 For the purposes of the current specification, an *Episode of Mental Health Care* will be defined as a more or less continuous period of contact between a consumer¹² and a *Mental Health Service Organisation* that occurs within the one *Mental Health Service Setting*.¹³
- 5.1.5 This formal concept of an episode should not be confused with either the clinical concept of an episode of care or the more narrowly defined, inpatient-centred definition currently used in the National Health Data Dictionary. Future research and development work using the data collected under the NOCC arrangements will explore the potential for more clinically meaningful definitions of episodes in mental health care.
- 5.1.6 Three broad episode types are identified which are based on the treatment setting – Inpatient, Community Residential and Ambulatory.¹⁴
- *Inpatient episodes (Overnight admitted)* – refers to the period of care provided to a consumer who is admitted for overnight care to a designated psychiatric inpatient service.¹⁵

¹² For the purposes of these specifications, the terms consumer and patient are used interchangeably and refer to a person for whom a *Mental Health Service Organisation* accepts responsibility for assessment and/or treatment as evidenced by the existence of a medical record.

¹³ The concept of *Mental Health Service Setting* is defined in Appendix 1, along with its specified domain.

¹⁴ Formal definitions of the three types of episodes are also provided in Appendix 1.

- *Community Residential episodes* – refers to the period of care provided to a consumer who is admitted for overnight care to a designated 24-hour community-based residential service.
- *Ambulatory episodes* – refers to all other types of care provided to consumers of a designated mental health service.¹⁶

5.1.7 Two business rules apply to episodes of mental health care:

- *One episode at a time*: While an individual may have multiple episodes of mental health care over the course of their illness, they may be considered as being in only one episode at any given point of time for a particular Mental Health Service Organisation. The practical implication is that the care provided by a Mental Health Provider Organisation to an individual consumer at any point in time is subject to only one set of reporting requirements. Where a person might be considered as receiving concurrently two or more episodes of mental health care by virtue of being treated in more than one setting simultaneously the following order of precedence applies: Inpatient, Community Residential, Ambulatory.¹⁷
- *Change of setting = new episode*: A new episode is deemed to commence when a person's care is transferred between inpatient, community residential and ambulatory settings. A change of *Mental Health Service Setting* therefore marks the end of one episode and the beginning of another.

5.2 Collection Occasion

5.2.1 A *Collection Occasion* is defined as an occasion during an *Episode of Mental Health Care* when the required dataset is to be collected in accordance with a standard protocol. The broad rule is that collection of data is required at both *episode start* and *episode end*.

5.2.2 In many cases, the beginning and end of episodes will be marked by some objective event such as admission or discharge from hospital or completion of community treatment. However, because episodes may extend over prolonged

¹⁵ 'Inpatient episodes' as defined for the purpose of the NOCC protocol are confined to the category of *overnight admitted patients* as used in the National Health Data Dictionary and specifically exclude same day admitted patients. Same day admitted patients, which account for approximately one quarter of all separations from public sector psychiatric inpatient units, are included in Ambulatory episodes for NOCC purposes. This is consistent with the reporting practices that have been in place for the National Survey of Mental Health Services since 1994.

¹⁶ Ambulatory episodes therefore include mental health treatment and care provided through a wide range of mental health programs including, for example, community-based crisis assessment and treatment teams, mental health day programs, psychiatric outpatient clinics provided by either hospital or community-based services, child and adolescent outpatient and community teams, social and living skills programs, psychogeriatric assessment services and so forth. For the purposes of the NOCC protocol, care provided by hospital-based consultation-liaison services to admitted patients in non-psychiatric and hospital emergency settings are also included under Ambulatory episodes.

¹⁷ The 'one episode at a time' rule is simply an administrative device to facilitate data collection and development of business rules that clarify 'what should happen when'. It is not intended to undermine the important concept of *continuity of care* in mental health service delivery, nor to imply segregation in the service delivery roles of clinical staff working across inpatient and community-based settings.

periods, it is desirable for outcomes and casemix data to also be collected at regular review points during that care, in order to monitor progress and determine if the consumer's condition has changed during the defined period.

- 5.2.3 For the purposes of the specification, the maximum interval between collection occasions will be based on the standard review period of 3 months (91 days) as promoted under the *National Standards for Mental Health Services*. Routine collection of patient outcome data at regular quarterly reviews was also foreshadowed in the *National Information Priorities* document.
- 5.2.4 Based on the above, three *Collection Occasions* are identified within an episode when the required data are to be collected:
- *Admission to mental health care episode*¹⁸ – this refers to the beginning of an inpatient, ambulatory or community residential *Episode of Mental Health Care*. For the purposes of the NOCC protocol, episodes may start for a number of reasons. These include, for example, a new referral to community care, admission to an inpatient unit, transfer of care from an inpatient unit to a community team and so forth. Regardless of the reason, admission to a new episode should act as the ‘trigger’ for a specific set of data to be collected.
 - *Discharge from mental health care episode*¹⁹ – this refers to the end of an inpatient, ambulatory or community residential *Episode of Mental Health Care*. As per *Admission*, episodes may end for a number of reasons such as discharge from an inpatient unit, case closure of a consumer's community care, admission to hospital of a consumer previously under community care. Regardless of the reason, the end of an episode acts as a ‘trigger’ for a specific set of clinical data to be collected.
 - *3 month (91-day) Review of mental health care episode* – this refers to the point at which the consumer has been under 13 weeks of continuous care since *Admission* to the episode, or 13 weeks has passed since the last *Review* was conducted during the current episode.
- 5.2.5 Specification of 3-monthly (91 day) reviews as the minimum requirement for consumers under ongoing care is not intended to restrict *Reviews* that may be conducted at shorter intervals. Such *Reviews* of a consumer's status may occur for a number of reasons including, for example:
- in response to critical clinical events or changes in the consumer's status;
 - in response to a change from voluntary to involuntary status or vice versa;

¹⁸ ‘Admission’ and ‘Discharge’ are used as abbreviated generic terms throughout this document to refer to entry to or exit from care in all treatment settings. While it is recognised that for some mental health clinicians and consumers the terms are not ‘community friendly’, they are used here as economical ways of describing similar events in the cycle of mental health care. Alternative terms for Admission and Discharge are ‘Episode Start’ and ‘Episode End’, respectively.


¹⁹ ‘Discharge’ is not formally defined in the National Health Data Dictionary which uses instead the term ‘separation’ defined as ‘the process by which an episode of care for an admitted patient ceases.’ The NOCC protocol uses the term ‘discharge’ by preference as a generic term to cover the completion of episodes across all treatment settings.

- following a transfer of care between community teams or change of case manager;
- transfers between inpatient wards within a multi-ward hospital;
- compliance with local agency or State-level requirements such as reviews conducted at the 35 day point within inpatient units;
- consumer or carer-requested reviews; and
- other situations where a review may be indicated.

5.2.6 Where an ad hoc *Review* is conducted for any of the above reasons, it will also be deemed a *Collection Occasion* and included in the data reported. Such ad hoc *Reviews* move forward the next due *Collection Occasion* to 3 months (91 days) subsequently, or *Discharge*, whichever occurs sooner.

5.2.7 Figure 1 (page 22) summarises the data collection points under various episode scenarios.

Figure 1: Data collection requirements under four episode scenarios



5.3 Age Group

- 5.3.1 The specific clinical measures to be reported at a particular *Collection Occasion* depend on the broad age group to which the consumer is assigned (Child and Adolescent, Adult, or Older persons).
- 5.3.2 Generally, throughout mental health services, **Adults** are defined as persons between the age of 18 and 64 years inclusive, **Older Persons** are defined as persons aged 65 years and older and **Children and Adolescents** are defined as persons under the age of 18 years.
- 5.3.3 States and Territories will be responsible for determining whether *Age Group* (and thus the clinical measures to be used) is determined on the basis of the actual age, condition and care needs of the consumer or deemed on the basis of the type of service providing the treatment and care, or a mixture of both. Currently, all mental health services in-scope are required under the National Survey of Mental Health Services to be classified according to the age group of their target population (General Adult, Child and Adolescent, Older Persons). Selection of the clinical measures to be applied by a given service can be based on this service classification.
- 5.3.4 Thus, in some circumstances a person may be assigned to a different *Age Group* to that in which they would be assigned on the basis of their actual age, condition and care needs. For example, a person aged 60 years who was being cared for in a specialist Older Persons inpatient unit may be assigned to the Older people age group. Similarly, a 15 year old admitted to an general adult psychiatric unit may be assigned to the Adult group if the adult measures are used.
- 5.3.5 The alternative option of determining which clinical measures to apply on the basis of the consumer's actual age, condition and care needs has more complex workforce training implications which can only be resolved at the State and Territory level.
- 5.3.6 Special issues arise in relation to Forensic Psychiatry Services, which may cover all age groups and require additional measures to assessing outcomes. Future national developments in mental health outcome measures will consider options for the introducing an agreed set of supplementary measures for Forensic Psychiatry services. In the meantime, each jurisdiction should determine how the concept of *Age Group* will be interpreted for the Forensic Psychiatry services operating within its public sector.

5.4 Mental Health Provider Entity

- 5.4.1 A unique identifier to identify the *Mental Health Provider Entity* is essential for several reasons:
- 5.4.1.1 It allows the organisational and service provider contexts in which data are collected to be described.
- 5.4.1.2 When used in combination with the *Patient Identifier*, it provides the means to:

- assemble data collected at one or more *Collection Occasions* for a given consumer into higher-level *Episodes of Mental Health Care* which will be the subject of analysis and reporting; and
 - link the outcomes and casemix data provided through the NOCC dataset to unit record data provided by States and Territories collected under related national data sets, in particular, the NMDS – Admitted Patient Mental Health Care and NMDS – Community Mental Health Care.
- 5.4.2 Complex issues are raised in designing a system to identify and classify mental health service providers. Services have diversified following the extensive structural reforms under the National Mental Health Strategy. Provider organisations typically provide an array of interlocking services through a number of discrete ‘service units’ or teams which include inpatient units, community-based residential facilities, hospital and community-based outpatient services and mobile assessment and treatment services. The clinical pathways between the various units are also complex. Patients may sometimes be transferred between inpatient facilities, depending on the intensity of care they require. Clients may receive care from more than one ambulatory service within the organisation at a time, or be transferred between ambulatory care teams for more intensive care for short periods as their needs change.
- 5.4.3 The critical issue is at what level should we enumerate the mental health care provider to which the casemix and outcomes data will be attributed. Resolving the issue is fundamental to two aspects of the national reporting specification:
- it sets the boundaries for how the ‘one episode at a time’ rule is applied. For example, where two ambulatory care teams within an organisation share responsibility for the care of a consumer, are they each required to independently report outcomes and casemix data?
 - it determines the level at which the consumer is identified uniquely (see section 5.5) below. For example, should the identifier be unique at the level of the service unit, the organisation, the region or beyond?
- 5.4.4 An additional complication is that it is desirable that the level at which the mental health care provider is specified matches or can be linked to the unit record data provided by States and Territories under NMDS arrangements.
- 5.4.5 A hierarchical approach is required to deal with this complexity in which the following levels are identified:
- State.
 - Region.
 - Mental Health Service Organisation.
 - Service Unit.
- 5.4.6 The current National Health Data Dictionary approach to identifying health care establishments is based on such a hierarchical model. The data item ‘Establishment Identifier’ is built from the following component parts: State, Establishment Type, Establishment Sector, Region and Establishment Number. An additional item ‘Establishment Type’ adds details of the type of service

providing the health care. However, while the definitions for these items acknowledge the need to take a broad approach to defining and classifying health care provider organisations, the domain is inpatient-centred and based on ‘bricks and mortar’ concerns. Review of the concept is ongoing, but in its current form, it is not suitable for unmodified use in the current specification.


- 5.4.7 An alternative approach is offered by the method used to identify mental health services under the *National Survey of Mental Health Services*. Within this, States and Territories report establishment-level data aggregated around the concept of a *Mental Health Service Organisation* and further specify data relating to the various inpatient, ambulatory care and community residential service units that operate beneath the level of the ‘parent’ organisation. All mental health service organisations are grouped by regions.
- 5.4.8 In the early years of Survey reporting, the arrangement of mental health services into distinct organisational units was inherently local in character, being based on State/Territory and local needs with no guiding principle to ensure consistency. In particular, principles were not developed to guide complex, multi-agency organisations in how to report ambulatory care service data. Some organisations reported in aggregate terms, combining the activity and expenditure data of multiple community services while others reported at the detailed, individual service or team level. Despite these beginnings, greater stability and consistency within jurisdictions in how services are reported has been apparent in more recent Survey years.
- 5.4.9 The hierarchical model for describing services to the National Survey of Mental Health Services, and the flexibility it offers States and Territories, is regarded as providing a sensible first step in developing the concept of *Mental Health Provider Entity* under the NOCC reporting arrangements. In particular, it provides a basis for specifying the level at which the ‘one episode at a time’ rule and the associated patient-level unit record data are reported.²⁰

Specification

- 5.4.10 Each *Collection Occasion* record reported as part of the NOCC extract should be assigned to a *Mental Health Provider Entity*, which is identified by a unique *Mental Health Provider Entity Identifier*.
- 5.4.11 The *Mental Health Provider Entity Identifier* represents a hierarchically ordered, composite data element incorporating four levels of health service organisation:
- State.
 - Region.
 - Mental Health Service Organisation.
 - Service unit.

²⁰ This is in fact the approach being taken for reporting data under the NMDS - Community Mental Health Care which links reporting to the organisational entities which have previously responded to the National Survey of Mental Health Services.

The layout of the *Mental Health Provider Entity Identifier* is represented as follows.



5.4.12 During the introductory period of the NOCC dataset, States and Territories will have discretion in determining the level at which the concepts of *Region*, *Mental Health Service Organisation* and *Service Unit* are translated, subject to the guidelines outlined below. Future work will focus on further elaborating guidelines for describing the *Mental Health Provider Entity* based on experience, with a view to promoting consistency for benchmarking purposes.

5.4.13 The *Service Unit* represents a discrete service provider unit within a *Mental Health Service Organisation*. Two guidelines apply to the way in way an organisation's mental health services are reported as *Service Units*:

- Each hospital and community residential facility within the organisation should be identified as separate *Service Units*.
- Community-based ambulatory services provided by the organisation – whether organised into separate teams, specific programs or located at multiple sites – may be clustered and reported as a single *Service Unit* or identified as individual *Service Units* in their own right.

5.4.14 When assigning *Service Unit* to a *Collection Occasion*, the following reporting rules apply:

- Where the collection occurs in the context of an *inpatient episode*, the *Service Unit Identifier* should be the code assigned to the hospital to which the patient is currently admitted.²¹
- Where the collection occurs in the context of a *community residential episode*, the *Service Unit Identifier* reported should be the code assigned to the community residential facility to which the patient is admitted.
- Where the collection occurs in the context of an *ambulatory episode*, the *Service Unit Identifier* reported should be the code used to refer to the ambulatory care service which is primarily responsible for provision of treatment and care during the episode.

Note: *An implication of the above rules is that the Service Unit Identifier recorded for any given Collection Occasion will not necessarily refer to the Service Unit responsible for collecting the data. For example, where an ambulatory care service assists in the admission to hospital of a*

²¹ Where the *Service Unit* is a hospital or residential service, the *Service Unit Identifier* should be the Establishment Number used by the State or Territory to identify the unit in the National Minimum Data Set -Admitted Patient Mental Health Care. States should therefore ensure that the Service Unit identifiers used for ambulatory care services do not overlap with the range assigned to hospital and residential units reporting to the NMDS

consumer and completes the required data items and standard measures, the Service Unit Identifier recorded for that Collection Occasion should refer to the hospital, not the ambulatory care service.

- 5.4.15 The concept of *Mental Health Service Organisation* refers to a separately constituted health care organisation that is responsible for the clinical governance, administration and financial management of the *Service Unit* in which the *Episode of Mental Health Care* is provided. A *Mental Health Service Organisation* may consist of one or more *Service Units* based in different locations and providing services in inpatient, community residential and ambulatory settings.²²
- 5.4.16 For most jurisdictions, the *Mental Health Service Organisation* is equivalent to the Area/District Mental Health Service. These are usually organised to provide a full range of inpatient, community residential and ambulatory services to a given catchment population. In the larger jurisdictions, they are referred to as Area/District Mental Health Services. However, the concept may also be used to refer to health care organisations which provide only one type of mental health service (eg, acute inpatient care) or which serve a specialised or statewide function.
- 5.4.17 Where the *Mental Health Service Organisation* consists of multiple *Service Units*, those units can be considered to be components of the same organisation where they:
- operate under a common clinical governance arrangement;
 - aim to work together as interlocking services that provide integrated, coordinated care to consumers across all mental health service settings; and
 - share medical records or, in the case where there is more than one physical medical record for each patient, staff may access (if required) the information contained in all of the physical records held by the organisation for that patient.
- 5.4.18 **The ‘one episode at a time’ business rule should be applied across the *Mental Health Service Organisation* not at the *Service Unit* level.** Thus, where multiple *Service Units* within the organisation are simultaneously involved in providing treatment and care to a consumer, that consumer is considered as receiving only one *Episode of Mental Health Care* using the order of precedence described in paragraph 5.1.7. A consumer may however be regarded as receiving more than one episode of care when each episode is provided by a separate *Mental Health Service Organisation*.
- 5.4.19 The *Region* component of the *Mental Health Provider Entity Identifier* refers to the geographic area in which the *Service Unit* is located. Most States and

²² Note that *Mental Health Service Organisation* is not equivalent to the concept of Health Establishment as defined in the National Health Data Dictionary. For example, multiple health care providers classified as individual Health Establishments may make up a single *Mental Health Service Organisation*. A formal definition of the *Mental Health Service Organisation* concept is provided in Appendix 1.

Territories have established a system for aggregating local areas to higher level regional groupings and use this to report data to the NMDS – Admitted Patient Mental Health Care, NMDS – Community Mental Health Care and the National Survey of Mental Health Services. Where the region concept is not applicable, jurisdictions report the State identifier as the Region code.²³

5.5 Patient identifiers

- 5.5.1 Unique identification of the consumer is an essential requirement in clinical information systems, both for ensuring that local information collections support continuity of care, as well as for State/Territory and national-level analysis.
- 5.5.2 All unit record data reported by States and Territories under the IDPs is to be assigned to an individual consumer, identified by the number that is unique at the level of the *Mental Health Service Organisation* and shared by all service units operating under the organisation.
- 5.5.3 States and Territories vary in the extent to which service units operating as components of a *Mental Health Service Organisation* share a unique identifier for patients under care. However, where these are not in place, jurisdictions are taking steps to establish such arrangements.
- 5.5.4 The unique identifier reported in the NOCC extract submitted to the Australian Government should be in encrypted form and identical to that used in supplying unit record data for the *National Minimum Data Set – Community Mental Health Care* and the *National Minimum Data Set – Admitted Patient Mental Health Care*.

²³ The *Region* concept used in the *Mental Health Provider Entity Identifier* is therefore identical to the National Health Data Dictionary definition. The alternative option of defining *Region* as the catchment population served by the combination of *Mental Health Service Organisation* and *Service Unit* has potential for adding greater meaning and will be explored in future versions.

6. Unit of reporting

6.1 Basic unit of reporting – the *Collection Occasion*

- 6.1.1 Reporting of patient-level unit record data in current national collections is tied to ‘episodes of care’. The principle is a simple one – one record per patient per episode. In inpatient services, patient-level data are reported in terms of hospital separations, with multiple records added for each separation over the annual reporting period.
- 6.1.2 For the purposes of NOCC reporting requirements, the unit of reporting will be the *Collection Occasion*. A specified data set is to be reported for three defined collection occasions (*Admission, Review, Discharge*).
- 6.1.3 The alternative option of reporting data at the level of the episode is not proposed because building episode-based data will create greater difficulty for State and Territory jurisdictions. The task of linking collection occasions and building episodes for analysis purposes will be conducted on an exploratory basis at the national level.
- 6.1.4 In resolving this, it is important to distinguish the *unit of reporting* from the *unit of analysis*. The units of reporting will serve as the building blocks to assemble higher level ‘units of care’ which will be the subject of analysis. For this there needs to be both:
- a capacity to link discrete collection occasion events, using as a primary key the data elements *Mental Health Provider Entity* and *Patient Identifier*; and
 - a conceptual framework to guide the bundling of those events into coherent units for analysis. Issues related to these aspects will be the subject of separate papers and do not need to delay implementation of the reporting specification.

6.2 Reporting context - *Reason for Collection*

- 6.2.1 Application of the reporting protocol requires that the defined *Collection Occasions* be mapped to a range of key events (ie. admission to hospital, registration by community services, clinical review, transfer, discharge etc) which may occur within the context of an *Episode of Mental Health Care*.
- 6.2.2 Understanding the nature of the events triggering admission, discharge or review is necessary for subsequent informed analysis. For example, it will be desirable to separately analyse the differential outcomes of new consumers admitted to ambulatory care from those who commence an ambulatory episode following discharge from hospital.

6.2.3 These considerations will be captured within the data item *Reason for Collection*. The domain of the *Reason for Collection* item is shown in Table 3 below.²⁴

Table 3: Domain and data definitions for *Reason for Collection*

Collection Occasion	Reason for Collection	Definition
Admission to mental health care episode	01. New referral	Admission to a new inpatient, community residential or ambulatory episode of care of a consumer not currently under the active care ²⁵ of the <i>Mental Health Service Organisation</i> .
	02. Admitted from other treatment setting	Transfer of care between an inpatient, community residential or ambulatory setting of a consumer currently under the active care of the <i>Mental Health Service Organisation</i>
	03. Admission – Other	Admission to a new inpatient, community residential or ambulatory episode of care for any reason other than defined above
Review of mental health care episode	04. 3-month review	Standard review conducted at 3 months (91 days) following admission to the current episode of care or 91 days subsequent to the preceding Review
	05. Review – Other	Standard review conducted for reasons other than the above.
Discharge from mental health care episode	06. No further care	Discharge from an inpatient, community residential or ambulatory episode of care of a consumer for whom no further care is planned to be provided by the <i>Mental Health Service Organisation</i> .
	07. Discharge to change of treatment setting	Transfer of care between an inpatient, community residential or ambulatory setting of a consumer currently under the care of the <i>Mental Health Service Organisation</i> .
	08. Death	Completion of an episode of care following the death of the consumer.
	09. Discharge - Other	Discharge from an inpatient, community residential or ambulatory setting for any reason other than defined above.

²⁴ It is noted that the *Reasons for Collection* item has some conceptual similarities to the National Health Data Dictionary data elements Mode of Admission, Mode of Separation and Reason for Cessation of Treatment. However, the items have different domains and purposes. The *Reasons for Collection* domain incorporates two concepts: ‘Why is the information being collected now?’ And ‘where is the patient coming from/going to’ in terms of the next step in their sequence of care.

²⁵ The concept of ‘active care’ is necessary to promote consistency in the development of guidelines for the regular review and closure of cases under ongoing community care. As an interim step, States and Territories have agreed to adopt the following business rule in their clinician training strategies.

“A person is defined as being under ‘active care’ at any point in time when:

- they have not been discharged from care; AND
- some services (either direct to or on behalf of the consumer) have been provided over the previous 3 months; AND
- a future appointment has been made to provide a service within the next 3 months.

Thus, where no future services are planned in the next 3 months, the person is not considered to be under ‘active care’.”

- 6.2.4 Individual States and Territories have the option of specifying the domain in greater detail and are encouraged to do. For example, New South Wales uses a list of 39 hierarchically ordered *Reasons for Collection*, which accommodate a range of local service issues and State requirements super-numerary to the national requirements. However, where the domain is further specified, States and Territories should ensure a capacity to map to the national definitions. These represent the mandatory national conditions for collection of data at *Admission*, *Review* and *Discharge*.

6.3 Collection Occasion Date

- 6.3.1 The *Collection Occasion Date* is the reference date for all data collected at any given *Collection Occasion*.
- 6.3.2 For data collected at the **beginning** of an *Episode of Mental Health Care* the *Collection Occasion Date* is referred to as the *Admission Date*. For data collected at **end** of an *Episode of Mental Health Care*, the *Collection Occasion Date* is referred to as *Discharge Date*. For data collected at *Review* during an ongoing *Episode of Mental Health Care*, the *Collection Occasion Date* is referred to as the *Review Date*.
- 6.3.3 The *Collection Occasion Date* should be distinguished from the actual date of completion of individual measures that are required at the specific occasion. In practice, the various measures may be completed by clinicians and consumers over several days. For example, at *Review* during ambulatory care, the client's case manager might complete the HoNOS and LSP during the clinical case review on the scheduled date, but in order to include their client's responses to the consumer self-report measure, they would most likely have asked the client to complete the measure at their last contact with them. For national reporting and statistical purposes, a single date is required which ties all the standardised measures and other data items together in a single *Collection Occasion*.²⁶ The actual collection dates of the individual data items and standard measures may be collected locally but is not required in the national reporting extract.
- 6.3.4 A special requirement applies in the case of inpatient episodes to facilitate record matching with corresponding records collected under the NMDS – Admitted Patient Mental Health Care. For *Admission* to inpatient episodes, the *Collection Occasion Date* should be the date of admission as recorded in the NMDS data set. For *Discharge* from inpatient episodes, the *Collection Occasion Date* should be the date of separation as recorded in the NMDS data set.²⁷

²⁶ The implication is that each data item and standardised measure needs to 'belong' to a specific *Collection Occasion* and assumes the date properties of the *Collection Occasion*. Technical solutions will be needed within local information systems to group all relevant data items and standardised measures collected as part of the NOCC dataset and attach them to a specific, dated *Collection Occasion*.

²⁷ This requirement is workable for the vast majority of inpatient episodes but may not be appropriate for those episodes that include extended periods of leave. See Section 7.3 for proposed approach for dealing with such cases.

7. Collection protocol

- This section describes the protocol to be used to guide the collection of outcomes and casemix data. It focuses on what data is to be collected and when it is to be collected.
- The NOCC protocol defines the minimum requirements and should not be interpreted as confining participating jurisdictions to those requirements. Additionally, local services may elect to collect additional measures or to increase the frequency of ratings.
- Implementing the protocol within service delivery agencies requires consideration of how the required data collection will be integrated within agency-level clinical processes and broader information requirements. Local systems vary with different business processes, data collection forms and so forth that reflect differences in service delivery structures. Resolving these issues is beyond the scope of the current document but will need to be addressed by all jurisdictions.

7.1 Data requirements at each Collection Occasion

- 7.1.1 Design of the protocol needs to accommodate both the outcomes and casemix development objectives of the information development strategy agreed to by all jurisdictions. These are not identical. Simply put, casemix requirements need key data to be collected only once during each episode to allow the episode to be adequately described and classified. From the casemix perspective, the only issue is to ensure that the information is collected at the most appropriate point within the overall episode of care. For example, assessment on the HoNOS at *Admission* would suffice for casemix purposes because it is the best measure of the level of severity of the condition presented by the consumer to the treatment system.
- 7.1.2 In comparison, measurement of consumer outcomes by definition presumes a comparison over time and requires data to be collected on at least two occasions in order to allow assessment of change in the consumer's health status. Thus, taking the same example of the HoNOS, a minimal requirement would be to collect the HoNOS at *Admission* and *Discharge*.
- 7.1.3 The national protocol takes all these issues into account and requires that:
- clinical measures that are to be used for outcomes evaluation and casemix purposes be collected at the *Admission*, *Review* and *Discharge Collection Occasions* within episodes to allow change in the consumer's clinical status to be assessed; and
 - items required only for casemix purposes be collected at points which are consistent with the MH-CASC classification to allow the classification to be further developed. In general, the decision about whether to collect these at episode start or episode end is based on using the *Collection Occasion* that best describes the consumer during the overall episode of care.

Table 4 brings together these considerations and provides summary details of the various measures to be collected at the three *Collection Occasions* during each episode of mental health care.

Table 4: Data to be collected at each *Collection Occasion* within each *Mental Health Service Setting*, for consumers in each *Age Group*

<i>Mental Health Service Setting</i> <i>Collection Occasion</i>	INPATIENT			COMMUNITY RESIDENTIAL			AMBULATORY		
	A	R	D	A	R	D	A	R	D
Children and Adolescents									
HoNOSCA ⁽¹⁾	●	●	●	●	●	●	●	●	●
CGAS	●	●	✘	●	●	✘	●	●	✘
FIHS	✘	●	●	✘	●	●	✘	●	●
Parent / Consumer self report (SDQ) ^(2, 3)	●	●	●	●	●	●	●	●	●
Principal and Additional Diagnoses	✘	●	●	✘	●	●	✘	●	●
Mental Health Legal Status	✘	●	●	✘	●	●	✘	●	●
Adults									
HoNOS ⁽¹⁾	●	●	●	●	●	●	●	●	●
LSP-16 ⁽⁴⁾	✘	✘	✘	●	●	●	✘	●	●
Consumer self-report (MHI, BASIS32, K10+) ^(3, 5)	✘	✘	✘	●	●	●	●	●	●
Principal and Additional Diagnoses	✘	●	●	✘	●	●	✘	●	●
Focus of Care ⁽⁶⁾	✘	✘	✘	✘	✘	✘	✘	●	●
Mental Health Legal Status	✘	●	●	✘	●	●	✘	●	●
Older persons									
HoNOS 65+ ⁽¹⁾	●	●	●	●	●	●	●	●	●
LSP-16 ⁽¹⁾	✘	✘	✘	●	●	●	✘	●	●
RUG-ADL	●	●	✘	●	●	✘	✘	✘	✘
Consumer self-report (MHI, BASIS32, K10+) ^(3, 5)	✘	✘	✘	●	●	●	●	●	●
Principal and Additional Diagnoses	✘	●	●	✘	●	●	✘	●	●
Focus of Care ⁽⁶⁾	✘	✘	✘	✘	✘	✘	✘	●	●
Mental Health Legal Status	✘	●	●	✘	●	●	✘	●	●

Abbreviations and Symbols

A	Admission to Mental Health Care	●	Collection of data on this occasion is mandatory
R	Review of Mental Health Care	✘	No collection requirements apply
D	Discharge from Mental Health Care		

Notes

- (1) Discharge ratings for the HoNOS, HoNOS65+ and HoNOSCA are not required for inpatient episodes less than 3 days duration.
- (2) Discharge ratings for the SDQ are not required for any episode of less than 21 days duration because the rating period used at discharge (previous month) would overlap significantly with the period rated at admission.
- (3) The classification of consumer self-report measures as mandatory is intended only to indicate the expectation that consumer's will be invited to complete self-report measures at the specified *Collection Occasions*, not that such measures will always be appropriate. Special considerations applying to the collection of self-report measures are described in section 7.4.
- (4) The LSP-16 is not included as a measure for use in inpatient settings as, in its current form, it requires ratings to be based on the consumer's functioning over the previous three months. This is difficult for the majority of inpatient episodes which are relatively brief.
- (5) Introduction of adult consumer self-report measures in inpatient episodes is not included as a national requirement at this stage but will be reviewed in the future following experience in use of the measures in other settings. Individual jurisdictions or service agencies may however choose to trial these measures in inpatient settings.
- (6) Restriction of the Focus of Care only to ambulatory care episodes for adults and older persons is based on experience in the MH-CASC study which found it be of limited value in inpatient and community residential settings and with child/adolescent patients.

7.2 Rating periods for the clinical and consumer self-report measures and data items

Completion of each of the clinical measures and data items is based on a period of observation that is specific to each scale or item, and may vary according to the *Collection Occasion*. Table 5 identifies the usual rating periods and their exceptions for all clinical data.

Table 5: Rating periods for each of the clinical and consumer self-report measures and data items

Standardised measure or Data item	Usual rating period	Exceptions
HoNOS / HoNOS 65+	Previous 2 weeks	At discharge from Inpatient psychiatric care, based on previous 3 days including day of discharge.
LSP	Previous 3 months	No exceptions
RUG-ADL	Current status	No exceptions
K10 / K10+	For K10+LM, based on previous 4 weeks. For K10L3D, based on previous 3 days. ²⁸	No exceptions
BASIS-32	Previous 2 weeks	No exceptions
MHI-38	Previous 4 weeks	No exceptions
HoNOSCA	Previous 2 weeks	At discharge from Inpatient psychiatric care, based on previous 3 days including day of discharge.
CGAS	Previous 2 weeks	No exceptions
FIHS	The period of care bound by the current <i>Collection occasion</i> and the preceding <i>Collection Occasion</i> .	No exceptions
SDQ	At admission to a service, the previous six months At review and discharge, the previous one month	No exceptions
Focus of Care	The period of care bound by the current <i>Collection occasion</i> and the preceding <i>Collection Occasion</i> .	no exceptions
Principal and Additional Diagnoses	The period of care bound by the current <i>Collection occasion</i> and the preceding <i>Collection occasion</i> .	no exceptions
Mental Health Legal Status	The period of care bound by the current <i>Collection Occasion</i> and the preceding <i>Collection Occasion</i> .	no exceptions

²⁸ The K10L3D is a variation of the K10 designed for use in inpatient settings where the episode is of less than 3 days duration. Use of adult consumer self-report measures within inpatient settings is not required under current NOCC specifications but is being used by some jurisdictions.

7.3 Special issues in interpreting the protocol at service delivery level

- 7.3.1 The standard protocol is designed to fit most clinical situations without there being an expectation that the fit will be perfect. Based on experience to date, it is expected that implementation of the protocol for the majority of cases should be relatively straightforward once information systems are in place and clinician training in use of the instruments has been completed.
- 7.3.2 However, there is a range of special issues that will need to be resolved within each jurisdiction where application of the standard protocol is more complex. Most of these concern clarifying the interface between episodes in complex sequences of care and interpreting the two business rules which act as triggers to data collection (one episode at a time, change of setting = new episode).
- 7.3.3 It is beyond the scope of the current document to provide detailed guidelines on all potential complexities arising in the translation of the standard protocol to the many service delivery environments in which mental health services operate in Australia. However, a summary of the approach recommended to the main issues is provided in Table 6 as a basis for further discussion within jurisdictions and development of workforce training programs.

Table 6: Recommended approach to special issues in interpreting the protocol at service delivery level

Scenario	Common Questions	National minimum requirement
1. Movement between inpatient and community settings	Do ratings need to be recorded for the end of the community episode as well as the beginning of the inpatient episode when a consumer is transferred from ambulatory care to hospital?	Yes, because one episode has ended and another commenced. How this is achieved depends on the service structures established within the organisation. It does not necessarily imply that separate ratings are made by two independent clinicians. Potential to integrate the data requirements within a single rating should be explored.
2. Transfer between two wards of the psychiatric unit	Is the transfer of a patient from one psychiatric ward to another within the same hospital campus a new episode and thus requiring new data collection?	No, because there has not been a change of treatment setting. However, there may be good clinical reasons to reassess the patient when transfer occurs eg, when the transfer is from an acute to a rehabilitation ward, or from a general acute unit to a forensic ward within the hospital. Decisions about whether such additional ratings are required need to be resolved at the local level. Where they do occur, they should be reported and Reason for Collection coded as 'Review – Other'.
3. Transfer between psychiatric units from one hospital campus to another	Should a new inpatient episode be commenced when a consumer is transferred from one hospital to another within the same mental health care organisation?	Yes. Even though this is not technically a change in treatment setting, States and Territories have agreed that an inpatient episode should be recorded in these circumstances, with the associated data collection requirements.
4. Transfer of care between community teams	Does a new cycle of data collection begin when case management is transferred from one ambulatory care team to another within the	No, within the national episode model the consumer is regarded as remaining within the same episode of care. However, as in the example (2) above, there may be good clinical reasons to reassess the patient when between-team transfer occurs. For example,

Scenario	Common Questions	National minimum requirement
	same organisation?	transfer from crisis team to continuing care team. Decisions about whether such additional ratings are required need to be resolved at the local level.
5. Multiple team involvement in case management	Is each team expected to complete ratings on the consumer?	No, the consumer is regarded as receiving only one episode of care at a time. Decisions about which team (or clinician) is responsible for completing the required ratings need to be at the local level.
6. 'Intended' same day admissions:	Is each day of care a new inpatient episode, requiring a full set of ratings?	No. Definitions that have been developed under the <i>National Survey of Mental Health Services</i> since 1994 have regarded 'intended same day admissions' as a component of ambulatory care services.
7. Discharge from hospital on indefinite leave	Does an inpatient episode continue when a patient is placed on extended leave but remains, legally, an inpatient?	This is a common but complex issue in mental health services. As a general rule, it is recommended that, for the purposes of the NOCC dataset, the inpatient episode be deemed to have ended when the patient is sent on leave and where there is no intention that he/she return for an overnight stay <i>within the next 7 day period</i> .
8. Return to hospital from indefinite leave	Does a new inpatient episode begin when a patient returns to hospital after a period of extended leave?	This is the converse of the above. It is recommended that where an inpatient episode is deemed to have ended as a result of indefinite leave, and the patient returns unexpectedly, a new inpatient episode should be commenced.
9. Brief inpatient episodes	Are discharge ratings required for very brief inpatient episodes?	<p>In general yes, but there are exceptions:</p> <ul style="list-style-type: none"> • For inpatient episodes in all Age Groups where the episode is of less than 3 days duration: the HoNOS/HoNOS65+/HoNOSCA is not required. • For <u>all</u> Child and Adolescent episodes of less than 21 days duration, the discharge SDQ is not required. <p>In both instances above, the exclusion is because the period that would be rated at discharge would overlap with the admission ratings</p> <p>Apart from the above exceptions, all other aspects of the collection protocol are required at discharge from inpatient episodes.</p>
10. Rapid readmission to hospital	If a patient is discharged from an inpatient unit and is readmitted within a very short period, is this a new inpatient episode or a continuation of the previous one?	Where the readmission was unplanned, there are strong clinical grounds for recording a new episode and reassessing the patient. However, this issue remains unresolved and will be referred to a national expert committee for advice when established later in 2002.
11. 'Assessment only' cases seen by community teams	Is outcomes and casemix data required on every person seen by community teams, regardless of whether they are accepted for treatment?	<p>This is an issue that needs to be resolved by each jurisdiction. It is recognised that many people are seen only briefly by community teams and referred elsewhere following assessment. Similarly, community teams may provide services on a consultation and shared care basis to many people, some of whom they do not assess directly. Collection of the full set of outcomes and casemix data in such instances may be impractical.</p> <p>A nationally agreed process for registering this important aspect of mental health team work is yet to be developed (see Appendix 4). In the meantime, jurisdictions should develop local guidelines and</p>

Scenario	Common Questions	National minimum requirement
		business rules for clinicians regarding the handling of ‘assessment only’ cases. In general, there is consensus that use of the standard clinical measures at the assessment point represents good practice for all cases. Where further care is not provided beyond the assessment, or where the care episode is of very brief duration, collection of discharge data may not be meaningful.
12. Consumers seen regularly but at less than 3 monthly intervals	How should the 3 monthly (91 day) review ‘rule’ be applied in these cases? Does it mean that they will need to be seen more regularly?	No, definitely not, the collection protocol is intended to support good practice rather than dictate how services should be delivered. Where the needs of a consumer require that they be seen regularly but at less than 3 monthly intervals, then reviews using the standard instruments should be conducted on the next appointment that occurs after 3 months have elapsed since the last collection occasion.
13. Admission to general medical (non mental health) ward	Is a new episode of mental health inpatient care commenced when the person is admitted to a (non mental health) medical ward for the primary purpose of mental health care?	No. This is a continuation of the ambulatory episode. It is recommended however that a review of the consumer be conducted at this stage.
14. Consultation Liaison teams	What is expected of C-L teams in terms of collection of the NOCC data?	<p>It does not make sense to establish a single rule to apply to C-L teams. Mental health teams referred to under the descriptive label ‘Consultation Liaison’ deliver services in varied ways and across all treatment settings. In some instances the consumer may be seen briefly, or not at all. Such services share similar characteristics to the ‘assessment only’ scenario described above. In others, the consumer may be seen for a series of consultations in much the same way as in many ‘standard’ mental health services, indicating that the full sequence of NOCC data is appropriate.</p> <p>Further work is anticipated to develop the episode model underpinning NOCC to better differentiate the work of C-L teams. In the meantime, each jurisdiction is expected to resolve how C-L services should approach the NOCC collection. This will usually require resolution at the local level based on an understanding of how each service operates rather than instituting a blanket rule.</p> <p>It is worth noting that the RANZCP Consultation – Liaison Psychiatry Section prepared a report in November 2002 that recommended the adoption of the NOCC measures within C-L psychiatry.²⁹</p>

²⁹ Royal Australian and New Zealand College of Psychiatry Consultation Liaison Section. Report of Outcome Data Measurement National Working Group, November 29 2002.

7.4 Special considerations applying to the collection of consumer self-report and parent measures

- 7.4.1 In general, all consumers should be asked to complete self-report measures at the *Collection Occasions* indicated in Table 4. However, due to the nature and severity of their mental health or other problems, it is likely that some consumers should never be asked to complete self-report measures, others may not be able to complete the self-report measures at the scheduled occasion, whilst still others may sometimes find completion of the self-report measures to be difficult or stressful. Suggested criteria for defining the reasons why the collection of self-report measures would be contraindicated are outlined below.
- 7.4.2 In all cases, clinical judgement as to the appropriateness of inviting the consumer to complete the measures should be the determining factor at any given *Collection Occasion*. Where collection of consumer self-report measures is contraindicated, the reasons should be recorded.
- 7.4.3 Similar considerations also apply in relation to the parent version of the SDQ.

General exclusions

- 7.4.4 Some persons may not be able to complete the measures at any time and should not be asked to do so. A definitive list of circumstances in which a general exclusion applies is beyond the scope of this document but broadly it would include situations where:
- the person's cognitive functioning is insufficient to enable understanding of the task as a result of an organic mental disorder or an intellectual disability;
 - cultural or language issues make the measures inappropriate.³⁰

Temporary contraindications

- 7.4.5 Under certain conditions, a consumer (or in the case of the SDQ a parent) may not be able to complete the measure at a specific *Collection Occasion*. Circumstances where it may be appropriate to refrain from inviting the person to complete the measure include:
- where the consumer's current clinical state is of sufficient severity to make it unlikely that their responses to a self-report questionnaire could be obtained, or that if their responses were obtained it would be unlikely that they were a reasonable indication of person's feelings and thoughts about their current emotional and behavioural problems and wellbeing;
 - where an invitation to complete the measures is likely to be experienced as distressing or require a level of concentration and effort the person feels unable to give; or

³⁰ Substantial development work is required in the future to address cultural issues in the use and interpretation of self-report outcome measures. See Appendix 3.

- where consumers or parents in crisis are too distressed to complete the measure.

7.4.6 It is suggested that in these circumstances consumers and parents need not be invited to complete the measures. At all other times, an attempt should be made to obtain their responses.

7.4.7 In many cases, the severity of the person’s clinical state and the degree of family distress experienced will diminish with appropriate treatment and care. It is suggested that, if within a period of up to seven days following the *Collection Occasion* in an ambulatory care setting the consumer (or parent) is likely to be able to complete the measure then their responses should be sought at that time. Otherwise, no further attempt to administer the measure at that *Collection Occasion* should be made.

Special issues related to the Strengths and Difficulties Questionnaire versions

7.4.8 The SDQ has six versions currently specified for NOCC reporting.³¹

- Parent-report for children aged 04-10 on admission to a mental health care episode;
- Parent-report for children aged 04-10 on follow up contact (review and discharge);
- Parent-report for children and adolescents aged 11-17 on admission to a mental health care episode;
- Parent Report Measure for Youth aged 11-17 on follow up contact (review and discharge);
- Youth self report measure (11-17) on admission to a mental health care episode; and
- Youth self report measure (11-17) on follow up contact (review and discharge).

7.4.9 Generally, the ‘admission’ versions are administered on admission and rated over the standard rating period of six months and the ‘follow up’ versions are administered on review and discharge and rated over a one month period. However, for referral from another setting, to prevent duplication and undue burden on consumers and parents, the following guide is suggested:

<p><i>Transfer of care between an inpatient, community residential or ambulatory setting of a consumer currently under the active care of the Mental Health Service Organisation.</i></p>	<p>Admission SDQ - if Follow Up SDQ required at the end of referring treatment settings episode is neither completed nor provided by referring setting.</p> <p>Follow Up SDQ - if Follow Up SDQ is required at end of referring treatment settings episode has in fact been completed and provided by the referring setting.</p>
---	--

³¹ An additional four versions are available for use by Teachers but these are not included in the national protocol. Details of these versions however are provided in the document *Mental Health National Outcomes and Casemix Collection: Overview of clinician rated and self-report measures, Version 1.50*. Department of Health and Ageing, Canberra, 2003.

<p><i>Admission to a new inpatient, community residential or ambulatory episode of care for any reason other than defined above.</i></p>	<p>Admission SDQ - if Follow Up SDQ required at the end of referring treatment settings episode is neither completed nor provided by referring setting.</p> <p>Follow Up SDQ - if Follow Up SDQ required at end of referring treatment settings episode has not been completed or is not provided by the referring setting.</p>
--	---

- 7.4.10 The ‘admission’ versions are to be used on admission of a consumer who is a new referral – that is, they are not currently under the active care of the Mental Health Service Organisation.

7.5 Future development of the protocol

- 7.5.1 This version of the National Outcomes and Casemix Collection has been prepared from the research and development undertaken to date under the National Mental Health Strategy and the experiences by jurisdictions in introducing standard outcome measurement into routine clinical practice. Much remains to be learnt through trial and application over the coming years.
- 7.5.2 The protocol represents an attempt to achieve a compromise between the desirable and the achievable. A range of issues remain unresolved and specific areas require further development (eg, measures for forensic services). Appendix 3 outlines an indicative agenda for future development.
- 7.5.3 Much of the input to future development will come from day-to-experience in using the measures and the protocol governing their collection. Experience from the technical side of system development will also inform future revisions, along with analysis of the national data and formal research studies of the measurement instruments themselves.
- 7.5.4 National Mental Health Outcomes Expert groups have been established for Adult (inclusive of the Forensic setting), Older Person and Child and Adolescent Services. These groups provide clinical and technical advice relating to outcome measurement in Australia’s specialised public mental health services.
- 7.5.5 Version 2.0 of the protocol is expected to resolve a number of important issues to which there is not currently national agreement (eg, assessment only, consultation liaison). This version will not be released within 18 months of the release of Version 1.5 to enable the current modifications to be embedded within the infrastructure.

8. NOCC data extract and file layout specification

This section identifies the layout and format of NOCC data files to be submitted by States and Territories to the Australian Government Mental Health and Suicide Prevention Branch. Section 10 provides details of the supplementary Mental Health Provider Entity Reference Files also required to be submitted by States and Territories.


8.1 Overview of data model for NOCC extract

8.1.1 The basic design of the extract consists of a set of data records for each *Collection Occasion*. The structure of the data to be reported can be represented in the data model shown in Figure 2. In the model, a Person may have standardised measures and associated data items collected at one or more Collection Occasions. At each Collection Occasion zero or one each of the HoNOS, LSP, RUG-ADL, HoNOSCA, CGAS, FIHS, consumer self-rated measure and other individual data items (Principal diagnosis, Additional Diagnosis, Focus of Care, Mental health legal status) may be recorded.

8.1.2 Three advantages of the model of the model should be noted

- First, neither the concept of an *Episode of Mental Health Care* or the concept of a *Period of Care* are represented as entities in the model. Information regarding either entity may be derived for statistical purposes from sequential instances of *Collection Occasions*.
- Second, the suggested model separates the record for each individual standardised measure from the *Collection Occasion*, even though the measures have a one-to-one relationship with it. This enables additional measures to be more easily added as the need arises. For example, as further measures for children and adolescents are identified these will need to be added to the extract. It also makes the process of accommodating the different consumer self-report instruments that will be used by States and Territories less complex for all parties.
- Third, the model provides a logical grouping of the NOCC data measures. In particular, the four individual data items that are collected at the same points within episodes and based on the preceding *Period of Care* (*Principal Diagnosis, Additional Diagnosis, Focus of Care, Mental Health Legal Status*) are grouped into the category ‘Other Clinical Data Items’.

Figure 2: Data model underlying the NOCC data extract



8.2 File type and naming convention

- 8.2.1 Data submitted to the Australian Government should be formatted as a Fixed Format data file, with each record in the file being terminated with Carriage Return (CR) and Line Feed (LF) characters.
- 8.2.2 The data file will have the naming convention of NOCCSYYYYNNNNN.DAT. Where *S* is the State identifier, YYYY indicates the reporting year covered in the file and NNNNN represents an incremental batch number (leading zeros present). Note that resubmitted files should have a batch number greater than the file they replace. For example, the first NOCC data file submitted by the Australian Capital Territory covering the 2002-03 year would be named 'NOCC82003000001.DAT'.

8.3 Reporting period and delivery date

- 8.3.1 Files are to be prepared on an annual basis and sent to the Department of Health and Ageing by **5 December** each year, or closest working day).
- 8.3.2 Each annual file will include data for the preceding financial year eg, December 2003 file should include data for the 2002-03 financial year.

8.4 File structure

- 8.4.1 The extract format consists of a set of *Data Records* for each *Collection Occasion*. Each record in the set has a different record type but must have the same unique *Collection Occasion Identifier*.
- 8.4.2 In each extract file for any given period the Data records must be preceded by a single *File Header Record* having the structure outlined below.
- 8.4.3 In each extract file for any given period the Data records must be followed by a single *File Terminator Record* having the structure outlined below.
- 8.4.4 There is one *Data Record* for each of the following:
- Collection Occasion Details.
 - Each of the standard rating measures i.e. HoNOS/HoNOS65+, LSP-16, RUGADL, HoNOSCA, CGAS, FIHS, MHI-38, BASIS-32, K10+ and SDQ.
 - Other Clinical Data items.
- 8.4.5 All *Data Records* should include the following elements in the order shown:
- Record type.
 - Collection occasion identifier.
 - Specific data in the format specified for the given record type.
- 8.4.6 The specific data within each *Data Record* type, other than the Collection Occasion Details and Other Clinical Data Items records, consists of the data elements detailing the collection of the measure (Collection Status, Version)

followed by the actual data elements constituting the measure. Where summary scores are derived from individual scores, these are not required in the national extract as they will be derived from the individual item scores.

- 8.4.7 Note that in those cases where the collection of a particular measure was omitted due to a protocol exclusion, the relevant data element values (Not applicable – coded 8 for most items) indicating that exclusion must appear in the extract. Similarly, where a measure was simply not collected, even though its collection was required at that given Collection occasion, the relevant data element values (Not stated / Missing – coded 9 for most items) indicating that must appear in the extract. Blank fields are not acceptable within any record type.
- 8.4.8 The order of fields in a record must be the same as the order they are specified in the Record Layouts specified below. Field values should be formatted as specified in the Record Layouts.
- 8.4.9 The first field in each record must be *Record Type*. Valid values are shown below.

Table 7: Valid values for Record Type

Record Type	Description
HR	File Header Record
COD	Collection Occasion Details
OCDI	Other Clinical Data items
HONOS	HoNOS or HoNOS65+
LSP16	LSP-16
RUGADL	RUG-ADL
HONOSCA	HoNOSCA
CGAS	CGAS
FIHS	FIHS
MHI38	MHI (Consumer Self-Rated Measure)
BASIS32	BASIS-32 (Consumer Self-Rated Measure)
K10+	K10+ (K10+LM and K10L3D versions)
SDQ	SDQ (all versions)
ZZZZZZZ	File Terminator Record

8.5 Data integrity

- 8.5.1 Values in **Date** fields must be recorded in compliance with ISO 8601, specifically; dates must be of fixed 8 column width in the format CCYYMMDD, with leading zeros used when necessary to pad out a value. For instance, 13th March 2001 would appear as 20010313.
- 8.5.2 Values in **Numeric** fields must be zero-filled and right-justified.
- 8.5.3 Values in **Character** fields must be left justified and space-filled.

8.6 File header and termination records

- 8.6.1 The first record of the extract file must be a File Header Record (Record type = 'HR'), and it must be the only such record in the file.
- 8.6.2 The File Header Record is a quality control mechanism, which uniquely identifies each file that is sent to the Australian Government. (ie. who sent the file, what date the file was sent, how many records are in the file etc). The information contained in the header fields will be checked against the actual details of the file to ensure that the file received has not been corrupted.
- 8.6.3 The last record of the data file must be a File Termination Record (Record type = 'ZZZZZZZZ'), and it must be the only such record in the file.
- 8.6.4 The Record Count field must contain the exact number of records in the file including the File Header Record and the File Termination Record.
- 8.6.5 The proposed layout of the File Header Record and File Termination Record are shown in Table 8 and Table 9 respectively.

Table 8: Record Layout for File Header Record within the data extract

Data Element	Type [Length]	Start	Notes
Record type	Char [8]	1	Value = HR
State identifier	Char [1]	9	Domain = 1 New South Wales; 2 Victoria; 3 Queensland; 4 South Australia; 5 Western Australia; 6 Tasmania; 7 Northern Territory; 8 Australian Capital Territory.
Report period start date	Date [8]	10	
Report period end date	Date [8]	18	
Data file generation date	Date [8]	26	
Record count	Number [8]	34	
Data file type	Char [4]	42	Value = NOCC
NOCC reporting specification version	Char [3]	46	Value = 015
<i>Record length =</i>		49	

Table 9: Record Layout for File Termination Record within the data extract

Data Element	Type [Length]	Start	Notes
Record type	Char [8]	1	Value = ZZZZZZZZ
<i>Record length =</i>		8	

8.7 Data records

- 8.7.1 The extract format for the *Data records* is specified in detail in Table 10 to Table 21.
- 8.7.2 The order of fields in each record must be the same as the order they are shown in below. Field values should be formatted as specified.

Table 10: Data record layout — Collection Occasion Details

Data Element	Type [Length]	Start	Notes
Record type	Char [8]	1	Value = COD
Collection occasion identifier	Char [30]	9	
Person identifier	Char [20]	39	
Date of birth	Date [8]	59	

Data Element	Type [Length]	Start	Notes
Sex	Char [1]	67	
Mental health service setting	Char [1]	68	
Age group	Char [1]	69	
Collection occasion date	Date [8]	70	
Reason for collection	Char [2]	78	
Mental health provider entity identifier	Char [12]	80	
<i>Record length =</i>		92	

Table 11: Data record layout — Other Clinical Data Items

Data Element	Type [Length]	Start	Notes
Record type	Char [8]	1	Value = OCDI
Collection occasion identifier	Char [30]	9	
Principal diagnosis	Char [8]	39	
Additional diagnosis 1	Char [8]	47	
Additional diagnosis 2	Char [8]	55	
Focus of care	Char [1]	63	
Mental Health Legal Status	Char [1]	64	
<i>Record length =</i>		65	

Table 12: Data record layout — HoNOS/HoNOS65+

Data Element	Type (Length)	Start	Notes
Record type	Char [8]	1	Value = HONOS
Collection occasion identifier	Char [30]	9	
HoNOS version	Char [2]	39	
HoNOS collection status	Char [1]	41	
HoNOS item 01	Number [1]	42	
HoNOS item 02	Number [1]	43	
HoNOS item 03	Number [1]	44	
HoNOS item 04	Number [1]	45	
HoNOS item 05	Number [1]	46	
HoNOS item 06	Number [1]	47	
HoNOS item 07	Number [1]	48	
HoNOS item 08	Number [1]	49	
HoNOS item 08a	Char [1]	50	
HoNOS item 09	Number [1]	51	
HoNOS item 10	Number [1]	52	
HoNOS item 11	Number [1]	53	
HoNOS item 12	Number [1]	54	
<i>Record length =</i>		55	

Table 13: Data record layout — LSP-16

Data Element	Type (Length)	Start	Notes
Record Type	Char [8]	1	Value = LSP16
Collection occasion identifier	Char [30]	9	
LSP-16 version	Char [2]	39	
LSP-16 Collection status	Char [1]	41	
LSP-16 item 01	Number [1]	42	
LSP-16 item 02	Number [1]	43	
LSP-16 item 03	Number [1]	44	
LSP-16 item 04	Number [1]	45	
LSP-16 item 05	Number [1]	46	
LSP-16 item 06	Number [1]	47	
LSP-16 item 07	Number [1]	48	
LSP-16 item 08	Number [1]	49	
LSP-16 item 09	Number [1]	50	
LSP-16 item 10	Number [1]	51	

Data Element	Type (Length)	Start	Notes
LSP-16 item 11	Number [1]	52	
LSP-16 item 12	Number [1]	53	
LSP-16 item 13	Number [1]	54	
LSP-16 item 14	Number [1]	55	
LSP-16 item 15	Number [1]	56	
LSP-16 item 16	Number [1]	57	
<i>Record length =</i>			58

Table 14: Data record layout — RUG-ADL

Data Element	Type [Length]	Start	Notes
Record Type	Char [8]	1	Value = RUGADL
Collection occasion identifier	Char [30]	9	
RUGADL version	Char [2]	39	
RUGADL collection status	Char [1]	41	
RUGADL item 1	Number [1]	42	
RUGADL item 2	Number [1]	43	
RUGADL item 3	Number [1]	44	
RUGADL item 4	Number [1]	45	
<i>Record length =</i>			46

Table 15: Data record layout — HoNOSCA

Data Element	Type [Length]	Start	Notes
Record type	Char [8]	1	Value = HONOSCA
Collection occasion identifier	Char [30]	9	
HoNOSCA version	Char [2]	39	
HoNOSCA collection status	Char [1]	41	
HoNOSCA item 01	Number [1]	42	
HoNOSCA item 02	Number [1]	43	
HoNOSCA item 03	Number [1]	44	
HoNOSCA item 04	Number [1]	45	
HoNOSCA item 05	Number [1]	46	
HoNOSCA item 06	Number [1]	47	
HoNOSCA item 07	Number [1]	48	
HoNOSCA item 08	Number [1]	49	
HoNOSCA item 09	Number [1]	50	
HoNOSCA item 10	Number [1]	51	
HoNOSCA item 11	Number [1]	52	
HoNOSCA item 12	Number [1]	53	
HoNOSCA item 13	Number [1]	54	
HoNOSCA item 14	Number [1]	55	
HoNOSCA item 15	Number [1]	56	
<i>Record length =</i>			57

Table 16: Data record layout — CGAS

Data Element	Type [Length]	Start	Notes
Record type	Char [8]	1	Value = CGAS
Collection occasion identifier	Char [30]	9	
CGAS version	Char [2]	39	
CGAS collection status	Char [1]	41	
CGAS rating	Number [3]	42	
<i>Record length =</i>			45

Table 17: Data record layout — FIHS

Data Element	Type [Length]	Start	Notes
Record type	Char [8]	1	Value = FIHS
Collection occasion identifier	Char [30]	9	
FIHS version	Char [2]	39	
FIHS collection status	Char [1]	41	
FIHS item 01	Number [1]	42	
FIHS item 02	Number [1]	43	
FIHS item 03	Number [1]	44	
FIHS item 04	Number [1]	45	
FIHS item 05	Number [1]	46	
FIHS item 06	Number [1]	47	
FIHS item 07	Number [1]	48	
<i>Record length =</i>		49	

Table 18: Data record layout – MHI38

Data element	Type (Length)	Start	Notes
Record Type	Char [8]	1	Value = MHI38
Collection occasion identifier	Char [30]	9	
MHI38 Version	Char [2]	39	
MHI38 Collection status	Char [1]	41	
MHI38 Item 01	Number [1]	42	
MHI38 Item 02	Number [1]	43	
MHI38 Item 03	Number [1]	44	
MHI38 Item 04	Number [1]	45	
MHI38 Item 05	Number [1]	46	
MHI38 Item 06	Number [1]	47	
MHI38 Item 07	Number [1]	48	
MHI38 Item 08	Number [1]	49	
MHI38 Item 09	Number [1]	50	
MHI38 Item 10	Number [1]	51	
MHI38 Item 11	Number [1]	52	
MHI38 Item 12	Number [1]	53	
MHI38 Item 13	Number [1]	54	
MHI38 Item 14	Number [1]	55	
MHI38 Item 15	Number [1]	56	
MHI38 Item 16	Number [1]	57	
MHI38 Item 17	Number [1]	58	
MHI38 Item 18	Number [1]	59	
MHI38 Item 19	Number [1]	60	
MHI38 Item 20	Number [1]	61	
MHI38 Item 21	Number [1]	62	
MHI38 Item 22	Number [1]	63	
MHI38 Item 23	Number [1]	64	
MHI38 Item 24	Number [1]	65	
MHI38 Item 25	Number [1]	66	
MHI38 Item 26	Number [1]	67	
MHI38 Item 27	Number [1]	68	
MHI38 Item 28	Number [1]	69	
MHI38 Item 29	Number [1]	70	
MHI38 Item 30	Number [1]	71	
MHI38 Item 31	Number [1]	72	
MHI38 Item 32	Number [1]	73	
MHI38 Item 33	Number [1]	74	
MHI38 Item 34	Number [1]	75	

Data element	Type (Length)	Start	Notes
MHI38 Item 35	Number [1]	76	
MHI38 Item 36	Number [1]	77	
MHI38 Item 37	Number [1]	78	
MHI38 Item 38	Number [1]	79	
<i>Record length =</i>		80	

Table 19: Data record layout – K10+

Data Element	Type [Length]	Start	Notes
Record Type	Char [8]	1	Value = K10+
Collection occasion identifier	Char [30]	9	
K10+ Version	Char [2]	39	(to confirm)
K10+ collection status	Char [1]	41	
K10+ Item 01	Number [1]	42	
K10+ Item 02	Number [1]	43	
K10+ Item 03	Number [1]	44	
K10+ Item 04	Number [1]	45	
K10+ Item 05	Number [1]	46	
K10+ Item 06	Number [1]	47	
K10+ Item 07	Number [1]	48	
K10+ Item 08	Number [1]	49	
K10+ Item 09	Number [1]	50	
K10+ Item 10	Number [1]	51	
K10+ Item 11	Number [2]	52	
K10+ Item 12	Number [2]	54	
K10+ Item 13	Number [2]	56	
K10+ Item 14	Number [1]	58	
<i>Record length =</i>		59	

Note: One of the two versions of the K10+ in use (K10L3D) includes only items 1-10 while the remaining version (K10+LM) covers all 14 items. Appropriate codes for reporting items 11-14 when the K10L3D version are used are defined in the data dictionary (Appendix 1).

Table 20: Data record layout – BASIS-32

Data element	Type (Length)	Start	Notes
Record Type	Char [8]	1	Value = BASIS32
Collection occasion identifier	Char [30]	9	
BASIS32 version	Char [2]	39	
BASIS32 collection status	Char [1]	41	
BASIS32 Item 01	Number [1]	42	
BASIS32 Item 02	Number [1]	43	
BASIS32 Item 03	Number [1]	44	
BASIS32 Item 04	Number [1]	45	
BASIS32 Item 05	Number [1]	46	
BASIS32 Item 06	Number [1]	47	
BASIS32 Item 07	Number [1]	48	
BASIS32 Item 08	Number [1]	49	
BASIS32 Item 09	Number [1]	50	
BASIS32 Item 10	Number [1]	51	
BASIS32 Item 11	Number [1]	52	
BASIS32 Item 12	Number [1]	53	
BASIS32 Item 13	Number [1]	54	
BASIS32 Item 14	Number [1]	55	
BASIS32 Item 15	Number [1]	56	
BASIS32 Item 16	Number [1]	57	
BASIS32 Item 17	Number [1]	58	

Data element	Type (Length)	Start	Notes
BASIS32 Item 18	Number [1]	59	
BASIS32 Item 19	Number [1]	60	
BASIS32 Item 20	Number [1]	61	
BASIS32 Item 21	Number [1]	62	
BASIS32 Item 22	Number [1]	63	
BASIS32 Item 23	Number [1]	64	
BASIS32 Item 24	Number [1]	65	
BASIS32 Item 25	Number [1]	66	
BASIS32 Item 26	Number [1]	67	
BASIS32 Item 27	Number [1]	68	
BASIS32 Item 28	Number [1]	69	
BASIS32 Item 29	Number [1]	70	
BASIS32 Item 30	Number [1]	71	
BASIS32 Item 31	Number [1]	72	
BASIS32 Item 32	Number [1]	73	
<i>Record Length =</i>	74		

Table 21: Data record layout - SDQ

Data element	Type (Length)	Start	Notes
Record Type	Char [8]	1	Value = SDQ
Collection occasion identifier	Char [30]	9	
SDQ version	Char [5]	39	
SDQ Collection status	Char [1]	44	
SDQ item 01	Number [1]	45	
SDQ item 02	Number [1]	46	
SDQ item 03	Number [1]	47	
SDQ item 04	Number [1]	48	
SDQ item 05	Number [1]	49	
SDQ item 06	Number [1]	50	
SDQ item 07	Number [1]	51	
SDQ item 08	Number [1]	52	
SDQ item 09	Number [1]	53	
SDQ item 10	Number [1]	54	
SDQ item 11	Number [1]	55	
SDQ item 12	Number [1]	56	
SDQ item 13	Number [1]	57	
SDQ item 14	Number [1]	58	
SDQ item 15	Number [1]	59	
SDQ item 16	Number [1]	60	
SDQ item 17	Number [1]	61	
SDQ item 18	Number [1]	62	
SDQ item 19	Number [1]	63	
SDQ item 20	Number [1]	64	
SDQ item 21	Number [1]	65	
SDQ item 22	Number [1]	66	
SDQ item 23	Number [1]	67	
SDQ item 24	Number [1]	76	
SDQ item 25	Number [1]	68	
SDQ item 26	Number [1]	69	
SDQ item 27	Number [1]	70	
SDQ item 28	Number [1]	71	
SDQ item 29	Number [1]	72	
SDQ item 30	Number [1]	73	
SDQ item 31	Number [1]	74	

Data element	Type (Length)	Start	Notes
SDQ item 32	Number [1]	75	
SDQ item 33	Number [1]	76	
SDQ item 36	Number [1]	77	
SDQ item 37	Number [1]	78	
SDQ item 38	Number [1]	79	
SDQ item 39	Number [1]	80	
SDQ item 40	Number [1]	81	
SDQ item 41	Number [1]	82	
SDQ item 42	Number [1]	83	
<i>Record Length =</i>	84		

Note: There are six versions of the SDQ currently specified for use in the NOCC (parent report, youth self report) with different versions for initial and followup uses. Not all versions include all items. Appropriate codes for reporting items not included in a version are defined in the data dictionary (Appendix 1).

9. Data validation process

9.1 Validation of NOCC data files is planned to be conducted at 5 levels, each level representing a higher level of complexity. A brief description of the validation levels planned for the national data is provided in Table 22.

Table 22: Overview of levels of validation planned for NOCC data files

Level	Type	Description
1	Pre-processing checks	Pre-processing is performed to ensure that data file received can be read, has not been corrupted during transmission, that it is in the format specified and that the header record data matches the actual contents of the file.
2	Record referential checks	Record referential checks ensure that 'parent records' exist for each 'child record' eg, a Collection Occasion Details record must exist for each HoNOS Data Record.
3	Field value checking	Field value checking ensures that each field has valid values as specified in the NOCC data dictionary.
4	Field referential checks	Field referential checks ensure that the value of a field is consistent with the values in other relevant fields on the same or different records. For example, the combination of Age Group = Child & Adolescent and Date of Birth = 01.06.1919 is inconsistent.
5	Record sequences	Record sequence checks assess the overall sequence of Collection Occasion Details records to ensure they occur in the expected order. For example, a Collection Occasion Details (COD) record where Setting = Inpatient, Reason for Collection = Admission immediately followed (by date order) by another COD record where Setting = Ambulatory, Reason for Collection = Discharge implies miscoding or missing records.

9.2 Upon receipt, the NOCC data file will be subjected to an initial series of checks that cover Levels 1-3 above to ensure that the file has not been corrupted during transmission, that it is in the format specified, and that the data contained in each record is valid. Further work is required in specifying Level 4-5 checks and will be deferred pending review of the quality of data received under this version specification.

9.3 The various Level 1-3 validation checks to be performed are defined in detail in Table 23 below.

9.4 The process for performing the validation will be as follows:

9.4.1 All records in the file are read, with a sequential record number being assigned to each record by the input program.

9.4.2 Records are checked in sequence, beginning with the first record which must be a valid File Header Record.

9.4.3 Where a validation check fails, an error report entry will be generated. The error report will give the Error code, the record number of the Record which failed the validation check and, where the record is a duplicate of a preceding record, the record number of that preceding record.

9.4.4 Where the Action following a failed validation check indicates that the File is to be rejected, then no further processing of the records in that file will be attempted.

- 9.4.5 Where the Action following a failed validation check indicates that the Record is to be rejected then the consequences of that rejection will depend on the Type of record.
- 9.4.6 If a record of Collection Occasion Details (Record type = 'COD') is to be rejected, then all other data records linked to that record by the shared Collection Occasion identifier will also be rejected. This rule is necessary to maintain the referential integrity of the resulting data set.
- 9.4.7 If any other type of data record other than a Collection Occasion Details record is to be rejected then only that record will be rejected.
- 9.4.8 Where the Action following a failed validation check indicates only that the error is to be reported, then the record will be retained. In most cases this kind of error will require recording of invalid data to the standard missing value for the particular data item.
- 9.5 The error reports generated by the initial validation procedure will be returned to the responsible State or Territory.
- 9.6 It is expected that States and Territories will re-submit a corrected NOCC data file to the Australian Department of Health and Ageing as soon as possible.

Table 23: Error codes, brief descriptions, details and actions to be taken in data validation checks performed at initial input processing of NOCC data files

Note: Error codes are grouped as follows:

- Commencing with NOCC01 – errors in the File Header record
- Commencing with NOCC02 – errors in the File Termination Record
- Commencing with NOCC03 – errors in Collection Occasion Details records
- Commencing with NOCC04 – errors in Other Clinical Data Items records
- Commencing with NOCC05 – errors in HoNOS/HoNOS65+ records
- Commencing with NOCC06 – errors in LSP-16 records
- Commencing with NOCC07 – errors in RUG-ADL records
- Commencing with NOCC08 – errors in HoNOSCA records
- Commencing with NOCC09 – errors in CGAS records
- Commencing with NOCC10 – errors in FIHS records
- Commencing with NOCC11 – errors in MHI38 records
- Commencing with NOCC12 – errors in BASIS32 records
- Commencing with NOCC13 – errors in K10+ records
- Commencing with NOCC14 – errors in SDQ records

Code	Description	Details	Action
NOCC010001	Record type of File header record is not valid	Record type is not 'HR'.	Reject file
NOCC010002	State identifier in File Header Record not valid	Recorded value is not within the specified domain of valid values.	Report
NOCC010003	Report period start date not valid	Recorded value is not a valid date OR recorded date is inconsistent (earlier or later than expected, as defined by the period for which the extract was believed to have been submitted)	Reject file
NOCC010004	Report period end date not valid	Recorded value is not a valid date OR recorded date is inconsistent (earlier or later than expected, as defined by the period for which the extract was believed to have been submitted)	Reject file

Code	Description	Details	Action
NOCC010005	Extract generation date is not valid	Recorded value is not a valid date OR recorded date is inconsistent (eg, earlier than the Report period end date)	Report
NOCC010006	Record count is not valid	Recorded value is 0, is blank, or includes illegal characters.	Reject file
NOCC010007	National report identifier is not valid	Recorded value is not 'NOCC'.	Reject file
NOCC010008	National reporting specification version is not valid	Recorded value is not consistent with the report specification version expected for data submitted in the period identified by the Report period start date and Report period end date (ie, currently '015').	Reject file
NOCC010009	Number of records in file not equal to Record count	The number of records in the file, including the File header record and the File terminator record must equal the number recorded as the Record count.	Reject file
NOCC010010	Unable to read file	On reading the first 51 characters in the file no valid File Header Record could be extracted. This includes the occurrence of any of the preceding errors resulting in a Reject file action.	Reject file
NOCC020001	Record type of File Termination record is not valid	Record type is not 'ZZZZZZZ'.	Reject file
NOCC030001	Record type of Data record is not valid.	Recorded value is not within the specified domain of valid values.	Reject record
NOCC030002	Collection occasion identifier in Collection Occasion Details record is not valid.	Recorded value is blank or includes illegal characters.	Reject record
NOCC030003	Collection occasion identifier in Collection Occasion Details record is a duplicate of the Collection occasion identifier of a preceding Collection Occasion Details record.	Duplicate records of Collection Occasions are rejected. Only the first record is accepted. The report should include the record number of the accepted first instance and the rejected subsequent instance.	Reject record
NOCC030004	Person identifier in Collection Occasion Details record is not valid.	Recorded value is blank or includes illegal characters.	Reject record
NOCC030005	Date of birth is not valid.	Recorded value is not a valid date. Date of birth is deemed to be missing (ie, 09/09/9999).	Report
NOCC030006	Sex is not valid.	Recorded value is not within the specified domain of valid values. Sex is deemed to be missing (ie, 9).	Report
NOCC030007	Mental health service setting is not valid.	Recorded value is not within the specified domain of valid values.	Reject record
NOCC030008	Age group is not valid.	Recorded value is not within the specified domain of valid values. Age group is deemed to be missing (ie, 9).	Report
NOCC030009	Collection occasion date is not valid.	Recorded value is not a valid date.	Reject record
NOCC030010	Collection occasion date is out of range specified by the Report period start date and Report period end date.		Reject record
NOCC030011	Reason for collection is not valid.	Recorded value is not within the specified domain of valid values.	Reject record
NOCC030012	The identified Collection Occasion is a duplicate of a preceding record of a Collection Occasion.	The primary key of the Collection Occasion, formed by the union of the data elements Patient identifier, Mental health service setting, Reason for collection and Mental health provider entity identifier, is not unique.	Reject record

Code	Description	Details	Action
NOCC030013	The Region code within the Mental Health Provider Entity Identifier does not have a corresponding record in the Mental Health Provider Entity Reference File.	Recorded value is not within the specified domain of valid values for Regions as provided in the supplementary Mental Health Provider Entity Reference File.	Reject record
NOCC030014	The Mental Health Service Organisation Number within the Mental Health Provider Entity Identifier does not have a corresponding record in the Mental Health Provider Entity Reference File.	Recorded value is not within the specified domain of valid values for Mental Health Service Organisations as provided in the supplementary Mental Health Provider Entity Reference File.	Reject record
NOCC030015	The Service Unit Identifier within the Mental Health Provider Entity Identifier does not have a corresponding record in the Mental Health Provider Entity Reference File.	Recorded value is not within the specified domain of valid values for Service Unit as provided in the supplementary Mental Health Provider Entity Reference File.	Reject record
NOCC040001	Collection occasion identifier in Other Clinical Data Items record is not valid.	Recorded value is not among the set of Collection occasion identifiers found within the set of records of Collection Occasion Details included in the current file, or is blank.	Reject record
NOCC040002	Collection occasion identifier in Other Clinical Data Items record is a duplicate of the Collection occasion identifier of a preceding Other Clinical Data Items record.	Duplicate records of LSP-16 are rejected. Only the first record is accepted. The report should include the record number of the accepted first instance and the rejected subsequent instance.	Reject record
NOCC040003	Principal diagnosis is not valid.	Recorded value is not within the specified domain of valid values.	Report
NOCC040004	Additional diagnosis 1 is not valid.	Recorded value is not within the specified domain of valid values. Additional diagnosis 1 is deemed to be missing.	Report
NOCC040005	Additional diagnosis 2 is not valid.	Recorded value is not within the specified domain of valid values. Additional diagnosis 2 is deemed to be missing.	Report
NOCC040006	Focus of care is not valid.	Recorded value is not within the specified domain of valid values. Focus of care is deemed to be missing (ie, 9).	Report
NOCC040007	Mental health legal status is not valid.	Recorded value is not within the specified domain of valid values. Mental health legal status is deemed to be missing (ie, 9).	Report
NOCC050001	Collection occasion identifier in HoNOS/HoNOS65+ record is not valid.	Recorded value is not among the set of Collection occasion identifiers found within the set of records of Collection Occasion Details, or is blank.	Reject record
NOCC050002	Collection occasion identifier in HoNOS/HoNOS65+ record is a duplicate of the Collection occasion identifier of a preceding HoNOS/HoNOS65+ record.	Duplicate records of HoNOS/HoNOS65+ are rejected. Only the first record is accepted. The report should include the record number of the accepted first instance and the rejected subsequent instance.	Reject record
NOCC050003	HoNOS version is not valid.	Recorded value is not within the specified domain of valid values.	Reject record
NOCC050004	HoNOS collection status is not valid.	Recorded value is not within the specified domain of valid values. HoNOS collection status is deemed to be missing (ie, 9).	Report
NOCC050005	HoNOS item 01 is not valid.	Recorded value is not within the specified domain of valid values. HoNOS item 01 is deemed to be missing (ie, 7).	Report
NOCC050006	HoNOS item 02 is not valid.	Recorded value is not within the specified domain of valid values. HoNOS item 02 is deemed to be missing (ie, 7).	Report

Code	Description	Details	Action
NOCC050007	HoNOS item 03 is not valid.	Recorded value is not within the specified domain of valid values. HoNOS item 03 is deemed to be missing (ie, 7).	Report
NOCC050008	HoNOS item 04 is not valid.	Recorded value is not within the specified domain of valid values. HoNOS item 04 is deemed to be missing (ie, 7).	Report
NOCC050009	HoNOS item 05 is not valid.	Recorded value is not within the specified domain of valid values. HoNOS item 05 is deemed to be missing (ie, 7).	Report
NOCC050010	HoNOS item 06 is not valid.	Recorded value is not within the specified domain of valid values. HoNOS item 06 is deemed to be missing (ie, 7).	Report
NOCC050011	HoNOS item 07 is not valid.	Recorded value is not within the specified domain of valid values. HoNOS item 07 is deemed to be missing (ie, 7).	Report
NOCC050012	HoNOS item 08 is not valid.	Recorded value is not within the specified domain of valid values. HoNOS item 08 is deemed to be missing (ie, 7).	Report
NOCC050013	HoNOS item 08a is not valid.	Recorded value is not within the specified domain of valid values. HoNOS item 08a is deemed to be missing (ie, Z).	Report
NOCC050014	HoNOS item 09 is not valid.	Recorded value is not within the specified domain of valid values. HoNOS item 09 is deemed to be missing (ie, 7).	Report
NOCC050015	HoNOS item 10 is not valid.	Recorded value is not within the specified domain of valid values. HoNOS item 10 is deemed to be missing (ie, 7).	Report
NOCC050016	HoNOS item 11 is not valid.	Recorded value is not within the specified domain of valid values. HoNOS item 11 is deemed to be missing (ie, 7).	Report
NOCC050017	HoNOS item 12 is not valid.	Recorded value is not within the specified domain of valid values. HoNOS item 12 is deemed to be missing (ie, 7).	Report
NOCC060001	Collection occasion identifier in LSP-16 record is not valid.	Recorded value is not among the set of Collection occasion identifiers found within the set of records of Collection Occasion Details, or is blank.	Reject record
NOCC060002	Collection occasion identifier in LSP-16 record is a duplicate of the Collection occasion identifier of a preceding LSP-16 record.	Duplicate records of LSP-16 are rejected. Only the first record is accepted. The report should include the record number of the accepted first instance and the rejected subsequent instance.	Reject record
NOCC060003	LSP-16 version is not valid.	Recorded value is not within the specified domain of valid values.	Reject record
NOCC060004	LSP-16 collection status is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 collection status is deemed to be missing (ie, 9).	Report
NOCC060005	LSP-16 item 01 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 01 is deemed to be missing (ie, 9).	Report
NOCC060006	LSP-16 item 02 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 02 is deemed to be missing (ie, 9).	Report
NOCC060007	LSP-16 item 03 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 03 is deemed to be missing (ie, 9).	Report
NOCC060008	LSP-16 item 04 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 04 is deemed to be missing (ie, 9).	Report
NOCC060009	LSP-16 item 05 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 05 is deemed to be missing (ie, 9).	Report

Code	Description	Details	Action
NOCC060010	LSP-16 item 06 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 06 is deemed to be missing (ie, 9).	Report
NOCC060011	LSP-16 item 07 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 07 is deemed to be missing (ie, 9).	Report
NOCC060012	LSP-16 item 08 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 08 is deemed to be missing (ie, 9).	Report
NOCC060013	LSP-16 item 09 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 09 is deemed to be missing (ie, Z).	Report
NOCC060014	LSP-16 item 10 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 10 is deemed to be missing (ie, 9).	Report
NOCC060015	LSP-16 item 11 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 11 is deemed to be missing (ie, 9).	Report
NOCC060016	LSP-16 item 12 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 12 is deemed to be missing (ie, 9).	Report
NOCC060017	LSP-16 item 13 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 13 is deemed to be missing (ie, 9).	Report
NOCC060018	LSP-16 item 14 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 14 is deemed to be missing (ie, 9).	Report
NOCC060019	LSP-16 item 15 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 15 is deemed to be missing (ie, 9).	Report
NOCC060020	LSP-16 item 16 is not valid.	Recorded value is not within the specified domain of valid values. LSP-16 item 16 is deemed to be missing (ie, 9).	Report
NOCC070001	Collection occasion identifier in RUG-ADL record is not valid.	Recorded value is not among the set of Collection occasion identifiers found within the set of records of Collection Occasion Details, or is blank.	Reject record
NOCC070002	Collection occasion identifier in RUG-ADL record is a duplicate of the Collection occasion identifier of a preceding RUG-ADL record.	Duplicate records of RUG-ADL are rejected. Only the first record is accepted. The report should include the record number of the accepted first instance and the rejected subsequent instance.	Reject record
NOCC070003	RUG-ADL version is not valid.	Recorded value is not within the specified domain of valid values.	Reject record
NOCC070004	RUG-ADL collection status is not valid.	Recorded value is not within the specified domain of valid values. RUG-ADL collection status is deemed to be missing (ie, 9).	Report
NOCC070005	RUG-ADL item 01 is not valid.	Recorded value is not within the specified domain of valid values. RUG-ADL item 01 is deemed to be missing (ie, 9).	Report
NOCC070006	RUG-ADL item 02 is not valid.	Recorded value is not within the specified domain of valid values. RUG-ADL item 02 is deemed to be missing (ie, 9).	Report
NOCC070007	RUG-ADL item 03 is not valid.	Recorded value is not within the specified domain of valid values. RUG-ADL item 03 is deemed to be missing (ie, 9).	Report
NOCC070008	RUG-ADL item 04 is not valid.	Recorded value is not within the specified domain of valid values. RUG-ADL item 04 is deemed to be missing (ie, 9).	Report

Code	Description	Details	Action
NOCC080001	Collection occasion identifier in HoNOSCA record is not valid.	Recorded value is not among the set of Collection occasion identifiers found within the set of records of Collection Occasion Details, or is blank.	Reject record
NOCC080002	Collection occasion identifier in HoNOSCA record is a duplicate of the Collection occasion identifier of a preceding HoNOSCA record.	Duplicate records of HoNOSCA are rejected. Only the first record is accepted. The report should include the record number of the accepted first instance and the rejected subsequent instance.	Reject record
NOCC080003	HoNOSCA version is not valid.	Recorded value is not within the specified domain of valid values.	Reject record
NOCC080004	HoNOSCA collection status is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA collection status is deemed to be missing (ie, 9).	Report
NOCC080005	HoNOSCA item 01 is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA item 01 is deemed to be missing (ie, 7).	Report
NOCC080006	HoNOSCA item 02 is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA item 02 is deemed to be missing (ie, 7).	Report
NOCC080007	HoNOSCA item 03 is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA item 03 is deemed to be missing (ie, 7).	Report
NOCC080008	HoNOSCA item 04 is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA item 04 is deemed to be missing (ie, 7).	Report
NOCC080009	HoNOSCA item 05 is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA item 05 is deemed to be missing (ie, 7).	Report
NOCC080010	HoNOSCA item 06 is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA item 06 is deemed to be missing (ie, 7).	Report
NOCC080011	HoNOSCA item 07 is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA item 07 is deemed to be missing (ie, 7).	Report
NOCC080012	HoNOSCA item 08 is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA item 08 is deemed to be missing (ie, 7).	Report
NOCC080013	HoNOSCA item 09 is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA item 09 is deemed to be missing (ie, Z).	Report
NOCC080014	HoNOSCA item 10 is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA item 10 is deemed to be missing (ie, 7).	Report
NOCC080015	HoNOSCA item 11 is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA item 11 is deemed to be missing (ie, 7).	Report
NOCC080016	HoNOSCA item 12 is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA item 12 is deemed to be missing (ie, 7).	Report
NOCC080017	HoNOSCA item 13 is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA item 13 is deemed to be missing (ie, 7).	Report
NOCC080018	HoNOSCA item 14 is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA item 14 is deemed to be missing (ie, 7).	Report
NOCC080019	HoNOSCA item 15 is not valid.	Recorded value is not within the specified domain of valid values. HoNOSCA item 15 is deemed to be missing (ie, 7).	Report

Code	Description	Details	Action
NOCC090001	Collection occasion identifier in CGAS record is not valid.	Recorded value is not among the set of Collection occasion identifiers found within the set of records of Collection Occasion Details, or is blank.	Reject record
NOCC090002	Collection occasion identifier in CGAS record is a duplicate of the Collection occasion identifier of a preceding CGAS record.	Duplicate records of CGAS are rejected. Only the first record is accepted. The report should include the record number of the accepted first instance and the rejected subsequent instance.	Reject record
NOCC090003	CGAS version is not valid.	Recorded value is not within the specified domain of valid values.	Reject record
NOCC090004	CGAS collection status is not valid.	Recorded value is not within the specified domain of valid values. CGAS collection status is deemed to be missing (ie, 9).	Report
NOCC090005	CGAS rating is not valid.	Recorded value is not within the specified domain of valid values. CGAS rating is deemed to be missing (ie, 999).	Report
NOCC100001	Collection occasion identifier in FIHS record is not valid.	Recorded value is not among the set of Collection occasion identifiers found within the set of records of Collection Occasion Details, or is blank.	Reject record
NOCC100002	Collection occasion identifier in FIHS record is a duplicate of the Collection occasion identifier of a preceding FIHS record.	Duplicate records of FIHS are rejected. Only the first record is accepted. The report should include the record number of the accepted first instance and the rejected subsequent instance.	Reject record
NOCC100003	FIHS version is not valid.	Recorded value is not within the specified domain of valid values.	Reject record
NOCC100004	FIHS collection status is not valid.	Recorded value is not within the specified domain of valid values. FIHS collection status is deemed to be missing (ie, 9).	Report
NOCC100005	FIHS item 01 is not valid.	Recorded value is not within the specified domain of valid values. FIHS item 01 is deemed to be missing (ie, 9).	Report
NOCC100006	FIHS item 02 is not valid.	Recorded value is not within the specified domain of valid values. FIHS item 02 is deemed to be missing (ie, 9).	Report
NOCC100007	FIHS item 03 is not valid.	Recorded value is not within the specified domain of valid values. FIHS item 03 is deemed to be missing (ie, 9).	Report
NOCC100008	FIHS item 04 is not valid.	Recorded value is not within the specified domain of valid values. FIHS item 04 is deemed to be missing (ie, 9).	Report
NOCC100009	FIHS item 05 is not valid.	Recorded value is not within the specified domain of valid values. FIHS item 05 is deemed to be missing (ie, 9).	Report
NOCC100010	FIHS item 06 is not valid.	Recorded value is not within the specified domain of valid values. FIHS item 06 is deemed to be missing (ie, 9).	Report
NOCC100011	FIHS item 07 is not valid.	Recorded value is not within the specified domain of valid values. FIHS item 07 is deemed to be missing (ie, 9).	Report
NOCC110001	Collection occasion identifier in MHI38 record is not valid.	Recorded value is not among the set of Collection occasion identifiers found within the set of records of Collection Occasion Details, or is blank.	Reject record
NOCC110002	Collection occasion identifier in MHI38 record is a duplicate of the Collection occasion identifier of a preceding MHI38 record.	Duplicate records of MHI38 are rejected. Only the first record is accepted. The report should include the record number of the accepted first instance and the rejected subsequent instance.	Reject record
NOCC110003	MHI38 Version is not valid.	Recorded value is not within the specified domain of valid values.	Reject record

Code	Description	Details	Action
NOCC110004	MHI38 Collection status is not valid.	Recorded value is not within the specified domain of valid values. MHI38 collection status is deemed to be missing (ie, 9).	Report
NOCC110005	MHI38 Item 01 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 01 is deemed to be missing (ie, 9).	Report
NOCC110006	MHI38 Item 02 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 02 is deemed to be missing (ie, 9).	Report
NOCC110007	MHI38 Item 03 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 03 is deemed to be missing (ie, 9).	Report
NOCC110008	MHI38 Item 04 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 04 is deemed to be missing (ie, 9).	Report
NOCC110009	MHI38 Item 05 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 05 is deemed to be missing (ie, 9).	Report
NOCC110010	MHI38 Item 06 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 06 is deemed to be missing (ie, 9).	Report
NOCC110011	MHI38 Item 07 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 07 is deemed to be missing (ie, 9).	Report
NOCC110012	MHI38 Item 08 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 08 is deemed to be missing (ie, 9).	Report
NOCC110013	MHI38 Item 09 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 09 is deemed to be missing (ie, 9).	Report
NOCC110014	MHI38 Item 10 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 10 is deemed to be missing (ie, 9).	Report
NOCC110015	MHI38 Item 11 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 11 is deemed to be missing (ie, 9).	Report
NOCC110016	MHI38 Item 12 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 12 is deemed to be missing (ie, 9).	Report
NOCC110017	MHI38 Item 13 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 13 is deemed to be missing (ie, 9).	Report
NOCC110018	MHI38 Item 14 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 14 is deemed to be missing (ie, 9).	Report
NOCC110019	MHI38 Item 15 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 15 is deemed to be missing (ie, 9).	Report
NOCC110020	MHI38 Item 16 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 16 is deemed to be missing (ie, 9).	Report
NOCC110021	MHI38 Item 17 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 17 is deemed to be missing (ie, 9).	Report
NOCC110022	MHI38 Item 18 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 18 is deemed to be missing (ie, 9).	Report
NOCC110023	MHI38 Item 19 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 19 is deemed to be missing (ie, 9).	Report
NOCC110024	MHI38 Item 20 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 20 is deemed to be missing (ie, 9).	Report

Code	Description	Details	Action
NOCC110025	MHI38 Item 21 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 21 is deemed to be missing (ie, 9).	Report
NOCC110026	MHI38 Item 22 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 22 is deemed to be missing (ie, 9).	Report
NOCC110027	MHI38 Item 23 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 23 is deemed to be missing (ie, 9).	Report
NOCC110028	MHI38 Item 24 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 24 is deemed to be missing (ie, 9).	Report
NOCC110029	MHI38 Item 25 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 25 is deemed to be missing (ie, 9).	Report
NOCC110030	MHI38 Item 26 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 26 is deemed to be missing (ie, 9).	Report
NOCC110031	MHI38 Item 27 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 27 is deemed to be missing (ie, 9).	Report
NOCC110032	MHI38 Item 28 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 28 is deemed to be missing (ie, 9).	Report
NOCC110033	MHI38 Item 29 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 29 is deemed to be missing (ie, 9).	Report
NOCC110034	MHI38 Item 30 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 30 is deemed to be missing (ie, 9).	Report
NOCC110035	MHI38 Item 31 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 31 is deemed to be missing (ie, 9).	Report
NOCC110036	MHI38 Item 32 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 32 is deemed to be missing (ie, 9).	Report
NOCC110037	MHI38 Item 33 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 33 is deemed to be missing (ie, 9).	Report
NOCC110038	MHI38 Item 34 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 34 is deemed to be missing (ie, 9).	Report
NOCC110039	MHI38 Item 35 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 35 is deemed to be missing (ie, 9).	Report
NOCC110040	MHI38 Item 36 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 36 is deemed to be missing (ie, 9).	Report
NOCC110041	MHI38 Item 37 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 37 is deemed to be missing (ie, 9).	Report
NOCC110042	MHI38 Item 38 is not valid.	Recorded value is not within the specified domain of valid values. MHI38 item 38 is deemed to be missing (ie, 9).	Report
NOCC120001	Collection occasion identifier in BASIS32 record is not valid.	Recorded value is not among the set of Collection occasion identifiers found within the set of records of Collection Occasion Details, or is blank.	Reject record
NOCC120002	Collection occasion identifier in BASIS32 record is a duplicate of the Collection occasion identifier of a preceding BASIS32 record.	Duplicate records of BASIS32 are rejected. Only the first record is accepted. The report should include the record number of the accepted first instance and the rejected subsequent instance.	Reject record

Code	Description	Details	Action
NOCC120003	BASIS32 Version is not valid.	Recorded value is not within the specified domain of valid values.	Reject record
NOCC120004	BASIS32 Collection status is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 collection status is deemed to be missing (ie, 9).	Report
NOCC120005	BASIS32 Item 01 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 01 is deemed to be missing (ie, 9).	Report
NOCC120006	BASIS32 Item 02 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 02 is deemed to be missing (ie, 9).	Report
NOCC120007	BASIS32 Item 03 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 03 is deemed to be missing (ie, 9).	Report
NOCC120008	BASIS32 Item 04 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 04 is deemed to be missing (ie, 9).	Report
NOCC120009	BASIS32 Item 05 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 05 is deemed to be missing (ie, 9).	Report
NOCC120010	BASIS32 Item 06 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 06 is deemed to be missing (ie, 9).	Report
NOCC120011	BASIS32 Item 07 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 07 is deemed to be missing (ie, 9).	Report
NOCC120012	BASIS32 Item 08 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 08 is deemed to be missing (ie, 9).	Report
NOCC120013	BASIS32 Item 09 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 09 is deemed to be missing (ie, 9).	Report
NOCC120014	BASIS32 Item 10 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 10 is deemed to be missing (ie, 9).	Report
NOCC120015	BASIS32 Item 11 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 11 is deemed to be missing (ie, 9).	Report
NOCC120016	BASIS32 Item 12 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 12 is deemed to be missing (ie, 9).	Report
NOCC120017	BASIS32 Item 13 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 13 is deemed to be missing (ie, 9).	Report
NOCC120018	BASIS32 Item 14 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 14 is deemed to be missing (ie, 9).	Report
NOCC120019	BASIS32 Item 15 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 15 is deemed to be missing (ie, 9).	Report
NOCC120020	BASIS32 Item 16 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 16 is deemed to be missing (ie, 9).	Report
NOCC120021	BASIS32 Item 17 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 17 is deemed to be missing (ie, 9).	Report
NOCC120022	BASIS32 Item 18 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 18 is deemed to be missing (ie, 9).	Report
NOCC120023	BASIS32 Item 19 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 19 is deemed to be missing (ie, 9).	Report

Code	Description	Details	Action
NOCC120024	BASIS32 Item 20 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 20 is deemed to be missing (ie, 9).	Report
NOCC120025	BASIS32 Item 21 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 21 is deemed to be missing (ie, 9).	Report
NOCC120026	BASIS32 Item 22 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 22 is deemed to be missing (ie, 9).	Report
NOCC120027	BASIS32 Item 23 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 23 is deemed to be missing (ie, 9).	Report
NOCC120028	BASIS32 Item 24 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 24 is deemed to be missing (ie, 9).	Report
NOCC120029	BASIS32 Item 25 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 25 is deemed to be missing (ie, 9).	Report
NOCC120030	BASIS32 Item 26 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 26 is deemed to be missing (ie, 9).	Report
NOCC120031	BASIS32 Item 27 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 27 is deemed to be missing (ie, 9).	Report
NOCC120032	BASIS32 Item 28 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 28 is deemed to be missing (ie, 9).	Report
NOCC120033	BASIS32 Item 29 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 29 is deemed to be missing (ie, 9).	Report
NOCC120034	BASIS32 Item 30 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 30 is deemed to be missing (ie, 9).	Report
NOCC120035	BASIS32 Item 31 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 31 is deemed to be missing (ie, 9).	Report
NOCC120036	BASIS32 Item 32 is not valid.	Recorded value is not within the specified domain of valid values. BASIS32 item 32 is deemed to be missing (ie, 9).	Report
NOCC130001	Collection occasion identifier in K10+ record is not valid.	Recorded value is not among the set of Collection occasion identifiers found within the set of records of Collection Occasion Details, or is blank.	Reject record
NOCC130002	Collection occasion identifier in K10+ record is a duplicate of the Collection occasion identifier of a preceding K10+ record.	Duplicate records of K10+ are rejected. Only the first record is accepted. The report should include the record number of the accepted first instance and the rejected subsequent instance.	Reject record
NOCC130003	K10+ Version is not valid.	Recorded value is not within the specified domain of valid values.	Reject record
NOCC130004	K10+ Collection status is not valid.	Recorded value is not within the specified domain of valid values. K10+ collection status is deemed to be missing (ie, 9).	Report
NOCC130005	K10+ Item 01 is not valid.	Recorded value is not within the specified domain of valid values. K10+ item 01 is deemed to be missing (ie, 9).	Report
NOCC130006	K10+ Item 02 is not valid.	Recorded value is not within the specified domain of valid values. K10+ item 02 is deemed to be missing (ie, 9).	Report
NOCC130007	K10+ Item 03 is not valid.	Recorded value is not within the specified domain of valid values. K10+ item 03 is deemed to be missing (ie, 9).	Report

Code	Description	Details	Action
NOCC130008	K10+ Item 04 is not valid.	Recorded value is not within the specified domain of valid values. K10+ item 04 is deemed to be missing (ie, 9).	Report
NOCC130009	K10+ Item 05 is not valid.	Recorded value is not within the specified domain of valid values. K10+ item 05 is deemed to be missing (ie, 9).	Report
NOCC130010	K10+ Item 06 is not valid.	Recorded value is not within the specified domain of valid values. K10+ item 06 is deemed to be missing (ie, 9).	Report
NOCC130011	K10+ Item 07 is not valid.	Recorded value is not within the specified domain of valid values. K10+ item 07 is deemed to be missing (ie, 9).	Report
NOCC130012	K10+ Item 08 is not valid.	Recorded value is not within the specified domain of valid values. K10+ item 08 is deemed to be missing (ie, 9).	Report
NOCC130013	K10+ Item 09 is not valid.	Recorded value is not within the specified domain of valid values. K10+ item 09 is deemed to be missing (ie, 9).	Report
NOCC130014	K10+ Item 10 is not valid.	Recorded value is not within the specified domain of valid values. K10+ item 10 is deemed to be missing (ie, 9).	Report
NOCC130015	K10+ Item 11 is not valid.	Recorded value is not within the specified domain of valid values. K10+ item 11 is deemed to be missing (ie, 99).	Report
NOCC130016	K10+ Item 12 is not valid.	Recorded value is not within the specified domain of valid values. K10+ item 12 is deemed to be missing (ie, 99).	Report
NOCC130017	K10+ Item 13 is not valid.	Recorded value is not within the specified domain of valid values. K10+ item 13 is deemed to be missing (ie, 99).	Report
NOCC130018	K10+ Item 14 is not valid.	Recorded value is not within the specified domain of valid values. K10+ item 14 is deemed to be missing (ie, 9).	Report
NOCC140001	Collection occasion identifier in SDQ record is not valid	Recorded value is not among set of Collection Occasion identifiers found within the set of records of Collection Details, or is blank	Reject record
NOCC140002	Collection occasion identifier in SDQ record is a duplicate of the Collection Identifier in a preceding SDQ record	Duplicate records of SDQ are rejected. Only the first record is accepted. The report should include the record number of the accepted first instance and the rejected subsequent instance	Reject record
NOCC140003	SDQ version is not valid	Recorded value is not within the specified domain of valid numbers	Reject record
NOCC140004	SDQ Collection Status is not valid	Recorded value is not within the specified domain of valid numbers. SDQ collection status is deemed to be missing (ie, 9)	Report
NOCC140005	SDQ item 01 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 01 is deemed to be missing (ie, 9)	Report
NOCC140006	SDQ item 02 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 02 is deemed to be missing (ie, 9)	Report
NOCC140007	SDQ item 03 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 03 is deemed to be missing (ie, 9)	Report
NOCC140008	SDQ item 04 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 04 is deemed to be missing (ie, 9)	Report
NOCC140009	SDQ item 05 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 05 is deemed to be missing (ie, 9)	Report

Code	Description	Details	Action
NOCC140010	SDQ item 06 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 06 is deemed to be missing (ie. 9)	Report
NOCC140011	SDQ item 07 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 07 is deemed to be missing (ie. 9)	Report
NOCC140012	SDQ item 08 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 08 is deemed to be missing (ie. 9)	Report
NOCC140013	SDQ item 09 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 09 is deemed to be missing (ie. 9)	Report
NOCC140014	SDQ item 10 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 10 is deemed to be missing (ie. 9)	Report
NOCC140015	SDQ item 11 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 11 is deemed to be missing (ie. 9)	Report
NOCC140016	SDQ item 12 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 12 is deemed to be missing (ie. 9)	Report
NOCC140017	SDQ item 13 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 13 is deemed to be missing (ie. 9)	Report
NOCC140018	SDQ item 14 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 14 is deemed to be missing (ie. 9)	Report
NOCC140019	SDQ item 15 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 15 is deemed to be missing (ie. 9)	Report
NOCC140020	SDQ item 16 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 16 is deemed to be missing (ie. 9)	Report
NOCC140021	SDQ item 17 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 17 is deemed to be missing (ie. 9)	Report
NOCC140022	SDQ item 18 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 18 is deemed to be missing (ie. 9)	Report
NOCC140023	SDQ item 19 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 19 is deemed to be missing (ie. 9)	Report
NOCC140024	SDQ item 20 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 20 is deemed to be missing (ie. 9)	Report
NOCC140025	SDQ item 21 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 21 is deemed to be missing (ie. 9)	Report
NOCC140026	SDQ item 22 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 22 is deemed to be missing (ie. 9)	Report
NOCC140027	SDQ item 23 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 23 is deemed to be missing (ie. 9)	Report
NOCC140028	SDQ item 24 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 24 is deemed to be missing (ie. 9)	Report
NOCC140029	SDQ item 25 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 25 is deemed to be missing (ie. 9)	Report
NOCC140030	SDQ item 26 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 26 is deemed to be missing (ie. 9)	Report

Code	Description	Details	Action
NOCC140031	SDQ item 27 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 27 is deemed to be missing (ie. 9)	Report
NOCC140032	SDQ item 28 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 28 is deemed to be missing (ie. 9)	Report
NOCC140033	SDQ item 29 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 29 is deemed to be missing (ie. 9)	Report
NOCC140034	SDQ item 30 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 30 is deemed to be missing (ie. 9)	Report
NOCC140035	SDQ item 31 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 31 is deemed to be missing (ie. 9)	Report
NOCC140036	SDQ item 32 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 32 is deemed to be missing (ie. 9)	Report
NOCC140037	SDQ item 33 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 33 is deemed to be missing (ie. 9)	Report
NOCC140038	SDQ item 36 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 36 is deemed to be missing (ie. 9)	Report
NOCC140039	SDQ item 37 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 37 is deemed to be missing (ie. 9)	Report
NOCC140040	SDQ item 38 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 38 is deemed to be missing (ie. 9)	Report
NOCC140041	SDQ item 39 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 39 is deemed to be missing (ie. 9)	Report
NOCC140042	SDQ item 40 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 40 is deemed to be missing (ie. 9)	Report
NOCC140043	SDQ item 41 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 41 is deemed to be missing (ie. 9)	Report
NOCC140044	SDQ item 42 is not valid	Recorded value is not within the specified domain of valid numbers. SDQ item 42 is deemed to be missing (ie. 9)	Report
NOCC140045	SDQ Respondent is not valid.	Recorded value is not within the specified domain of valid numbers	Report

10. Mental Health Provider Entity Reference File

- 10.1 In addition to the NOCC data files specified in section 8, States and Territories should submit to the Department of Health and Ageing details of all codes used in the composite data element *Mental Health Provider Entity* within the current NOCC data extract file.
- 10.2 These details should be compiled in a table and presented as a separate file in one of the following formats: Microsoft Excel; Microsoft Word; Microsoft Access; Comma Separated Value or Tab Delimited format.
- 10.3 Mental Health Provider Entity Reference Files should conform with the naming convention of NOCCSERFYYYNNNNN.xxx, where S is the State identifier, ERF denotes Entity Reference File, YYYY identifies the reporting year covered, NNNNN represents an incremental batch number (leading zeros present) and xxx indicates the format of the file (eg, XLS for Excel format, DOC for Word format etc). Note that resubmitted files should have a batch number greater than the file they replace. For example, the first NOCC Mental Health Provider Entity Reference file submitted by the Australian Capital Territory covering 2002-03 would be named 'NOCC8ERF2003000001.XLS', assuming it was prepared in Microsoft Excel format.
- 10.4 Table 24 provides details on the fields to be included along with a specification of the relevant domain for each individual field.
- 10.5 Table 25 provides a sample Mental Health Provider Entity Reference table for example purposes.

Table 24: Mental Health Provider Entity Reference File – Field content and domains

Data element	Type [Length]	Description	Domain
Code	Char [1-12]	Provides details of all component codes represented in each of the fields State, Region, Mental Health Service Organisation and Service Unit, as well as all code combinations represented in the composite data element <i>Mental Health Provider Entity</i> .	<p>Where the code refers to the component <i>State</i> – as per <i>State Identifier</i> in data dictionary.</p> <p>Where the code refers to the component <i>Region</i> – as per <i>Region Identifier</i> in data dictionary.</p> <p>Where the code refers to the component <i>Mental Health Service Organisation</i> – as per <i>Mental Health Service Organisation Number</i> in data dictionary.</p> <p>Where the code refers to the component <i>Service Unit</i> – as per <i>Service Unit Identifier</i> in data dictionary.</p> <p>Where the code refers to the composite item <i>Mental Health Provider Entity</i> – as per <i>Mental Health Provider Entity Identifier</i> in data dictionary.</p>
Level	Char [1]	Level of the <i>Mental Health Provider Entity</i> hierarchy to which the code refers.	<p>1 = State</p> <p>2 = Region</p> <p>3 = Mental Health Service Organisation</p> <p>4 = Service Unit</p>

Data element	Type [Length]	Description	Domain
Main Service Setting	Char [1]	Main <i>Mental Health Service Setting</i> of the Service Unit.	0 = Not applicable (use where Code refers to <i>State, Region</i> or <i>Mental Health Service Organisation</i>) 1 = Psychiatric Inpatient service setting 2 = Community Residential service setting 3 = Ambulatory Mental Health service setting Note: Based on <i>Mental Health Service Setting</i> , modified to incorporate Not applicable.
Name	Char [255]	The name of the entity referred to by the Code.	Free text field
NHDD Number ID	Char [5]	The Establishment Number used to identify the service unit for National Health Data Dictionary reporting purposes	00000 = Not applicable (use where Code refers to <i>State, Region</i> or <i>Mental Health Service Organisation</i>) nnnnn = as defined by the State or Territory Note: <ul style="list-style-type: none"> If Main Service Setting = Inpatient, provide the Establishment Number used when reporting this service to the NMDS – Admitted Patient Mental Health Care. If Main Service Setting = Ambulatory provide the Establishment Number used when reporting this service to the NMDS – Community Mental Health Care For all other Main Service Settings = code 00000

Table 25: Mental Health Provider Entity Reference File – Example table

Code	Level	Main Service Setting	Name	NHDD Number ID
1A1	2	0	South Region in State 1	00000
1A101	3	0	Southern Health Organisation in South Region in State 1	00000
1A101000001	4	1	Tasman Hospital in Southern Health Organisation in South Region in State 1	01234
1A101000002	4	1	Bass Hospital in Southern Health Organisation in South Region in State 1	01235
1A101000002	4	3	Southern Community Outreach Team in Southern Health Organisation in South Region in State 1	01247
1A102	3	0	Eastern Health Organisation in South Region in State 1	00000
1A102000001	4	1	Newman Hospital in Southern Health Organisation in South Region in State 1	01279
1A102000006	4	3	Early Psychosis Intervention Team in Southern Health Organisation in South Region in State 1	01280
1A2	2	0	North Region in State 1	00000
1A201	3	0	Northern Health Organisation in North Region in State 1	05877
1A201000001	4	1	Northern Hospital in Northern Health Organisation in North Region in State 1	05889
etc	etc	etc	etc	etc

PART TWO: APPENDICES

APPENDIX 1: Data Dictionary

Defined Data Elements and Concepts

Active Care {concept}.....	76
Additional Diagnoses	76
Admission to Mental Health Care Episode {concept}	76
Admission Date	76
Age Group	77
BASIS32 Collection Status.....	77
BASIS32 Item 01.....	77
BASIS32 Item 02.....	77
BASIS32 Item 03.....	77
BASIS32 Item 04.....	77
BASIS32 Item 05.....	78
BASIS32 Item 06.....	78
BASIS32 Item 07.....	78
BASIS32 Item 08.....	78
BASIS32 Item 09.....	78
BASIS32 Item 10.....	78
BASIS32 Item 11.....	78
BASIS32 Item 12.....	78
BASIS32 Item 13.....	79
BASIS32 Item 14.....	79
BASIS32 Item 15.....	79
BASIS32 Item 16.....	79
BASIS32 Item 17.....	79
BASIS32 Item 18.....	79
BASIS32 Item 19.....	79
BASIS32 Item 20.....	79
BASIS32 Item 21.....	79
BASIS32 Item 22.....	80
BASIS32 Item 23.....	80
BASIS32 Item 24.....	80
BASIS32 Item 25.....	80
BASIS32 Item 26.....	80
BASIS32 Item 27.....	80
BASIS32 Item 28.....	80
BASIS32 Item 29.....	80
BASIS32 Item 30.....	81
BASIS32 Item 31.....	81
BASIS32 Item 32.....	81
BASIS32 Version	81

CGAS Collection Status	81
CGAS Rating	81
CGAS Version	82
Collection Occasion Date	82
Collection Occasion {concept}	82
Collection Occasion Identifier	82
Collection Status {generic data element}	82
Data File Generation Date	83
Data File Type	83
Date of Birth	83
Diagnosis {concept}	83
Discharge from Mental Health Care {concept}	83
Discharge Date	83
Episode of Mental Health Care {concept}	84
Episode of Mental Health Care Type {concept}	84
FIHS Collection Status	84
FIHS Item 01	84
FIHS Item 02	84
FIHS Item 03	85
FIHS Item 04	85
FIHS Item 05	85
FIHS Item 06	85
FIHS Item 07	85
FIHS Version	85
Focus of Care	86
HoNOS Collection Status	86
HoNOS Item 01	86
HoNOS Item 02	86
HoNOS Item 03	87
HoNOS Item 04	87
HoNOS Item 05	87
HoNOS Item 06	87
HoNOS Item 07	87
HoNOS Item 08	87
HoNOS Item 08a	87
HoNOS Item 09	88
HoNOS Item 10	88
HoNOS Item 11	88
HoNOS Item 12	88
HoNOS Version	88
HoNOSCA Collection Status	88
HoNOSCA Item 01	88
HoNOSCA Item 02	89

HoNOSCA Item 03.....	89
HoNOSCA Item 04.....	89
HoNOSCA Item 05.....	89
HoNOSCA Item 06.....	89
HoNOSCA Item 07.....	89
HoNOSCA Item 08.....	89
HoNOSCA Item 09.....	89
HoNOSCA Item 10.....	90
HoNOSCA Item 11.....	90
HoNOSCA Item 12.....	90
HoNOSCA Item 13.....	90
HoNOSCA Item 14.....	90
HoNOSCA Item 15.....	90
HoNOSCA Version.....	90
K10+ Collection Status.....	91
K10+ Item 01.....	91
K10+ Item 02.....	91
K10+ Item 03.....	91
K10+ Item 04.....	91
K10+ Item 05.....	91
K10+ Item 06.....	91
K10+ Item 07.....	92
K10+ Item 08.....	92
K10+ Item 09.....	92
K10+ Item 10.....	92
K10+ Item 11.....	92
K10+ Item 12.....	92
K10+ Item 13.....	93
K10+ Item 14.....	93
K10+ Version.....	93
LSP-16 Collection Status.....	93
LSP-16 Item 01.....	93
LSP-16 Item 02.....	94
LSP-16 Item 03.....	94
LSP-16 Item 04.....	94
LSP-16 Item 05.....	94
LSP-16 Item 06.....	94
LSP-16 Item 07.....	95
LSP-16 Item 08.....	95
LSP-16 Item 09.....	95
LSP-16 Item 10.....	95
LSP-16 Item 11.....	95
LSP-16 Item 12.....	96

LSP-16 Item 13	96
LSP-16 Item 14	96
LSP-16 Item 15	96
LSP-16 Item 16	96
LSP-16 Version	97
Mental Health Consumer {concept}	97
Mental Health Legal Status	97
Mental Health Service Setting	97
Mental Health Service Organisation {concept}	98
Mental Health Service Organisation Number	99
Mental Health Provider Entity Identifier	99
MHI38 Collection Status	99
MHI38 Item 01	99
MHI38 Item 02	99
MHI38 Item 03	100
MHI38 Item 04	100
MHI38 Item 05	100
MHI38 Item 06	100
MHI38 Item 07	100
MHI38 Item 08	100
MHI38 Item 09	100
MHI38 Item 10	101
MHI38 Item 11	101
MHI38 Item 12	101
MHI38 Item 13	101
MHI38 Item 14	101
MHI38 Item 15	101
MHI38 Item 16	101
MHI38 Item 17	102
MHI38 Item 18	102
MHI38 Item 19	102
MHI38 Item 20	102
MHI38 Item 21	102
MHI38 Item 22	102
MHI38 Item 23	102
MHI38 Item 24	103
MHI38 Item 25	103
MHI38 Item 26	103
MHI38 Item 27	103
MHI38 Item 28	103
MHI38 Item 29	104
MHI38 Item 30	104
MHI38 Item 31	104

MHI38 Item 32.....	104
MHI38 Item 33.....	104
MHI38 Item 34.....	104
MHI38 Item 35.....	104
MHI38 Item 36.....	105
MHI38 Item 37.....	105
MHI38 Item 38.....	105
MHI38 Version	105
NOCC Reporting Specification Version	105
Period of Care {concept}.....	106
Person Identifier	106
Principal Diagnoses	106
Reason for Collection.....	106
Record Type.....	107
Record Count.....	107
Region Code	107
Report Period End Date.....	107
Report Period Start Date.....	107
Review of Mental Health Care {concept}	107
RUGADL Collection Status	108
RUGADL Item 01	108
RUGADL Item 02	108
RUGADL Item 03	108
RUGADL Item 04	108
RUGADL Version	108
SDQ Collection status	109
SDQ Item 01.....	109
SDQ Item 02.....	109
SDQ Item 03.....	109
SDQ Item 04.....	109
SDQ Item 05.....	109
SDQ Item 06.....	110
SDQ Item 07.....	110
SDQ Item 08.....	110
SDQ Item 09.....	110
SDQ Item 10.....	110
SDQ Item 11.....	111
SDQ Item 12.....	111
SDQ Item 13.....	111
SDQ Item 14.....	111
SDQ Item 15.....	111
SDQ Item 16.....	111
SDQ Item 17.....	112

SDQ Item 18.....	112
SDQ Item 19.....	112
SDQ Item 20.....	112
SDQ Item 21.....	112
SDQ Item 22.....	112
SDQ Item 23.....	113
SDQ Item 24.....	113
SDQ Item 25.....	113
SDQ Item 26.....	113
SDQ Item 27.....	113
SDQ Item 28.....	114
SDQ Item 29.....	114
SDQ Item 30.....	114
SDQ Item 31.....	115
SDQ Item 32.....	115
SDQ Item 33.....	115
SDQ Item 34.....	116
SDQ Item 35.....	116
SDQ Item 36.....	116
SDQ Item 37.....	116
SDQ Item 38.....	117
SDQ Item 39.....	117
SDQ Item 40.....	117
SDQ Item 41.....	117
SDQ Item 42.....	117
SDQ Respondent	118
SDQ Version	118
Service Unit {concept}.....	118
Service Unit Identifier	118
Sex	119
State Identifier	119
National Minimum Data Set – Residential Mental Health Care	122

Active Care {concept}

Definition: “A person is defined as being under ‘active community care’ at any point in time when:

- they have not been discharged from care AND
- some services (either direct to or on behalf of the consumer) have been provided over the previous 3 months AND
- a future appointment has been made to see the person within the next 3 months.

Thus, where no future services are planned in the next 3 months, the person is not considered to be an ‘active case’

AIHW Knowledgebase ID: -

Additional Diagnoses

Definition: An additional diagnosis is a condition or complaint either coexisting with the Principal Diagnosis or arising during the *Episode of Mental Health Care*. For the purposes of NOCC, the item is used to identify up to two secondary or underlying conditions that affected the person’s care during the *Period of Care* preceding the *Collection Occasion*, in terms of requiring therapeutic intervention, clinical evaluation, extended length of episode, or increased care or monitoring and includes co-morbid conditions and complications.

Domain: ICD-10-AM (current version)

Although any current ICD-10-AM diagnosis may be identified, a subset of diagnoses which should cover most cases is identified below. This subset is based on the ICD-PC (the Primary Care version of Chapter V of ICD-10) with some additional ICD-10-AM codes.

Comments: The National Centre for Classification and Coding in Health has developed simplified ICD-10-AM Mental Health Subset for use in community-based mental health service settings. Services may use this subset as the basis for coding.

Note that the *Principal* and *Additional Diagnoses* should not be confused with the patient or client’s current clinical diagnoses or with the reasons for contact with respect to any given Service contact. Also note that definition given here is conceptually consistent but not identical with that given in the NHDD. The NHDD definition refers to the preceding Episode of care. In episodes of acute inpatient care, the Episode of care and the Period of care will almost always refer to the same interval. In extended episodes of care, the reference interval is different.

Field: Dx2 or Dx3 (Char [8] formatted as ANNNNNN)

AIHW Knowledgebase ID: 000005

Admission to Mental Health Care Episode {concept}

Definition: Refers to the beginning of an inpatient, ambulatory or community residential *Episode of Mental Health Care*. For the purposes of the NOCC protocol, episodes may start for a number of reasons. These include, for example, a new referral to community care, admission to an inpatient unit, transfer of care from an inpatient unit to a community team and so forth. Regardless of the reason, admission to a new episode should act as the ‘trigger’ for a specific set of data to be collected.

AIHW Knowledgebase ID: -

(Note: *Admission* is defined under AIHW KB item 000007 as the ‘the process whereby the hospital accepts responsibility for the patient’s care and/or treatment. Admission follows a clinical decision based upon specified criteria that a patient requires same-day or overnight care or treatment. An admission may be formal or statistical.’)

Admission Date

Definition: The date on which the *Episode of Mental Health Care* is deemed to have commenced within the specified *Mental Health Service Setting*. In inpatient and community residential settings this is the actual or statistical date of admission. In ambulatory settings this is the date on which the *Episode of Mental Health Care* within that setting was initiated, as defined under the standard NOCC protocol. It may or may not be equivalent to the original date of ‘entry to care’ within the ambulatory service.

Domain: Any valid date expressed as dd/mm/ccyy.

09/09/9999 Not stated / Missing

Comment: Note that this data element is derived from the *Collection Occasion Date* and is not specifically required under NOCC reporting arrangements.

Field: AdmnDt (Date [8] formatted in extract as CCYYMMDD)

AIHW Knowledgebase ID: -

(Note: *Admission date* is defined under AIHW KB item 000008 as the 'Date on which an admitted patient commences an episode of care.')

Age Group

Definition: The *Age Group* to which the patient or client has been assigned for the purposes of the data collection protocol. Generally, throughout mental health services, **Adults** are defined as persons between the age of 18 and 64 years inclusive, **Older people** are defined as persons aged 65 years and older and **Children and adolescents** are defined as persons under the age of 18 years. States and Territories will be responsible for determining whether *Age Group* (and thus the clinical measures to be used) is determined on the basis of the actual age, condition and care needs of the consumer or deemed on the basis of the type of service providing the treatment and care, or a mixture of both.

Domain:

1	Child or adolescent (0–17)
2	Adult (18–64)
3	Older person (65+)

Comment: In some circumstances a person may be legitimately assigned to a different *Age group* to that in which they would assigned on the basis of their actual age. For example, a person aged 60 years who was being cared for in an inpatient psychogeriatric unit may be assigned to the Older person's *Age group*.

Field: AgeGrp (Char [1])

AIHW Knowledgebase ID: -

BASIS32 Collection Status

Definition: See the specification under *Collection status {generic data element}*.

Domain: See the specification under *Collection status {generic data element}*.

Field: BASISCS(Char [1])

AIHW Knowledgebase ID: -

BASIS32 Item 01

Definition: In the past two weeks, how much difficulty have you been having in the area of managing day-to-day life (eg, getting places on time, handling money, making everyday decisions)?

Domain:

0	No difficulty
1	A little difficulty
2	Moderate difficulty
3	Quite a bit of difficulty
4	Extreme difficulty
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / missing

Field: BASIS01 (Number[1])

AIHW Knowledgebase ID: -

BASIS32 Item 02

Definition: In the past two weeks, how much difficulty have you been having in the area of household responsibilities (eg, shopping, cooking, laundry, cleaning, other chores)?

Domain: See the domain of *BASIS32 Item 01*

Field: BASIS02 (Number[1])

AIHW Knowledgebase ID: -

BASIS32 Item 03

Definition: In the past two weeks, how much difficulty have you been having in the area of work (eg, completing tasks, performance level, finding/keeping a job)?

Domain: See the domain of *BASIS32 Item 01*

Field: BASIS03 (Number[1])

AIHW Knowledgebase ID: -

BASIS32 Item 04

Definition: In the past two weeks, how much difficulty have you been having in the area of school (eg, academic performance, completing assignments, attendance)?

Domain: See the domain of *BASIS32 Item 01*

Field: BASIS04 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 05

Definition: In the past two weeks, how much difficulty have you been having in the area of leisure time or recreational activities?

Domain: See the domain of *BASIS32 Item 01*

Field: BASIS05 (Number[1])

AIHW Knowledgebase ID: -

BASIS32 Item 06

Definition: In the past two weeks, how much difficulty have you been having in the area of adjusting to major life stresses (eg, separation, divorce, moving, new job, new school, a death)?

Domain: See the domain of *BASIS32 Item 01*

Field: BASIS06 (Number[1])

AIHW Knowledgebase ID: -

BASIS32 Item 07

Definition: In the past two weeks, how much difficulty have you been having in the area of relationships with family members?

Domain: See the domain of *BASIS32 Item 01*

Field: BASIS07 (Number[1])

AIHW Knowledgebase ID: -

BASIS32 Item 08

Definition: In the past two weeks, how much difficulty have you been having in the area of getting along with people outside of the family?

Domain: See the domain of *BASIS32 Item 01*

Field: BASIS08 (Number[1])

AIHW Knowledgebase ID: -

BASIS32 Item 09

Definition: In the past two weeks, how much difficulty have you been having in the area of isolation or feelings of loneliness?

Domain: See the domain of *BASIS32 Item 01*

Field: BASIS09 (Number[1])

AIHW Knowledgebase ID: -

BASIS32 Item 10

Definition: In the past two weeks, how much difficulty have you been having in the area of being able to feel close to others?

Domain: See the domain of *BASIS32 Item 01*

Field: BASIS10 (Number[1])

AIHW Knowledgebase ID: -

BASIS32 Item 11

Definition: In the past two weeks, how much difficulty have you been having in the area of being realistic about yourself or others?

Domain: See the domain of *BASIS32 Item 01*

Field: BASIS11 (Number[1])

AIHW Knowledgebase ID: -

BASIS32 Item 12

Definition: In the past two weeks, how much difficulty have you been having in the area of recognizing and expressing emotions appropriately?

Domain: See the domain of *BASIS32 Item 01*

Field: BASIS12 (Number[1])

AIHW Knowledgebase ID: -

BASIS32 Item 13

Definition: In the past two weeks, how much difficulty have you been having in the area of developing independence, autonomy?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS13 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 14

Definition: In the past two weeks, how much difficulty have you been having in the area of goals or direction in life?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS14 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 15

Definition: In the past two weeks, how much difficulty have you been having in the area of lack of self-confidence, feeling bad about yourself?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS15 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 16

Definition: In the past two weeks, how much difficulty have you been having in the area of apathy, lack of interest in things?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS16 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 17

Definition: In the past two weeks, how much difficulty have you been having in the area of depression, hopelessness?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS17 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 18

Definition: In the past two weeks, how much difficulty have you been having in the area of suicidal feelings or behaviour?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS18 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 19

Definition: In the past two weeks, how much difficulty have you been having in the area of physical symptoms (eg, headaches, aches and pains, sleep disturbance, stomach aches, dizziness)?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS19 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 20

Definition: In the past two weeks, how much difficulty have you been having in the area of fear, anxiety, or panic?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS20 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 21

Definition: In the past two weeks, how much difficulty have you been having in the area of confusion, concentration, memory?

Domain: See the domain of *BASIS32 Item 01*
Field: BASIS21 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 22

Definition: In the past two weeks, how much difficulty have you been having in the area of disturbing or unreal thoughts or beliefs?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS22 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 23

Definition: In the past two weeks, how much difficulty have you been having in the area of hearing voices, seeing things?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS23 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 24

Definition: In the past two weeks, how much difficulty have you been having in the area of manic, bizarre behaviour?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS24 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 25

Definition: In the past two weeks, how much difficulty have you been having in the area of mood swings, unstable moods?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS25 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 26

Definition: In the past two weeks, how much difficulty have you been having in the area of uncontrollable, compulsive behaviour (eg, eating disorder, hand-washing, hurting yourself)?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS26 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 27

Definition: In the past two weeks, how much difficulty have you been having in the area of sexual activity or preoccupation?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS27 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 28

Definition: In the past two weeks, how much difficulty have you been having in the area of drinking alcoholic beverages?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS28 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 29

Definition: In the past two weeks, how much difficulty have you been having in the area of taking illegal drugs, misusing drugs?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS29 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 30

Definition: In the past two weeks, how much difficulty have you been having in the area of controlling temper, outbursts of anger, violence?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS30 (Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 31

Definition: In the past two weeks, how much difficulty have you been having in the area of impulsive, illegal, or reckless behaviour?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS31(Number[1])
AIHW Knowledgebase ID: -

BASIS32 Item 32

Definition: In the past two weeks, how much difficulty have you been having in the area of feeling satisfaction with your life?
Domain: See the domain of *BASIS32 Item 01*
Field: BASIS32Number[1])
AIHW Knowledgebase ID: -

BASIS32 Version

Definition: The version of the BASIS32 completed.
Domain: 01 The version described in Eisen SV, Dickey B and Sederer LI (2000) A self-report symptom and problem rating scale to increase inpatients' involvement in treatment. *Psychiatric Services*, 51, 349-353 and as reproduced in *Mental Health National Outcomes and Casemix Collection: Overview of clinical and self-report measures and data items, Version 1.50*. Department of Health and Ageing, Canberra, 2003.
Comment:
Field: *BASISVer* (Char [2])
AIHW Knowledgebase ID: -

CGAS Collection Status

Definition: See the specification under *Collection Status {generic data element}*.
Domain: See the specification under *Collection Status {generic data element}*.
Comment:
Field: CgasCS (Char [1])
AIHW Knowledgebase ID: -

CGAS Rating

Definition: Rating on the Children's Global Assessment Scale.
Domain:

1 – 10	Needs constant supervision
11 – 20	Needs considerable supervision
21 – 30	Unable to function in almost all areas
31 – 40	Major impairment of functioning in several areas and unable to function in one of these areas
41 – 50	Moderate degree of interference in functioning in most social areas or severe impairment of functioning in one area
51 – 60	Variable functioning with sporadic difficulties or symptoms in several but not all social areas
61 – 70	Some difficulty in a single area but generally functioning pretty well
71 – 80	No more than slight impairments in functioning
81 – 90	Good functioning in all areas
91 – 100	Superior functioning
997	Unable to rate
998	Not applicable (collection not required due to protocol exclusion)
999	Not stated / Missing

Comments:
Field: Cgas (Number [3])
AIHW Knowledgebase ID: -

CGAS Version

- Definition:* The version of the CGAS completed.
- Domain:* 01 Version as described in Schaffer D, Gould MS, Brasic J, et al (1983) A children's global assessment scale (CGAS). *Archives of General Psychiatry*, 40, 1228-1231 and as reproduced in *Mental Health National Outcomes and Casemix Collection: Overview of clinical and self-report measures and data items*, Version 1.50. Department of Health and Ageing, Canberra, 2003.
- Comment:*
- Field:* CgasVer (Char [2])
- AIHW Knowledgebase ID:* -

Collection Occasion Date

- Definition:* The reference date for all data collected at any given *Collection Occasion*, defined as the date on which the *Collection Occasion* (*Admission, Review, Discharge*) occurred.
- Domain:* Any valid date expressed as dd/mm/ccyy
09/09/9999 Not stated / Missing
- Comment:* The *Collection Occasion Date* should be distinguished from the actual date of completion of individual measures that are required at the specific occasion. In practice, the various measures may be completed by clinicians and consumers over several days. For example, at *Review* during ambulatory care, the client's case manager might complete the HoNOS and LSP during the clinical case review on the scheduled date, but in order to include their client's responses to the consumer self-report measure, they would most likely have asked the client to complete the measure at their last contact with them. For national reporting and statistical purposes, a single date is required which ties all the standardised measures and other data items together in a single *Collection Occasion*. The actual collection dates of the individual data items and standard measures may be collected locally but is not required in the national reporting extract.
- Field:* ColDt (Date [8] formatted in extract as CCYYMMDD)
- AIHW Knowledgebase ID:* -

Collection Occasion {concept}

- Definition:* A *Collection Occasion* is defined as an occasion during an *Episode of Mental Health Care* when the required dataset is to be collected in accordance with a standard protocol. The broad rule is that collection of data is required at both episode start and episode end. Three *Collection Occasions* within an *Episode of Mental Health Care* are identified: *Admission, Review, and Discharge*.
- Comment:* See also *Reason for Collection*
- AIHW Knowledgebase ID:* -

Collection Occasion Identifier

- Definition:* A unique identifier of a *Collection Occasion* that links data items from the Collection Occasion record to data items in each of the following records: HoNOS/HoNOS65+, LSP-16, RUG-ADL, HoNOSCA, FIHS, CGAS, Other Clinical Data Items, BASIS-32, MHI38, K10 and SDQ.
- Domain:* As constructed by the organisation which generates the file.
- Field:* ColId (Char [30])
- AIHW Knowledgebase ID:* -

Collection Status {generic data element}

- Definition:* The status of the data recorded and, if missing data is recorded, the reason for the non-completion of the measure.
- Domain:*
- 1 Complete or Partially complete
 - 2 Not completed due to temporary contraindication (applies only to self-report measures)
 - 3 Not completed due to general exclusion (applies only to self-report measures)
 - 4 Not completed due to refusal by patient or client (applies only to self-report measures)
 - 7 Not completed for reasons not elsewhere classified
 - 8 Not completed due to protocol exclusion (eg Collection not required at admission immediately following inpatient discharge)
 - 9 Not stated / Missing
- Instances:* HoNOS Collection Status,

HoNOSCA Collection Status,
 CGAS Collection Status,
 FIHS Collection Status,
 Adult Consumer self-rating Collection Status,
 LSP Collection Status,
 RUGADL Collection Status.

Field: See the specification given for each instance.

AIHW Knowledgebase ID: -

Data File Generation Date

Definition: The date on which the current file was created.

Domain: Any valid date. Identification of this date is mandatory in the NOCC extract file.

Field: GenDt (Date [8] formatted in extract as CCYYMMDD)

Relevant AIHW Knowledgebase ID: -

Data File Type

Definition: A constant value inserted in the file header record to indicate that the file contains NOCC data.

Domain: NOCC

Comment: This indicator is included so that even if the file is renamed in such a way that its purpose is obscured, the nature of its contents can still be determined through simple visual examination of the first record in the file.

Field: FileType (Char [4])

AIHW Knowledgebase ID: -

Date of Birth

Definition: The consumer's date of birth.

Domain: Any valid date expressed as dd/mm/ccyy.

09/09/9999 Not stated / Missing

Field: DoB (Date [8] formatted in extract as CCYYMMDD)

AIHW Knowledgebase ID: 000036

Diagnosis {concept}

Definition: A diagnosis is the decision reached, after assessment, of the nature and identity of the disease or condition of a patient.

Comment: NOCC includes provision for recording one Principal Diagnosis and up to two Additional Diagnoses.

AIHW Knowledgebase ID: 000398

Discharge from Mental Health Care {concept}

Definition: Refers to the end of an inpatient, ambulatory or community residential *Episode of Mental Health Care*. As per *Admission*, for the purposes of the NOCC protocol episodes may end for a number of reasons such as discharge from an inpatient unit, case closure of a consumer's community care, admission to hospital of a consumer previously under community care. Regardless of the reason, the end of an episode acts as a 'trigger' for a specific set of clinical data to be collected

AIHW Knowledgebase ID: -

(Note: *Separation* is a related concept defined under AIHW KB item 000148 as the 'the process by which an episode of care for an admitted patient ceases'. A separation may be formal or statistical.)

Discharge Date

Definition: The date on which the *Episode of Mental Health Care* is deemed to have ended within the specified *Mental Health Service Setting*. In inpatient and community residential settings this is the actual or statistical date of separation. In ambulatory settings this is the date on which the *Episode of Mental Health Care* within that setting ceased, as defined under the standard NOCC protocol. It may or may not be equivalent to the actual date of case closure by the ambulatory service

Domain: Any valid date expressed as dd/mm/ccyy.

01/01/9999 Episode not yet ended

09/09/9999 Not stated / Missing

Comment: Note that this data element is derived from the *Collection Occasion Date*

Field: DschDt (Date [8] formatted in extract as CCYYMMDD)

AIHW Knowledgebase ID: -

(Note: *Separation date* is defined under AIHW KB item 000043 as the ‘Date on which an admitted patient completes an episode of care.’)

Episode of Mental Health Care {concept}

Definition: An *Episode of Mental Health Care* is defined as a more or less continuous period of contact between a consumer and a *Mental Health Service Organisation* that occurs within the one *Mental Health Service Setting*. The episode begins when the person is admitted into care within the given setting and ends when he/she is discharged from care within that setting. An episode also ends if the person is transferred into care in a different service setting. By definition, a person may only be the subject of one such *Episode of Mental Health Care* at any given time while under the care of a given *Mental Health Service Organisation*. Note that this formal concept of an episode should not be confused with the clinical concept of an episode of care

AIHW Knowledgebase ID: -

(Note: *Episode of Care* is defined under AIHW KB item 000445 as the ‘The period of admitted patient care between a formal or statistical admission and a formal or statistical separation, characterised by only one care type.’)

Episode of Mental Health Care Type {concept}

Definition: The type of *Episode of Mental Health Care*. Three broad episode types are identified which are based on the *Mental Health Service Setting* – Inpatient, Community Residential and Ambulatory.

- *Inpatient episode (Overnight admitted)* – refers to the period of care provided to a consumer who is admitted for overnight care to a designated psychiatric inpatient service.
- *Community Residential episode* – refers to the period of care provided to a consumer who is admitted for overnight care to a designated 24-hour community-based residential service.
- *Ambulatory episode* – refers to all other types of care provided to consumers of a designated mental health service.

AIHW Knowledgebase ID: -

(Note: *Care Type* is defined under AIHW KB item 000168 as the ‘The care type defines the overall nature of a clinical service provided to an admitted patient during an episode of care (admitted care), or the type of service provided by the hospital for boarders or posthumous organ procurement (other care)’. The domain includes Acute care; Rehabilitation care; Palliative care; Geriatric evaluation and management ; Psychogeriatric care ; Maintenance care; Newborn care; Other admitted patient care; Organ procurement - posthumous; Hospital boarder.)

FIHS Collection Status

Definition: See the specification under *Collection Status {generic data element}*.

Domain: See the specification under *Collection Status {generic data element}*.

Field: FihsCS (Char [1])

AIHW Knowledgebase ID: -

FIHS Item 01

Definition: Maltreatment syndromes.

Domain:

1	Yes, the person had one or more of these factors influencing their health status
2	No, none of these factors were present
7	Unable to rate (insufficient information)
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / Missing

Comment: Includes: Neglect or abandonment; Physical abuse; Sexual abuse; Psychological abuse.

Field: Fihs1 (Number [1])

AIHW Knowledgebase ID: -

FIHS Item 02

Definition: Problems related to negative life events in childhood.

Domain: See the domain of *FIHS Item 1* above.
Comment: Includes: Loss of love relationship in childhood; Removal from home in childhood; Altered pattern of family relationships in childhood; Problems related to alleged sexual abuse of child by person within primary support group; Problems related to alleged sexual abuse of child by person outside primary support group; Problems related to alleged physical abuse of child; Personal frightening experience in childhood; Other negative life events in childhood.
Field: Fihs2 (Number [1])
AIHW Knowledgebase ID: -

FIHS Item 03

Definition: Problems related to upbringing.
Domain: See the domain of *FIHS Item 1* above.
Comment: Includes: Inadequate parental supervision and control; Parental overprotection; Institutional upbringing; Hostility towards and scapegoating of child; Emotional neglect of child; Other problems related to neglect in upbringing; Inappropriate parental pressure and other abnormal qualities of upbringing; Other specified problems related to upbringing.
Field: Fihs3 (Number [1])
AIHW Knowledgebase ID: -

FIHS Item 04

Definition: Problems related to primary support group, including family circumstances.
Domain: See the domain of *FIHS Item 1* above.
Comment: Includes: Problems in relationship with spouse or partner; Problems in relationship with parents and in-laws; Inadequate family support; Absence of family member; Disappearance or death of family member; Disruption of family by separation and divorce; Dependant relative needing care at home; Other stressful life events affecting family and household; Other problems related to primary support group.
Field: Fihs4 (Number [1])
AIHW Knowledgebase ID: -

FIHS Item 05

Definition: Problems related to social environment.
Domain: See the domain of *FIHS Item 1* above.
Comment: Includes: Problems of adjustment to lifecycle transitions; Atypical parenting situation; Living alone; Acculturation difficulty; Social exclusion and rejection; Target of perceived adverse discrimination and rejection.
Field: Fihs5 (Number [1])
AIHW Knowledgebase ID: -

FIHS Item 06

Definition: Problems related to certain psychosocial circumstances.
Domain: See the domain of *FIHS Item 1* above.
Comment: Includes: Problems related to unwanted pregnancy; Problems related to multiparity; Seeking or accepting physical, nutritional or chemical interventions known to be hazardous or harmful; Seeking or accepting behavioural or psychological interventions known to be hazardous or harmful; Discord with counsellors.
Field: Fihs6 (Number [1])
AIHW Knowledgebase ID: -

FIHS Item 07

Definition: Problems related to other psychosocial circumstances.
Domain: See the domain of *FIHS Item 1* above.
Comment: Includes: Conviction in civil and criminal proceedings without imprisonment; Imprisonment or other incarceration; Problems related to release from prison; Problems related to other legal circumstances; Victim of crime or terrorism; Exposure to disaster, war or other hostilities.
Field: Fihs7 (Number [1])
AIHW Knowledgebase ID: -

FIHS Version

Definition: The version of the FIHS completed.

Domain: 01 Version as described in Buckingham W, Burgess P, Solomon S, Pirkis J, Eagar K (1998) *Developing a Casemix Classification for Mental Health Services. Volume 2: Resource Materials*, Canberra: Commonwealth Department of Health and Family Services and as reproduced in *Mental Health National Outcomes and Casemix Collection: Overview of clinical and self-report measures and data items, Version 1.50*. Department of Health and Ageing, Canberra, 2003.

Comment:

Field: *FihsVer* (Char [2])

AIHW Knowledgebase ID: -

Focus of Care

Definition: The focus of care identifies the primary goal of care provided during the period of care preceding the *Collection Occasion*.

Domain: 1 Acute
The primary goal is the short term reduction in severity of symptoms and/or personal distress associated with the recent onset or exacerbation of a psychiatric disorder.

2 Functional Gain
The primary goal is to improve personal, social or occupational functioning or promote psychosocial adaptation in a patient with impairment arising from a psychiatric disorder.

3 Intensive Extended
The primary goal is prevention or minimisation of further deterioration, and reduction of risk of harm in a patient who has a stable pattern of severe symptoms, frequent relapses or severe inability to function independently and is judged to require care over an indefinite period.

4 Maintenance
The primary goal is to maintain the level of functioning, minimise deterioration or prevent relapse where the patient has stabilised and functions relatively independently.

8 Not applicable (collection not required due to protocol exclusion)

9 Not stated / Missing

Field: *FoC* (Char [1])

AIHW Knowledgebase ID: -

HoNOS Collection Status

Definition: The Collection status of the HoNOS (or HoNOS 65+), whichever was required by the protocol. See the specification under *Collection Status {generic data element}*.

Domain: See the specification under *Collection Status {generic data element}*.

Field: *HnosCS* (Char [1])

AIHW Knowledgebase ID: -

HoNOS Item 01

Definition: Overactive, aggressive, disruptive or agitated behaviour.

Domain: 0 No problem within the period rated

1 Minor problem requiring no formal action

2 Mild problem. Should be recorded in a care plan or other case record

3 Problem of moderate severity

4 Severe to very severe problem

7 Not stated / Missing

8 Collection not required due to protocol exclusion

9 Unable to rate because not known or not applicable to the consumer

Comments:

Field: *Hnos01* (Number [1])

AIHW Knowledgebase ID: -

HoNOS Item 02

Definition: Non-accidental self-injury.

Domain: See the domain of *HoNOS item 1* above.

Comments: See the comments under *HoNOS item 1* above.

Field: *Hnos02* (Number [1])

AIHW Knowledgebase ID: -

HoNOS Item 03

Definition: Problem drinking or drug-taking.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOS item 1* above.
Field: Hnos03 (Number [1])
AIHW Knowledgebase ID: -

HoNOS Item 04

Definition: Cognitive problems.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOS item 1* above.
Field: Hnos04 (Number [1])
AIHW Knowledgebase ID: -

HoNOS Item 05

Definition: Physical illness or disability problems.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOS item 1* above.
Field: Hnos05 (Number [1])
AIHW Knowledgebase ID: -

HoNOS Item 06

Definition: Problems associated with hallucinations and delusions.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOS item 1* above.
Field: Hnos06 (Number [1])
AIHW Knowledgebase ID: -

HoNOS Item 07

Definition: Problems with depressed mood.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOS item 1* above.
Field: Hnos07 (Number [1])
AIHW Knowledgebase ID: -

HoNOS Item 08

Definition: Other mental and behavioural problems.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOS item 1* above.
Field: Hnos08 (Number [1])
AIHW Knowledgebase ID: -

HoNOS Item 08a

Definition: The type or kind of problem rated in Item 8.
Domain:

A	Phobias – including fear of leaving home, crowds, public places, travelling, social phobias and specific phobias
B	Anxiety and panics
C	Obsessional and compulsive problems
D	Reactions to severely stressful events and traumas
E	Dissociative ('conversion') problems
F	Somatisation – Persisting physical complaints in spite of full investigation and reassurance that no disease is present
G	Problems with appetite, over- or under-eating
H	Sleep problems
I	Sexual problems
J	Problems not specified elsewhere: an expansive or elated mood, for example.
X	Not applicable (Item 8 rated 0, 7, or 8)
Z	Not stated / Missing

Field: Hnos8a (Char [1])

AIHW Knowledgebase ID: -

HoNOS Item 09

Definition: Problems with relationships.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOS item 1* above.
Field: Hnos09 (Number [1])
AIHW Knowledgebase ID: -

HoNOS Item 10

Definition: Problems with activities of daily living.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOS item 1* above.
Field: Hnos10 (Number [1])
AIHW Knowledgebase ID: -

HoNOS Item 11

Definition: Problems with living conditions.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOS item 1* above.
Field: Hnos11 (Number [1])
AIHW Knowledgebase ID: -

HoNOS Item 12

Definition: Problems with occupation and activities.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOS item 1* above.
Field: Hnos12 (Number [1])
AIHW Knowledgebase ID: -

HoNOS Version

Definition: The version of the HoNOS or HoNOS65+ completed.
Domain:

A1	General adult version as described in Wing J, Curtis R, Beevor A (1999) Health of the Nation Outcome Scales (HoNOS): Glossary for HoNOS score sheet. <i>British Journal of Psychiatry</i> , 174, 432–434 and as reproduced in <i>Mental Health National Outcomes and Casemix Collection: Overview of clinical and self-report measures and data items, Version 1.50</i> . Department of Health and Ageing, Canberra, 2003
G1	HoNOS 65+ as described in Burns A, Beevor A, Lelliott P, Wing J, Blakey A, Orrell M, Mulinga J, Hadden S (1999) Health of the Nation Outcome Scales for Elderly People (HoNOS 65+). <i>British Journal of Psychiatry</i> , 174, 424-427 and as reproduced in <i>Mental Health National Outcomes and Casemix Collection: Overview of clinical and self-report measures and data items, Version 1.50</i> . Department of Health and Ageing, Canberra, 2003.
G2	HoNOS 65+ Version 3 (Tabulated) as presented on the UK Royal College of Psychiatrists website http://www.rcpsych.ac.uk/cru/honoscales/honos65/ (Note – this version is not currently recommended for use in Australia)

Comment:

Field: HnosVer (Char [2])
AIHW Knowledgebase ID: -

HoNOSCA Collection Status

Definition: See the specification under *Collection Status {generic data element}*.
Domain: See the specification under *Collection Status {generic data element}*.
Field: HnosCCS (Char [1])
AIHW Knowledgebase ID: -

HoNOSCA Item 01

Definition: Disruptive, antisocial, or aggressive behaviour.
Domain: See the domain of *HoNOS item 1* above.

Comments: When rating the HoNOSCA clinicians should refer to the appropriate entry in the glossary (rather than simply basing their ratings on the brief scale descriptors).

Field: HnosC01 (Number [1])

AIHW Knowledgebase ID: -

HoNOSCA Item 02

Definition: Problems with overactivity, attention or concentration.

Domain: See the domain of *HoNOS item 1* above.

Comments: See the comments under *HoNOSCA item 1* above.

Field: HnosC02 (Number [1])

AIHW Knowledgebase ID: -

HoNOSCA Item 03

Definition: Non-accidental self-injury.

Domain: See the domain of *HoNOS item 1* above.

Comments: See the comments under *HoNOSCA item 1* above.

Field: HnosC03 (Number [1])

HoNOSCA Item 04

Definition: Alcohol, substance or solvent misuse.

Domain: See the domain of *HoNOS item 1* above.

Comments: See the comments under *HoNOSCA item 1* above.

Field: HnosC04 (Number [1])

AIHW Knowledgebase ID: -

HoNOSCA Item 05

Definition: Problems with scholastic or language skills.

Domain: See the domain of *HoNOS item 1* above.

Comments: See the comments under *HoNOSCA item 1* above.

Field: HnosC05 (Number [1])

AIHW Knowledgebase ID: -

HoNOSCA Item 06

Definition: Physical illness or disability problems.

Domain: See the domain of *HoNOS item 1* above.

Comments: See the comments under *HoNOSCA item 1* above.

Field: HnosC06 (Number [1])

AIHW Knowledgebase ID: -

HoNOSCA Item 07

Definition: Problems associated with hallucinations, delusions, or abnormal perceptions.

Domain: See the domain of *HoNOS item 1* above.

Comments: See the comments under *HoNOSCA item 1* above.

Field: HnosC07 (Number [1])

AIHW Knowledgebase ID: -

HoNOSCA Item 08

Definition: Problems with non-organic somatic symptoms.

Domain: See the domain of *HoNOS item 1* above.

Comments: See the comments under *HoNOSCA item 1* above.

Field: HnosC08 (Number [1])

AIHW Knowledgebase ID: -

HoNOSCA Item 09

Definition: Problems with emotional and related symptoms.

Domain: See the domain of *HoNOS item 1* above.

Comments: See the comments under *HoNOSCA item 1* above.

Field: HnosC09 (Number [1])

AIHW Knowledgebase ID: -

HoNOSCA Item 10

Definition: Problems with peer relationships.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOSCA item 1* above.
Field: HnosC10 (Number [1])

HoNOSCA Item 11

Definition: Problems with self-care and independence.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOSCA item 1* above.
Field: HnosC11 (Number [1])
AIHW Knowledgebase ID: -

HoNOSCA Item 12

Definition: Problems with family life and relationships.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOSCA item 1* above.
Field: HnosC12 (Number [1])
AIHW Knowledgebase ID: -

HoNOSCA Item 13

Definition: Poor school attendance.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOSCA item 1* above.
Field: HnosC13 (Number [1])
AIHW Knowledgebase ID: -

HoNOSCA Item 14

Definition: Problems with lack of knowledge or understanding about the nature of the child or adolescent's difficulties.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOSCA item 1* above.
Field: HnosC14 (Number [1])
AIHW Knowledgebase ID: -

HoNOSCA Item 15

Definition: Problems with lack of information about services or management of the child or adolescent's difficulties.
Domain: See the domain of *HoNOS item 1* above.
Comments: See the comments under *HoNOSCA item 1* above.
Field: HnosC15 (Number [1])
Comments: Items 14 and 15 are excluded from the calculation of the Total Score because they describe the patient or client's parent's knowledge about the person's problems and the services available rather than aspects of the child or adolescent's problems.
Field: HnosCT13 (Number [2])
AIHW Knowledgebase ID: -

HoNOSCA Version

Definition: The version of the HoNOSCA completed.
Domain: 01 Version as described in Gowers S, Harrington R, Whitton A, Beevor A, Lelliott P, Jezzard R, Wing J (1999b) Health of the Nation Outcome Scales for Children and Adolescents (HoNOSCA): Glossary for HoNOSCA score sheet. *British Journal of Psychiatry*, 174, 428-433 and as reproduced in *Mental Health National Outcomes and Casemix Collection: Overview of clinical and self-report measures and data items, Version 1.50*. Department of Health and Ageing, Canberra, 2003.
Comment:
Field: HnosCVer (Char [2])
AIHW Knowledgebase ID: -

K10+ Collection Status

Definition: The Collection status of the K10+ (K10+LM or K10L3D versions). See the specification under *Collection status {generic data element}*.

Domain: See the specification under *Collection status {generic data element}*.

Field: K10+CS (Char[1])

AIHW Knowledgebase ID: -

K10+ Item 01

Definition: In the past three days/In the past 4 weeks, how often did you feel tired out for no good reason?

Domain:

1	None of the time
2	A little of the time
3	Some of the time
4	Most of the time
5	All of the time
6	Don't know
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / missing

Comment: 'In the past three days' – used in K10+L3D
'In the past 4 weeks' – used in the K10+LM

Field: K10+_01 (Number [1])

AIHW Knowledgebase ID: -

K10+ Item 02

Definition: In the past three days/In the past 4 weeks, about how often did you feel nervous?

Domain: See the domain of *K10+ Item 01* above.

Comment: 'In the past three days' – used in K10L3D
'In the past 4 weeks' – used in the K10+LM

Field: K10+_02 (Number [1])

AIHW Knowledgebase ID: -

K10+ Item 03

Definition: In the past three days/In the past 4 weeks, about how often did you feel so nervous that nothing could calm you down?

Domain: See the domain of *K10+ Item 01* above.

Comment: 'In the past three days' – used in K10L3D
'In the past 4 weeks' – used in the K10+LM

Field: K10+_03 (Number [1])

AIHW Knowledgebase ID: -

K10+ Item 04

Definition: In the past three days/In the past 4 weeks, about how often did you feel hopeless?

Domain: See the domain of *K10+ Item 01* above.

Comment: 'In the past three days' – used in K10L3D
'In the past 4 weeks' – used in the K10+LM

Field: K10+_04 (Number [1])

AIHW Knowledgebase ID: -

K10+ Item 05

Definition: In the past three days/In the past 4 weeks, about how often did you feel restless or fidgety?

Domain: See the domain of *K10+ Item 01* above.

Comment: 'In the past three days' – used in K10L3D
'In the past 4 weeks' – used in the K10+LM

Field: K10+_05 (Number [1])

AIHW Knowledgebase ID: -

K10+ Item 06

Definition: In the past three days/In the past 4 weeks, about how often did you feel so restless you could not sit still?

Domain: See the domain of *K10+ Item 01* above.

Comment: 'In the past three days' – used in K10L3D
 'In the past 4 weeks' – used in the K10+LM
Field: K10+_06 (Number [1])
AIHW Knowledgebase ID: -

K10+ Item 07

Definition: In the past three days/In the past 4 weeks, about how often did you feel depressed?
Domain: See the domain of *K10+ Item 01* above.
Comment: 'In the past three days' – used in K10L3D
 'In the past 4 weeks' – used in the K10+LM
Field: K10+_07 (Number [1])
AIHW Knowledgebase ID: -

K10+ Item 08

Definition: In the past three days/In the past 4 weeks, about how often did you feel that everything was an effort?
Domain: See the domain of *K10+ Item 01* above.
Comment: 'In the past three days' – used in K10L3D
 'In the past 4 weeks' – used in the K10+LM
Field: K10+_08 (Number [1])
AIHW Knowledgebase ID: -

K10+ Item 09

Definition: In the past three days/In the past 4 weeks, about how often did you feel so sad that nothing could cheer you up?
Domain: See the domain of *K10+ Item 01* above.
Comment: 'In the past three days' – used in K10L3D
 'In the past 4 weeks' – used in the K10+LM
Field: K10+_09 (Number [1])
AIHW Knowledgebase ID: -

K10+ Item 10

Definition: In the past three days/In the past 4 weeks, about how often did you feel worthless?
Domain: See the domain of *K10+ Item 01* above.
Comment: 'In the past three days' – used in K10L3D
 'In the past 4 weeks' – used in the K10+LM
Field: K10+_10 (Number [1])
AIHW Knowledgebase ID: -

K10+ Item 11

Definition: In the past four weeks, how many days were you totally unable to work, study or manage your day to day activities because of these feelings?
Domain: 0-28 days
 98 Not applicable (collection not required due to protocol exclusion or item not included in the version collected)
 99 No stated / missing
Comment: Item should be coded 98 when the K10L3D version is used
Field: K10+_11 (Number [2])
AIHW Knowledgebase ID: -

K10+ Item 12

Definition: Aside from those days [coded in *K10+ Item 11*], in the past four weeks, how many days were you able to work or study or manage your day to day activities, but had to cut down on what you did because of those feelings?
Domain: 0-28 days
 98 Not applicable (collection not required due to protocol exclusion or item not included in the version collected)
 99 No stated / missing
Comment: Item should be coded 98 when the K10L3D version is used
Field: K10+_12 (Number [2])

AIHW Knowledgebase ID: -

K10+ Item 13

Definition: In the past four weeks, how many time have you seen a doctor or any other health professional about these feelings?

Domain: 0-89 days

98 Not applicable (collection not required due to protocol exclusion or item not included in the version collected)

99 No stated / missing

Comment: Item should be coded 98 when the K10L3D version is used

Field: K10+_13 (Number [2])

AIHW Knowledgebase ID: -

K10+ Item 14

Definition: In the past four weeks, how often have physical health problems been the main cause of these feelings?

Domain: 1 None of the time

2 A little of the time

3 Some of the time

4 Most of the time

5 All of the time

6 Don't know

8 Not applicable (collection not required due to protocol exclusion or item not included in the version collected)

9 Not stated / missing

Comment: Item should be coded 8 when the K10L3D version is used

Field: K10+_14 (Number [1])

AIHW Knowledgebase ID: -

K10+ Version

Definition: The version of the K10+ completed

Domain: 31 K10L3D Version 1 as specified by the Health Department of the jurisdiction implementing the measure and as reproduced in: *Mental Health National Outcomes and Casemix Collection: Overview of clinician rated and consumer self-report measures, Version 1.50*. Department of Health and Ageing, Canberra, 2003.

M1 K10+LM Version 1 as specified by the Health Department of the jurisdiction implementing the measure and as reproduced in *Mental Health National Outcomes and Casemix Collection: Overview of clinician rated and consumer self-report measures, Version 1.50*. Department of Health and Ageing, Canberra, 2003.

Field: K10+Ver (Char [2])

AIHW Knowledgebase ID: -

LSP-16 Collection Status

Definition: See the specification under *Collection Status {generic data element}*.

Domain: See the specification under *Collection Status {generic data element}*.

Field: LspCS (Char [1])

AIHW Knowledgebase ID: -

LSP-16 Item 01

Definition: Does this person generally have any difficulty with initiating and responding to conversation.

Domain: 0 No difficulty with conversation

1 Slight difficulty with conversation

2 Moderate difficulty with conversation

3 Extreme difficulty with conversation

7 Unable to rate (insufficient information)

8 Not applicable (collection not required due to protocol exclusion)

9 Not stated / Missing

Comment: The order of coding of domain for each LSP-16 item shows increasing levels of disability with increasing scores. No disability is coded as 0 whilst the most severe level of disability is coded as 3. This scoring is consistent with the scoring used by the other clinician-rated measures.

However, the original 39 item version of the LSP employed the reverse of this convention, with high levels of disability being coded 0.

Field: Lsp01 (Number [1])

AIHW Knowledgebase ID: -

LSP-16 Item 02

Definition: Does this person generally withdraw from social contact.

Domain:

0	Does not withdraw at all
1	Withdraws slightly
2	Withdraws moderately
3	Withdraws totally or near totally
7	Unable to rate (insufficient information)
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / Missing

Field: Lsp03 (Number [1])

AIHW Knowledgebase ID: -

LSP-16 Item 03

Definition: Does this person generally show warmth to others.

Domain:

0	Considerable warmth
1	Moderate warmth
2	Slight warmth
3	No warmth at all
7	Unable to rate (insufficient information)
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / Missing

Field: Lsp04 (Number [1])

AIHW Knowledgebase ID: -

LSP-16 Item 04

Definition: Is this person generally well groomed (eg, neatly dressed, hair combed).

Domain:

0	Well groomed
1	Moderately well groomed
2	Poorly groomed
3	Extremely poorly groomed
7	Unable to rate (insufficient information)
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / Missing

Field: Lsp05 (Number [1])

AIHW Knowledgebase ID: -

LSP-16 Item 05

Definition: Does this person wear clean clothes generally, or ensure that they are cleaned if dirty.

Domain:

0	Maintains cleanliness of clothes
1	Moderate cleanliness of clothes
2	Poor cleanliness of clothes
3	Very poor cleanliness of clothes
7	Unable to rate (insufficient information)
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / Missing

Field: Lsp06 (Number [1])

AIHW Knowledgebase ID: -

LSP-16 Item 06

Definition: Does this person generally neglect their physical health.

Domain:

0	No neglect
1	Slight neglect of physical problems
2	Moderate neglect of physical problems
3	Extreme neglect of physical problems

7 Unable to rate (insufficient information)
 8 Not applicable (collection not required due to protocol exclusion)
 9 Not stated / Missing
Field: Lsp07 (Number [1])
AIHW Knowledgebase ID: -

LSP-16 Item 07

Definition: Is this person violent to others.
Domain: 0 Not at all
 1 Rarely
 2 Occasionally
 3 Often
 7 Unable to rate (insufficient information)
 8 Not applicable (collection not required due to protocol exclusion)
 9 Not stated / Missing
Versions: Appears as item 7 in the LSP-16
Field: Lsp08 (Number [1])
AIHW Knowledgebase ID: -

LSP-16 Item 08

Definition: Does this person generally make and/or keep up friendships.
Domain: 0 Friendships made or kept well
 1 Friendships made or kept with slight difficulty
 2 Friendships made or kept with considerable difficulty
 3 No friendships made or none kept
 7 Unable to rate (insufficient information)
 8 Not applicable (collection not required due to protocol exclusion)
 9 Not stated / Missing
Field: Lsp09 (Number [1])
AIHW Knowledgebase ID: -

LSP-16 Item 09

Definition: Does this person generally maintain an adequate diet.
Domain: 0 No problem
 1 Slight problem
 2 Moderate problem
 3 Extreme problem
 7 Unable to rate (insufficient information)
 8 Not applicable (collection not required due to protocol exclusion)
 9 Not stated / Missing
Field: Lsp09 (Number [1])
AIHW Knowledgebase ID: -

LSP-16 Item 10

Definition: Does this person generally look after and take their own prescribed medication (or attend for prescribed injections) on time.
Domain: 0 Reliable with medication
 1 Slightly unreliable
 2 Moderately unreliable
 3 Extremely unreliable
 7 Unable to rate (insufficient information)
 8 Not applicable (collection not required due to protocol exclusion)
 9 Not stated / Missing
Field Name: Lsp10
AIHW Knowledgebase ID: -

LSP-16 Item 11

Definition: Is the person willing to take psychiatric medication when prescribed by a doctor.
Domain: 0 Always
 1 Usually

- 2 Rarely
- 3 Never
- 7 Unable to rate (insufficient information)
- 8 Not applicable (collection not required due to protocol exclusion)
- 9 Not stated / Missing

Field: Lsp11 (Number [1])

AIHW Knowledgebase ID: -

LSP-16 Item 12

Definition: Does this person co-operate with health services (eg, doctors and/or other health workers).

- Domain:*
- 0 Always
 - 1 Usually
 - 2 Rarely
 - 3 Never
 - 7 Unable to rate (insufficient information)
 - 8 Not applicable (collection not required due to protocol exclusion)
 - 9 Not stated / Missing

Field: Lsp12 (Number [1])

AIHW Knowledgebase ID: -

LSP-16 Item 13

Definition: Does this person generally have problems (eg, friction, avoidance) living with others in the household.

- Domain:*
- 0 No obvious problem
 - 1 Slight problems
 - 2 Moderate problems
 - 3 Extreme problems
 - 7 Unable to rate (insufficient information)
 - 8 Not applicable (collection not required due to protocol exclusion)
 - 9 Not stated / Missing

Field: Lsp13 (Number [1])

LSP-16 Item 14

Definition: Does this person behave offensively (includes sexual behaviour).

- Domain:*
- 0 Not at all
 - 1 Rarely
 - 2 Occasionally
 - 3 Often
 - 7 Unable to rate (insufficient information)
 - 8 Not applicable (collection not required due to protocol exclusion)
 - 9 Not stated / Missing

Field: Lsp14 (Number [1])

AIHW Knowledgebase ID: -

LSP-16 Item 15

Definition: Does this person behave irresponsibly.

- Domain:*
- 0 Not at all
 - 1 Rarely
 - 2 Occasionally
 - 3 Often
 - 7 Unable to rate (insufficient information)
 - 8 Not applicable (collection not required due to protocol exclusion)
 - 9 Not stated / Missing

Field: Lsp15 (Number [1])

AIHW Knowledgebase ID: -

LSP-16 Item 16

Definition: What sort of work is this person capable of (even if unemployed, retired or doing unpaid domestic duties).

- Domain:*
- 0 Capable of full-time work

- 1 Capable of part-time work
- 2 Capable of sheltered work
- 3 Totally incapable of work
- 7 Unable to rate (insufficient information)
- 8 Not applicable (collection not required due to protocol exclusion)
- 9 Not stated / Missing

Field: Lsp16 (Number [1])

AIHW Knowledgebase ID: -

LSP-16 Version

Definition: The version of the LSP-16 completed.

Domain: 01 Version as described in Buckingham W, Burgess P, Solomon S, Pirkis J, Eagar K (1998) *Developing a Casemix Classification for Mental Health Services Volume 2: Resource Materials*, Canberra: Commonwealth Department of Health and Family Services and as reproduced in *Mental Health National Outcomes and Casemix Collection: Overview of clinical and self-report measures and data items, Version 1.50*. Commonwealth Department of Health and Ageing, Canberra, 2003.

Comment:

Field: Lsp16Ver (Char [2])

AIHW Knowledgebase ID: -

Mental Health Consumer {concept}

Definition: The terms consumer and patient are used interchangeably in the NOCC specification and refer to a person for whom a *Mental Health Service Organisation* accepts responsibility for assessment and/or treatment as evidenced by the existence of a medical record.

Comment:

AIHW Knowledgebase ID: -

Mental Health Legal Status

Definition: An indication that the person was treated on an involuntary basis under the relevant State or Territory mental health legislation, at some point during the *Period of Care* preceding the *Collection Occasion*.

- Domain:
- 1 Person was an involuntary patient for all or part of the period of care
 - 2 Person was not an involuntary patient at any time during the period of care
 - 8 Not applicable (collection not required due to protocol exclusion)
 - 9 Not stated / Missing

Field: InvIntry (Char [1])

Mental Health Service Setting

Definition: The setting within which the *Episode of Mental Health Care* takes place, as defined by the specified domain.

- Domain:
- 1 Psychiatric inpatient service
Refers to overnight care provided in public psychiatric hospitals and designated psychiatric units in public acute hospitals. Psychiatric hospitals are establishments devoted primarily to the treatment and care of admitted patients with psychiatric, mental or behavioural disorders. Designated psychiatric units in a public acute hospital are staffed by health professionals with specialist mental health qualifications or training and have as their principal function the treatment and care of patients affected by mental disorder. For the purposes of NOCC specification, care provided by a Ambulatory mental health service team to a person admitted to a designated Special Care Suite or 'Rooming-In' facility within in a community general hospital for treatment of a mental or behavioural disorder is also included under this setting.
 - 2 Community residential mental health service
Refers to overnight care provided in residential units staffed on a 24-hour basis by health professionals with specialist mental health qualifications or training and established in a community setting which provides specialised treatment, rehabilitation or care for people affected by a mental illness or psychiatric disability. Psychogeriatric hostels and psychogeriatric nursing homes are included in this category.
 - 3 Ambulatory mental health service
Refers to non-admitted, non-residential services provided by health professionals with

specialist mental health qualifications or training. Ambulatory mental health services include community-based crisis assessment and treatment teams, day programs, psychiatric outpatient clinics provided by either hospital or community-based services, child and adolescent outpatient and community teams, social and living skills programs, psychogeriatric assessment services and so forth. For the purposes of NOCC specification, care provided by hospital-based consultation-liaison services to admitted patients in non-psychiatric and hospital emergency settings is also included under this setting.

Special Notes:

- a. This item will be used to derive the type of *Episode of Mental Health Care* provided to the consumer.
- b. A single *Mental Health Provider Entity* may provide care in all three settings. For example, a psychiatric hospital may provide group programs tailored for people living in the community who attend on a regular basis, or run a community nursing outreach service that visits people in the homes. It is essential that these programs be differentiated when reporting the *Mental Health Service Setting* that is providing the episode of care, even though all programs may share the same *Mental Health Provider Entity Identifier*. For example, in the above scenario, where a consumer who is not currently an overnight admitted patient attends the hospital-based group program, the *Mental Health Service Setting* should be recorded as Ambulatory mental health service, **not** Psychiatric inpatient service.
- c. Where a person might be considered as receiving concurrently two or more episodes of mental health care by virtue of being treated in more than one setting simultaneously the following order of precedence applies: Inpatient, Community Residential, Ambulatory

Field: MhSrvSet (Char [1])

AIHW Knowledgebase ID: -

Mental Health Service Organisation {concept}

Definition: The concept of a *Mental Health Service Organisation* refers to a separately constituted health care organisation that is responsible for the clinical governance, administration and financial management of the *Service Unit* in which the *Episode of Mental Health Care* is provided. A *Mental Health Service Organisation* may consist of one or more *Service Units* based in different locations and providing services in inpatient, community residential and ambulatory settings. For example, a *Mental Health Service Organisation* may consist of several hospitals or two or more community centres, each of which is a separate 'bricks and mortar' facility. Where the *Mental Health Service Organisation* consists of multiple *Service Units*, those units can be considered to be components of the same organisation where they:

- operate under a common clinical governance arrangement;
- aim to work together as interlocking services that provide integrated, coordinated care to consumers across all mental health service settings; and
- share medical records or, in the case where there is more than one physical medical record for each patient, staff may access (if required) the information contained in all of the physical records held by the organisation for that patient.

For most jurisdictions, the *Mental Health Service Organisation* concept is equivalent to the Area/District Mental Health Service. These are usually organised to provide the full range of inpatient, community residential and ambulatory services to a given catchment population. However, the concept may also be used to refer to health care organisations which provide only one type of mental health service (eg, acute inpatient care) or which serve a specialised or statewide function.

Note that *Mental Health Service Organisation* is not equivalent to the concept of Health Establishment as defined in the National Health Data Dictionary. For example, multiple health care providers classified as individual Health Establishments may make up a single *Mental Health Service Organisation*.

Recognising the variation that exists between jurisdictions in the way in which mental health services are organised, each State and Territory has discretion in how the concept is translated for NOCC reporting purposes with a view to further developing the concept in future years.

Comment: *Mental Health Service Provider Organisation* is a critical concept in the NOCC reporting arrangements as it is a key field used to uniquely identify each *Episode of Mental Health Care* for each consumer. While an individual may receive services from multiple *Service Units* concurrently, they may only be considered as being in one episode at any given point of

time. Where a patient is being treated by the organisation in two settings simultaneously the following order of precedence applies: Inpatient, Community Residential, Ambulatory.

AIHW Knowledgebase ID: -

Mental Health Service Organisation Number

Definition: The identifier for the *Mental Health Service Organisation* which is responsible for providing the current *Episode of Mental Health* care in which the *Collection Occasion* occurs. Each *Mental Health Service Organisation* to have a unique identifier at the State or Territory level.

Domain: Domain values to be specified by individual States and Territories

Comment: Is a component of the composite element *Mental Health Provider Entity Identifier*

Field: MHSON (Char [3])

AIHW Knowledgebase ID: -

Mental Health Provider Entity Identifier

Definition: A composite data element that concatenates the data elements *State*, *Region Code*, *Mental Health Service Organisation Number* and *Service Unit Identifier*. The composite identifier should be unique at the national level..

Domain: Concatenation of:

N - State identifier

AA - Region code

NNN - Mental Health Service Organisation Number

NNNNNN - Service Unit identifier

Comment:

Field: MHPEI (Char [12])

AIHW Knowledgebase ID: -

MHI38 Collection Status

Definition: See the specification under *Collection status {generic data element}*.

Domain: See the specification under *Collection status {generic data element}*.

Field: MHI38CS(Char [1])

AIHW Knowledgebase ID: -

MHI38 Item 01

Definition: How happy, satisfied, or pleased have you been with your personal life during the past month?

Domain:

- 1 Extremely happy, could not have been more satisfied or pleased
- 2 Very happy most of the time
- 3 Generally satisfied, pleased
- 4 Sometimes fairly satisfied, sometimes fairly unhappy
- 5 Generally dissatisfied, unhappy
- 6 Very dissatisfied, unhappy most of the time
- 8 Not applicable (collection not required due to protocol exclusion)
- 9 Not stated / missing

Field: MHI38_01 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 02

Definition: How much of the time have you felt lonely during the past month?

Domain:

- 1 All of the time
- 2 Most of the time
- 3 A good bit of the time
- 4 Some of the time
- 5 A little of the time
- 6 None of the time
- 8 Not applicable (collection not required due to protocol exclusion)
- 9 Not stated / missing

Field: MHI38_02 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 03

Definition: How often did you become nervous or jumpy when faced with excitement or unexpected situations during the past month?

Domain:

- 1 Always
- 2 Very often
- 3 Fairly often
- 4 Sometimes
- 5 Almost never
- 6 None of the time
- 8 Not applicable (collection not required due to protocol exclusion)
- 9 Not stated / missing

Field: MHI38_03 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 04

Definition: During the past month, how much of the time have you felt that the future looks hopeful and promising?

Domain: See the domain of *MHI38 Item 02* above.

Field: MHI38_04 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 05

Definition: How much of the time, during the past month, has your daily life been full of things that were interesting to you?

Domain: See the domain of *MHI38 Item 02* above.

Field: MHI38_05 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 06

Definition: How much of the time, during the past month, did you feel relaxed and free from tension?

Domain: See the domain of *MHI38 Item 02* above.

Field: MHI38_06 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 07

Definition: During the past month, how much of the time have you generally enjoyed the things you do?

Domain: See the domain of *MHI38 Item 02* above.

Field: MHI38_07 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 08

Definition: During the past month, have you had any reason to wonder if you were losing your mind, or control over the way you act, talk, think, feel, or of your memory?

Domain:

- 1 No, not at all
- 2 Maybe a little
- 3 Yes, but not enough to be concerned or worried about
- 4 Yes, and I have been a little concerned
- 5 Yes, and I am quite concerned
- 6 Yes, and I am very concerned about it
- 8 Not applicable (collection not required due to protocol exclusion)
- 9 Not stated / missing

Field: MHI38_08 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 09

Definition: Did you feel depressed during the past month?

Domain:

- 1 Yes, to the point that I did not care about anything for days at a time
- 2 Yes, very depressed almost every day
- 3 Yes, quite depressed several times

- 4 Yes, a little depressed now and then
- 5 No, never felt depressed at all
- 8 Not applicable (collection not required due to protocol exclusion)
- 9 Not stated / missing

Field: MHI38_09 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 10

Definition: During the past month, how much of the time have you felt loved and wanted?

Domain: See the domain of *MHI38 Item 02* above.

Field: MHI38_10 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 11

Definition: How much of the time, during the past month, have you been a very nervous person?

Domain: See the domain of *MHI38 Item 02* above.

Field: MHI38_11 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 12

Definition: When you have got up in the morning, this past month, about how often did you expect to have an interesting day?

Domain: See the domain of *MHI38 Item 02* above.

Field: MHI38_12 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 13

Definition: During the past month, how much of the time have you felt tense or 'high-strung'?

Domain: See the domain of *MHI38 Item 02* above.

Field: MHI38_13 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 14

Definition: During the past month, have you been in firm control of your behaviour, thoughts, emotions or feelings?

- Domain:*
- 1 Yes, very definitely
 - 2 Yes, for the most part
 - 3 Yes, I guess so
 - 4 No, not too well
 - 5 No, and I am somewhat disturbed
 - 6 No, and I am very disturbed
 - 8 Not applicable (collection not required due to protocol exclusion)
 - 9 Not stated / missing

Field: MHI38_14 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 15

Definition: During the past month, how often did your hands shake when you tried to do something?

Domain: See the domain of *MHI38 Item 02* above.

Field: MHI38_15 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 16

Definition: During the past month, how often did you feel that you had nothing to look forward to?

Domain: See the domain of *MHI38 Item 02* above.

Field: MHI38_16 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 17

Definition: How much of the time, during the past month, have you felt calm and peaceful?
Domain: See the domain of *MHI38 Item 02* above.
Field: MHI38_17 (Number[1])
AIHW Knowledgebase ID: -

MHI38 Item 18

Definition: How much of the time, during the past month, have you felt emotionally stable?
Domain: See the domain of *MHI38 Item 02* above.
Field: MHI38_18 (Number[1])
AIHW Knowledgebase ID: -

MHI38 Item 19

Definition: How much of the time, during the past month, have you felt downhearted and blue?
Domain: See the domain of *MHI38 Item 02* above.
Field: MHI38_19 (Number[1])
AIHW Knowledgebase ID: -

MHI38 Item 20

Definition: How often have you felt like crying during the past month?
Domain: 1 Always
2 Very often
3 Fairly often
4 Sometimes
5 Almost never
6 Never
8 Not applicable (collection not required due to protocol exclusion)
9 Not stated / missing
Field: MHI38_20 (Number[1])
AIHW Knowledgebase ID: -

MHI38 Item 21

Definition: During the past month, how often have you felt that other would be better off if you were dead?
Domain: 1 Always
2 Very often
3 Fairly often
4 Sometimes
5 Almost never
6 Never
8 Not applicable (collection not required due to protocol exclusion)
9 Not stated / missing
Field: MHI38_21 (Number[1])
AIHW Knowledgebase ID: -

MHI38 Item 22

Definition: How much of the time, during the past month, were you able to relax without difficulty?
Domain: See the domain of *MHI38 Item 02* above.
Field: MHI38_22 (Number[1])
AIHW Knowledgebase ID: -

MHI38 Item 23

Definition: How much of the time, during the past month, did you feel that your love relationships, loving and being loved, were full and complete?
Domain: See the domain of *MHI38 Item 02* above.
Field: MHI38_23 (Number[1])
AIHW Knowledgebase ID: -

MHI38 Item 24

Definition: How often, during the past month, did you feel that nothing turned out for you the way you wanted it to?

Domain:

1	Always
2	Very often
3	Fairly often
4	Sometimes
5	Almost never
6	Never
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / missing

Field: MHI38_24 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 25

Definition: How much have you been bothered by nervousness, or your 'nerves', during the past month?

Domain:

1	Extremely so, to the point where I could not take care of things
2	Very much bothered
3	Bothered quite a bit by nerves
4	Bothered some, enough to notice
5	Bothered just a little by nerves
6	Not bothered at all by this
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / missing

Field: MHI38_25 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 26

Definition: During the past month, how much of the time has living been a wonderful adventure for you?

Domain: See the domain of *MHI38 Item 02* above.

Field: MHI38_26 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 27

Definition: How often, during the past month, have you felt so down in the dumps that nothing could cheer you up?

Domain:

1	Always
2	Very often
3	Fairly often
4	Sometimes
5	Almost never
6	Never
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / missing

Field: MHI38_27 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 28

Definition: During the past month, did you think about taking your own life?

Domain:

1	Yes, very often
2	Yes, fairly often
3	Yes, a couple of times
4	Yes, at one time
5	No, never
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / missing

Field: MHI38_28 (Number[1])

AIHW Knowledgebase ID: -

MHI38 Item 29

Definition: During the past month, how much of the time have you felt restless, fidgety, or impatient?
Domain: See the domain of *MHI38 Item 02* above.
Field: MHI38_29 (Number[1])
AIHW Knowledgebase ID: -

MHI38 Item 30

Definition: During the past month, how much of the time have you been moody or brooded about things?
Domain: See the domain of *MHI38 Item 02* above.
Field: MHI38_30 (Number[1])
AIHW Knowledgebase ID: -

MHI38 Item 31

Definition: How much of the time, during the past month, have you felt cheerful, lighthearted?
Domain: See the domain of *MHI38 Item 02* above.
Field: MHI38_31 (Number[1])
AIHW Knowledgebase ID: -

MHI38 Item 32

Definition: During the past month, have you been anxious or worried?
Domain: 1 Always
 2 Very often
 3 Fairly often
 4 Sometimes
 5 Almost never
 6 Never
 8 Not applicable (collection not required due to protocol exclusion)
 9 Not stated / missing
Field: MHI38_32 (Number[1])
AIHW Knowledgebase ID: -

MHI38 Item 33

Definition: During the past month, have you been anxious or worried?
Domain: 1 Yes, extremely to the point of being sick or almost sick
 2 Yes, very much so
 3 Yes, quite a bit
 4 Yes, some, enough to bother me
 5 Yes, a little bit
 6 No, not at all
 8 Not applicable (collection not required due to protocol exclusion)
 9 Not stated / missing
Field: MHI38_33 (Number[1])
AIHW Knowledgebase ID: -

MHI38 Item 34

Definition: During the past month, how much of the time were you a happy person?
Domain: See the domain of *MHI38 Item 02* above.
Field: MHI38_34 (Number[1])
AIHW Knowledgebase ID: -

MHI38 Item 35

Definition: How often during the past month did you find yourself trying to calm down?
Domain: 1 Always
 2 Very often
 3 Fairly often
 4 Sometimes
 5 Almost never
 6 Never
 8 Not applicable (collection not required due to protocol exclusion)

9 Not stated / missing
 Field: MHI38_35 (Number[1])
 AIHW Knowledgebase ID: -

MHI38 Item 36

Definition: During the past month, how much of the time have you been in low or very low spirits?
Domain: See the domain of *MHI38 Item 02* above.
 Field: MHI38_36 (Number[1])
 AIHW Knowledgebase ID: -

MHI38 Item 37

Definition: How often, during the past month, have you been waking up feeling fresh and rested?
Domain:

1	Always, every day
2	Almost every day
3	Most days
4	Some days, but usually not
5	Hardly ever
6	Never wake up feeling rested
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / missing

Field: MHI38_37 (Number[1])
 AIHW Knowledgebase ID: -

MHI38 Item 38

Definition: During the past month, have you been under or felt you were under any strain, stress or pressure?
Domain:

1	Yes, almost more than I could stand or bear
2	Yes, quite a bit of pressure
3	Yes, some more than usual
4	Yes, some, but about normal
5	Yes, a little bit
6	No, not at all
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / missing

Field: MHI38_38 (Number[1])
 AIHW Knowledgebase ID: -

MHI38 Version

Definition: The version of the MHI38 completed.
Domain: 01 The version described in Davies AR, Sherbourne CD, Peterson JR and Ware JE (1998) *Scoring manual: Adult health status and patient satisfaction measures used in RAND's Health Insurance Experiment*, Santa Monica: RAND Corporation, and as reproduced in *Mental Health National Outcomes and Casemix Collection: Overview of clinical and self-report measures and data items, Version 1.50*. Department of Health and Ageing, Canberra, 2003.
Comment:
 Field: MHI38Ver (Char [2])
 AIHW Knowledgebase ID: -

NOCC Reporting Specification Version

Definition: The version of the National Outcomes and Casemix Collection (NOCC) reporting specification under which the data has been collected and submitted.
Domain: 010 Version 1.0
 015 Version 1.5 (current version)
Comment:
 Field: NSpecVer (Char [3])
 AIHW Knowledgebase ID: -

Period of Care {concept}

Definition: The period bound by one *Collection Occasion* and another and immediately preceding the current *Collection Occasion*.

Comment:

AIHW Knowledgebase ID: -

Person Identifier

Definition: Person identifier unique within the *Mental Health Service Organisation*.

Domain: Any valid identifier as defined by the *Mental Health Service Organisation*.

Comment:

Field: PID (Char [20])

AIHW Knowledgebase ID: 000127

Principal Diagnoses

Definition: The Principal diagnosis is the diagnosis established after study to be chiefly responsible for occasioning the patient or client's care during the *Period of Care* preceding the *Collection Occasion*.

Domain: ICD-10-AM (current edition)

Although any ICD-10-AM diagnosis may be identified, a subset of diagnoses which should cover most cases is identified below. This subset is based on the ICD-PC (the Primary Care version of Chapter V of ICD-10) with some additional ICD-10-AM codes.

Comments: The National Centre for Classification and Coding in Health has developed simplified ICD-10-AM Mental Health Subset for use in community-based mental health service settings. Services may use this subset as the basis for coding.

Note that the *Principal* and *Additional Diagnoses* must not be confused with the patient or client's current clinical diagnoses or with the reasons for contact with respect to any given Service contact. Also note that definition given here is conceptually consistent but not identical with that given in the NHDD. The NHDD definition refers to the preceding Episode of care. In episodes of acute inpatient care, the Episode of care and the Period of care will almost always refer to the same interval. In extended episodes of care, the reference interval is different.

Field: Dx1 (Char [8] formatted as ANNNNNN)

AIHW Knowledgebase ID: 000136

Reason for Collection

Definition: The reason for the collection of the standardised measures and individual data items on the identified *Collection Occasion*.

Domain:

- | | |
|--|---|
| 01. New referral | Admission to a new inpatient, community residential or ambulatory <i>Episode of Mental Health Care</i> of a consumer not currently under the active care of the <i>Mental Health Service Organisation</i> . |
| 02. Admitted from other treatment setting | Transfer of care between an inpatient, community residential or ambulatory setting of a consumer currently under the active care of the <i>Mental Health Service Organisation</i> . |
| 03. Admission – Other | Admission to a new inpatient, community residential or ambulatory episode of care for any reason other than defined above. |
| 04. 3-month (91 day) review | Standard review conducted at 91 days following admission to the current <i>Episode of Mental Health Care</i> or 91 days subsequent to the preceding <i>Review</i> . |
| 05. Review – Other | Standard review conducted for reasons other than the above. |
| 06. No further care | Discharge from an inpatient, community residential or ambulatory episode of care of a consumer for whom no further care is planned by the <i>Mental Health Service Organisation</i> . |
| 07. Discharge to change of treatment setting | Transfer of care between an inpatient, community residential or ambulatory setting of a consumer currently under the care of the <i>Mental Health Service Organisation</i> . |

08. Death Completion of an *Episode of Mental Health Care* following the death of the consumer.
09. Discharge - Other Discharge from an inpatient, community residential or ambulatory *Episode of Mental Health Care* for any reason other than defined above.

Field: CollRsn (Char [2])
AIHW Knowledgebase ID: -

Record Type

Definition: A code indicating the type of each record included in an NOCC data file.

Domain:

HR	File Header Record
COD	Collection Occasion Details
OCDI	Other Clinical Data items
HONOS	HoNOS or HoNOS65+
LSP16	LSP-16
RUGADL	RUG-ADL
HONOSCA	HoNOSCA
CGAS	CGAS
FIHS	FIHS
MHI38	MHI38 (Standard 38 item version)
BASIS32	BASIS32 (Standard 32 item version)
K10+	K10+LM (Last Month version) and K10L3D (Last 3 days version)
SDQ	SDQ, all versions
ZZZZZZZZ	File Terminator Record

Comment:

Field: RecTyp (Char [8])
AIHW Knowledgebase ID: -

Record Count

Definition: The exact number of records in the file including the file header record and the file terminator record.

Domain: Integer values between 2 and 99,999,999.

Comment: This data is used in initial validation of the file contents. Disagreement between the recorded Record count and the actual number records in the file indicate serious corruption of the file.

Field: RecCount (Number [8])
AIHW Knowledgebase ID: -

Region Code

Definition: An identifier to describe the location in which the *Service Unit* is located in an area.

Domain: Domain values to be specified by individual States and Territories.

Comment: Is a component of the composite element *Mental Health Service Organisation Identifier*

Field: Reg (Char [2])
AIHW Knowledgebase ID: 000378

Report Period End Date

Definition: The date of the finish of the period to which the data included in the current file refers.

Domain: Any valid date. Identification of this date is mandatory.

Field: RepEnd (Char [8] formatted in extract as CCYYMMDD)
AIHW Knowledgebase ID: -

Report Period Start Date

Definition: The date of the start of the period to which the data included in the current file refers.

Domain: Any valid date. Identification of this date is mandatory.

Field: RepStart (Char [8] formatted in extract as CCYYMMDD)
AIHW Knowledgebase ID: -

Review of Mental Health Care {concept}

Definition: Refers to a *Collection Occasion* occurring within an *Episode of Mental Health Care*. A review may be a standard 3-month (91 day) review occurring at the point at which the consumer has

been under 13 weeks of continuous care since Admission to the episode, or 13 weeks has passed since the last review was conducted during the current episode, or an ad hoc review.

AIHW Knowledgebase ID: -

RUGADL Collection Status

Definition: See the specification under *Collection status {generic data element}*.

Domain: See the specification under *Collection status {generic data element}*.

Field: RugAdlCS (Char [1])

AIHW Knowledgebase ID:

RUGADL Item 01

Definition: Bed Mobility: Ability to move in bed after the transfer into bed has been completed.

Domain:

1	Independent or supervision only
3	Limited physical assistance
4	Other than 2 – person physical assistance
5	2 – person physical assistance
7	Unable to rate (insufficient information)
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / Missing

Not that a rating of 2 is not included in the domain of valid ratings.

Comments:

Field: RugAdl1 (Number [1])

AIHW Knowledgebase ID: -

RUGADL Item 02

Definition: Toileting: Includes mobilising to the toilet, adjustment of clothing before and after toileting, and maintaining perineal hygiene without the incidence of incontinence or soiling of clothes.

Domain: See the domain of *RUGADL item 1* above.

Comments: See the comments under *RUGADL item 1* above.

Field: RugAdl2 (Number [1])

AIHW Knowledgebase ID: -

RUGADL Item 03

Definition: Transfer: Includes the transfer in and out of bed, bed to chair, in and out of shower or tub.

Domain: See the domain of *RUGADL item 1* above.

Comments: See the comments under *RUGADL item 1* above.

Field: RugAdl3 (Number [1])

AIHW Knowledgebase ID: -

RUGADL Item 04

Definition: Eating: Includes the tasks of cutting food, bringing food to the mouth and the chewing and swallowing of food. Does not include preparation of the meal.

Domain:

1	Independent or supervision only
2	Limited assistance
3	Extensive assistance / Total dependence / Tube fed
7	Unable to rate (insufficient information)
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / Missing

Ratings of 4 and 5 are not included in the domain of valid ratings.

Comments: See the comments under *RUGADL item 1* above.

Field: RugAdl4 (Number [1])

AIHW Knowledgebase ID: -

RUGADL Version

Definition: The version of the RUGADL completed.

Domain: 01 The version described in Fries BE, Schneider DP, et al (1994) Refining a casemix measure for nursing homes. Resource Utilisation Groups (RUG-III). *Medical Care*, 32, 668-685.

Comment:

Field: RugAdlVer (Char [2])

AIHW Knowledgebase ID: -

SDQ Collection status

Definition: See the specification under Collection status {generic data element}.

Domain: See the specification under Collection status {generic data element}.

Field: SDQCS (Char [1])

AIHW Knowledgebase ID: -

SDQ Item 01

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
I try to be nice to other people. I care about their feelings	Considerate of other people's feelings

Domain:

0	Not True
1	Somewhat True
2	Certainly True
7	Unable to rate (insufficient information)
8	Not applicable (collection not required due to protocol exclusion)
9	Not stated / Missing

Field: SDQ01 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 02

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
I am restless, I cannot stay still for long	Restless, overactive, cannot stay still for long

Domain: As for SDQ item 01

Field: SDQ02 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 03

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
I get a lot of headaches, stomach-aches or sickness	Often complains of headaches, stomach-aches or sickness

Domain: As for SDQ item 01

Field: SDQ03 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 04

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
I usually share with others, for examples CDs, games, food	Shares readily with other children {for example toys, treats, pencils} / young people {for example CDs, games, food}

Domain: As for SDQ item 01

Field: SDQ04 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 05

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
I get very angry and often lose my temper	Often loses temper

Domain: As for SDQ Item 01

Field: SDQ05 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 06

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
I would rather be alone than with people of my age	{Rather solitary, prefers to play alone} / {would rather be alone than with other young people}

Domain: As for SDQ Item 01

Field: SDQ06 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 07

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
I usually do as I am told	{Generally well behaved} / {Usually does what adults requests}

Domain: As for SDQ Item 01

Field: SDQ07 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 08

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
I worry a lot	Many worries or often seems worried

Domain: As for SDQ Item 01

Field: SDQ08 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 09

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
I am helpful if someone is hurt, upset or feeling ill	Helpful if someone is hurt, upset or feeling ill

Domain: As for SDQ Item 01

Field: SDQ09 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 10

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
I am constantly fidgeting or squirming	Constantly fidgeting or squirming

Domain: As for SDQ Item 01

Field: SDQ010 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 11

<i>Definition:</i>	VERSIONS	
	<i>Youth Self Report</i>	<i>Parent Report</i>
	I have one good friend or more	Has at least one good friend

Domain: As for SDQ Item 01

Field: SDQ11 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 12

<i>Definition:</i>	VERSIONS	
	<i>Youth Self Report</i>	<i>Parent Report</i>
	I fight a lot. I can make other people do what I want	Often fights with other {children} or bullies them / {young people}

Domain: As for SDQ Item 01

Field: SDQ12 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 13

<i>Definition:</i>	VERSIONS	
	<i>Youth Self Report</i>	<i>Parent Report</i>
	I am often unhappy, depressed or tearful	Often unhappy, depressed or tearful

Domain: As for SDQ Item 01

Field: SDQ13 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 14

<i>Definition:</i>	VERSIONS	
	<i>Youth Self Report</i>	<i>Parent Report</i>
	Other people my age generally like me	Generally liked by other {children} / {young people}

Domain: As for SDQ Item 01

Field: SDQ14 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 15

<i>Definition:</i>	VERSIONS	
	<i>Youth Self Report</i>	<i>Parent Report</i>
	I am easily distracted, I find it difficult to concentrate	Easily distracted, concentration wanders

Domain: As for SDQ Item 01

Field: SDQ15 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 16

<i>Definition:</i>	VERSIONS	
	<i>Youth Self Report</i>	<i>Parent Report</i>
	I am nervous in new situations. I easily lose confidence	Nervous or {clingy} in new situations, easily loses confidence {omit clingy in PY}

Domain: As for SDQ Item 01

Field: SDQ16 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 17

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
I am kind to younger people	Kind to younger children

Domain: As for SDQ Item 01
Field: SDQ17 (Number [1])
AIHW Knowledgebase ID: -

SDQ Item 18

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
I am often accused of lying or cheating	Often lies or cheats

Domain: As for SDQ Item 01
Field: SDQ18 (Number [1])
AIHW Knowledgebase ID: -

SDQ Item 19

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
Other children or young people pick on me or bully me	Picked on or bullied by {children} / {youth}

Domain: As for SDQ Item 01
Field: SDQ19 (Number [1])
AIHW Knowledgebase ID: -

SDQ Item 20

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
I often volunteer to help others (parents, teachers, children)	Often volunteers to help others (parents, teachers, {other} children) / Omit 'other' in PY

Domain: As for SDQ Item 01
Field: SDQ20 (Number [1])
AIHW Knowledgebase ID: -

SDQ Item 21

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
I think before I do things	Thinks things out before acting

Domain: As for SDQ Item 01
Field: SDQ21 (Number [1])
AIHW Knowledgebase ID: -

SDQ Item 22

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
I take things that are not mine from home, school or elsewhere	Steals from home, school or elsewhere

Domain: As for SDQ item 01
Field: SDQ22 (Number [1])
AIHW Knowledgebase ID: -

SDQ Item 23

<i>Definition:</i>	VERSIONS	
	<i>Youth Self Report</i>	<i>Parent Report</i>
	I get along better with adults than with people my own age	Gets along better with adults than with other {children} / {youth}
<i>Domain:</i>	As for SDQ item 01	
<i>Field:</i>	SDQ23 (Number [1])	
<i>AIHW Knowledgebase ID:</i>	-	

SDQ Item 24

<i>Definition:</i>	VERSIONS	
	<i>Youth Self Report</i>	<i>Parent Report</i>
	I have many fears, I am easily scared	Many fears, easily scared
<i>Domain:</i>	As for SDQ item 01	
<i>Field:</i>	SDQ24 (Number [1])	
<i>AIHW Knowledgebase ID:</i>	-	

SDQ Item 25

<i>Definition:</i>	VERSIONS	
	<i>Youth Self Report</i>	<i>Parent Report</i>
	I finish the work I'm doing. My attention is good.	Good attention span sees chores or homework through to the end.
<i>Domain:</i>	As for SDQ item 01.	
<i>Field:</i>	SDQ25 (Number [1])	
<i>AIHW Knowledgebase ID:</i>	-	

SDQ Item 26

<i>Definition:</i>	VERSIONS	
	<i>Youth Self Report</i>	<i>Parent Report</i>
	Overall, do you think that you have difficulties in any of the following areas: emotions, concentration, behaviour or being able to get along with other people?	Overall, do you think that your child has difficulties in any of the following areas: emotions, concentration, behaviour or being able to get along with other people?
<i>Domain:</i>	0 No 1 Yes – minor difficulties 2 Yes – definite difficulties 3 Yes – severe difficulties 7 Unable to rate (insufficient information) 8 Not applicable (collection not required due to protocol exclusion or item not included in the version collected) 9 Not stated / Missing	
<i>Field:</i>	SDQ26 (Number [1])	
<i>AIHW Knowledgebase ID:</i>	-	

SDQ Item 27

<i>Definition:</i>	VERSIONS	
	<i>Youth Self Report</i>	<i>Parent Report</i>
	How long have these difficulties been present?	How long have these difficulties been present?
<i>Domain:</i>	0 Less than a month 1 1-5 months 2 6-12 months 3 Over a year 7 Unable to rate (insufficient information) 8 Not applicable (collection not required due to protocol exclusion or item not included in the version collected, or SDQ Item 26 = 0)	

9 Not stated / Missing
 Field: SDQ27 (Number [1])
 AIHW Knowledgebase ID: -

SDQ Item 28

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
Do the difficulties upset or distress you?	Do the difficulties upset or distress your child?

Domain:

0 Not at all
 1 A little
 2 A medium amount
 3 A great deal
 7 Unable to rate (insufficient information)
 8 Not applicable (collection not required due to protocol exclusion or item not included in the version collected, or SDQP Item 26 = 0)
 9 Not stated / Missing

Field: SDQ28 (Number [1])
 AIHW Knowledgebase ID: -

SDQ Item 29

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
Do the difficulties interfere with your everyday life in the following areas? HOME LIFE.	Do the difficulties interfere with your child's everyday life in the following areas? HOME LIFE.

Domain:

0 Not at all
 1 A little
 2 A medium amount
 3 A great deal
 7 Unable to rate (insufficient information)
 8 Not applicable (collection not required due to protocol exclusion or item not included in the version collected, or SDQP Item 26 = 0)
 9 Not stated / Missing

Field: SDQ29 (Number [1])
 AIHW Knowledgebase ID: -

SDQ Item 30

Definition:

VERSIONS	
<i>Youth Self Report</i>	<i>Parent Report</i>
Do the difficulties interfere with your everyday life in the following areas? FRIENDSHIPS.	Do the difficulties interfere with your child's everyday life in the following areas? FRIENDSHIPS

Domain:

0 Not at all
 1 A little
 2 A medium amount
 3 A great deal
 7 Unable to rate (insufficient information)
 8 Not applicable (collection not required due to protocol exclusion or item not included in the version collected, or SDQP Item 26 = 0)
 9 Not stated / Missing

Field: SDQ30 (Number [1])
 AIHW Knowledgebase ID: -

SDQ Item 31

<i>Definition:</i>	VERSIONS	
	<i>Youth Self Report</i>	<i>Parent Report</i>
	Do the difficulties interfere with your everyday life in the following areas? CLASSROOM LEARNING	Do the difficulties interfere with your child's everyday life in the following areas? CLASSROOM LEARNING.
<i>Domain:</i>	0	Not at all
	1	A little
	2	A medium amount
	3	A great deal
	7	Unable to rate (insufficient information)
	8	Not applicable (collection not required due to protocol exclusion or item not included in the version collected, or SDQP Item 26 = 0)
	9	Not stated / Missing
<i>Field:</i>	SDQ31 (Number [1])	
<i>AIHW Knowledgebase ID:</i>	-	

SDQ Item 32

<i>Definition:</i>	VERSIONS	
	<i>Youth Self Report</i>	<i>Parent Report</i>
	Do the difficulties interfere with your everyday life in the following areas? LEISURE ACTIVITIES.	Do the difficulties interfere with your child's everyday life in the following areas? LEISURE ACTIVITIES.
<i>Domain:</i>	0	Not at all
	1	A little
	2	A medium amount
	3	A great deal
	7	Unable to rate (insufficient information)
	8	Not applicable (collection not required due to protocol exclusion or item not included in the version collected, or SDQP Item 26 = 0)
	9	Not stated / Missing
<i>Field:</i>	SDQ32 (Number [1])	
<i>AIHW Knowledgebase ID:</i>	-	

SDQ Item 33

<i>Definition:</i>	VERSIONS	
	<i>Youth Self Report</i>	<i>Parent Report</i>
	Do the difficulties make it harder for those around you (family, friends, teachers, etc)?	Do the difficulties put a burden on you or the family as a whole?
<i>Domain:</i>	0	Not at all
	1	A little
	2	A medium amount
	3	A great deal
	7	Unable to rate (insufficient information)
	8	Not applicable (collection not required due to protocol exclusion or item not included in the version collected, or SDQP Item 26 = 0)
	9	Not stated / Missing
<i>Field:</i>	SDQ33 (Number [1])	
<i>AIHW Knowledgebase ID:</i>	-	

SDQ Item 34

<i>Definition:</i>	VERSIONS	
	<i>Youth Self Report</i>	<i>Parent Report</i>
	Since coming to the service, are your problems:	Since coming to the services, are your child's problems:
<i>Domain:</i>	0	Much worse
	1	A bit worse
	2	About the same
	3	A bit better
	4	Much better
	7	Unable to rate (insufficient information)
	8	Not applicable (collection not required due to protocol exclusion or item not included in the version collected)
	9	Not stated / Missing
<i>Field:</i>	SDQ34 (Number [1])	
<i>AIHW Knowledgebase ID:</i>	-	

SDQ Item 35

<i>Definition:</i>	Has coming to the service been helpful in other ways eg. providing information or making the problems bearable?	
<i>Domain:</i>	0	Not at all
	1	A little
	2	A medium amount
	3	A great deal
	7	Unable to rate (insufficient information)
	8	Not applicable (collection not required due to protocol exclusion or item not included in the version collected, or SDQ Item 26 = 0)
	9	Not stated / Missing
<i>Field:</i>	SDQ35 (Number [1])	
<i>AIHW Knowledgebase ID:</i>	-	

SDQ Item 36

<i>Definition:</i>	Over the last 6 months have your child's teachers complained of fidgetiness, restlessness or overactivity?	
<i>Domain:</i>	0	No
	1	A little
	2	A lot
	7	Unable to rate (insufficient information)
	8	Not applicable (collection not required due to protocol exclusion or item not included in the version collected)
	9	Not stated / Missing
<i>Field:</i>	SDQ36 (Number [1])	
<i>AIHW Knowledgebase ID:</i>	-	

SDQ Item 37

<i>Definition:</i>	Over the last 6 months have your child's teachers complained of poor concentration or being easily distracted?	
<i>Domain:</i>	0	No
	1	A little
	2	A lot
	7	Unable to rate (insufficient information)
	8	Not applicable (collection not required due to protocol exclusion or item not included in the version collected)
	9	Not stated / Missing
<i>Field:</i>	SDQ37 (Number [1])	
<i>AIHW Knowledgebase ID:</i>	-	

SDQ Item 38

Definition: Over the last 6 months have your child's teachers complained of acting without thinking, frequently butting in, or not waiting for his or her turn?

Domain:

0	No
1	A little
2	A lot
7	Unable to rate (insufficient information)
8	Not applicable (collection not required due to protocol exclusion or item not included in the version collected)
9	Not stated / Missing

Field: SDQ38 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 39

Definition: Does your family complain about you having problems with overactivity or poor concentration?

Domain:

0	No
1	A little
2	A lot
7	Unable to rate (insufficient information)
8	Not applicable (collection not required due to protocol exclusion or item not included in the version collected)
9	Not stated / Missing

Field: SDQ39 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 40

Definition: Do your teachers complain about you having problems with overactivity or poor concentration?

Domain:

0	No
1	A little
2	A lot
7	Unable to rate (insufficient information)
8	Not applicable (collection not required due to protocol exclusion or item not included in the version collected)
9	Not stated / Missing

Field: SDQ40 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 41

Definition: Does your family complain about you being awkward or troublesome?

Domain:

0	No
1	A little
2	A lot
7	Unable to rate (insufficient information)
8	Not applicable (collection not required due to protocol exclusion or item not included in the version collected)
9	Not stated / Missing

Field: SDQ41 (Number [1])

AIHW Knowledgebase ID: -

SDQ Item 42

Definition: Do your teachers complain about you being awkward or troublesome?

Domain:

0	No
1	A little
2	A lot
7	Unable to rate (insufficient information)
8	Not applicable (collection not required due to protocol exclusion or item not included in the version collected)

9 Not stated / Missing
 Field: SDQ42 (Number [1])
 AIHW Knowledgebase ID: -

SDQ Respondent

Definition: Parent responsible for completing the SDQ
Domain: 1 Mother
 2 Father
 3 Other
 7 Unable to rate (insufficient information)
 8 Not applicable (collection not required due to protocol exclusion or item not included in the version collected)
 9 Not stated / Missing
 Field: SDQResp (Number [1])
 AIHW Knowledgebase ID: -

SDQ Version

Definition: The version of the SDQ collected.
Domain: PC101 = Parent Report Measure 4-10 yrs, Baseline version, Australian Version 1
 PC201 = Parent Report Measure 4-10 yrs, Follow Up version, Australian Version 1
 PY101 = Parent Report Measure 11-17 yrs, Baseline version, Australian Version 1
 PY201 = Parent Report Measure 11-17 yrs, Follow Up version, Australian Version 1
 YR101 = Self report Version, 11-17 years, Baseline version, Australian Version 1
 YR201 = Self report Version, 11-17 years, Follow Up version, Australian Version 1
Comment: *Note: Version 1 of each of the above is reproduced in Mental Health National Outcomes and Casemix Collection: Overview of clinical and self-report measures and data items, Version 1.50. Commonwealth Department of Health and Ageing, Canberra, 2003.*
 Field: SDQVer (Char [5])
 AIHW Knowledgebase ID: -

Service Unit {concept}

Definition: A *Service Unit* is defined as a discrete service provider unit within the *Mental Health Service Organisation*. Each hospital and community residential facility within the organisation should be identified as separate *Service Units*. Community-based ambulatory services provided by the organisation – whether organised into separate teams, specific programs or located at multiple sites – may be clustered and reported as a single unit or regarded as individual *Service Units* in their own right.
Note: Ideally, where a mental health facility provides mixed services (eg, overnight inpatient care as well as ambulatory care), each component will be defined as a separate *Service Unit* and assigned a unique *Service Unit Identifier*.

Service Unit Identifier

Definition: The unique identifier for the *Service Unit* of the *Mental Health Service Organisation* primarily responsible for providing the treatment and care during the *Episode of Mental Health Care*.
Domain: Domain values to be specified by individual States and Territories
Note: Where the *Service Unit* is a hospital or community residential service, the *Service Unit Identifier* should be the Establishment Number used by the State or Territory to identify the unit in the National Minimum Data Set -Admitted Patient Mental Health Care.³² States should therefore ensure that the *Service Unit identifiers* used for ambulatory care services do not overlap with the range assigned to hospital and community residential units reporting to the NMDS.
Comment: The *Service Unit Identifier* reported at each *Collection Occasion* is a component of the composite element *Mental Health Service Provider Entity Identifier*.

³² Establishment Number is one of three elements that make up the Establishment Identifier used to identify all admitted patient records within the National Minimum Data Set -Admitted Patient Mental Health Care. The format and layout of Establishment Identifier is represented in the National Health Data Dictionary as NNANNN where N = State Identifier, N = Establishment Sector, A = Region Code and NNN = Establishment Number.

- Where the collection occurs in the context of an inpatient episode, the Service unit identifier reported should be the code assigned to the hospital to which the patient is currently admitted.
- Where the collection occurs in the context of a community residential episode, the Service unit identifier reported should be the code assigned to the community residential facility to which the patient is currently admitted.
- Where the collection occurs in the context of an ambulatory episode, the Service unit identifier reported should be the code used to refer to the ambulatory care service unit which is primarily responsible for provision of treatment and care during the episode.

Field: ServUn (Char [6])

AIHW Knowledgebase ID: -

Sex

Definition: The sex of the person.

Domain:

1	Male
2	Female
3	Indeterminate
9	Not stated / Missing

Field: Sex (Char [1])

AIHW Knowledgebase ID: 000149

State Identifier

Definition: An identifier indicating the State or Territory responsible for the collection and submission of the NOCC data file.

Domain:

1	New South Wales
2	Victoria
3	Queensland
4	South Australia
5	Western Australia
6	Tasmania
7	Northern Territory
8	Australian Capital Territory

Field: State (Char [1])

AIHW Knowledgebase ID: 000380

APPENDIX 2: Relationship between National Outcomes and Casemix Collection and National Minimum Data Sets for Mental Health

The data collected under the arrangements of the Mental Health Information Development Plans is designed to supplement the patient-level data of the National Minimum Data Sets – Mental Health Care reported by States and Territories. These comprise two separate collections, described below, each of which is provided directly by jurisdictions to the Australian Government and the AIHW.

Both the NOCC dataset and the NMDS collections essentially cover the same health events – the treatment and care of persons provided by public sector specialised mental health services. The NMDS collection captures a range of sociodemographic, service-related and clinical data for each episode. The NOCC collection is more explicitly clinically focused and collects information about the nature of the disorders experienced by consumers of mental health services and the outcomes of care. Minimal overlap exists between the NOCC and NMDS collections and where it does occur, is necessary for record identification purposes or because definitions of data domains vary.

A brief description of the two patient-level collections that form the National Minimum Data Sets – Mental Health Care is provided below.

National Minimum Data Set – Admitted Patient Mental Health Care

This collection represents a subset of the broader NMDS – Admitted Patient Health Care which is collected annually for all hospital separations and compiled as electronic records. Each record contains the agreed set of data that make up the NMDS – Admitted Patient Health Care comprising demographics and diagnosis data, data on procedures undertaken, length of stay and the AR-DRG classification for each hospital separation.

The scope of this NMDS - Admitted Patient Mental Health Care is restricted to admitted patients receiving care in psychiatric hospitals or in designated psychiatric units in acute hospitals. Patients receiving specialised psychiatric care are identified through the field *Psychiatric Care Days* which indicates the number of days they spent within a specialised psychiatric hospital, unit or ward. The scope does not currently include patients who may be receiving treatment for psychiatric conditions in acute hospitals who are not in psychiatric units.

The mental health subset adds 9 items to the broader NMDS – Admitted Patient Care. Data elements that make up the NMDS – Admitted Patient Mental Health Care are shown Table 26.

Table 26: Data elements included in the NMDS – Admitted Patient Mental Health Care³³

<ul style="list-style-type: none"> • IDENTIFIERS <ul style="list-style-type: none"> • Establishment identifier (made up of) <ul style="list-style-type: none"> • <i>State identifier</i> • <i>Establishment sector</i> • <i>Region code</i> • <i>Establishment number</i> • Person Identifier • SOCIODEMOGRAPHIC ITEMS <ul style="list-style-type: none"> • Sex • Date of birth • Country of birth • Indigenous status • Marital status * • Employment status * • Area of usual residence • Type of usual accommodation * • SERVICE AND ADMINISTRATIVE ITEMS <ul style="list-style-type: none"> • Care type (previously Type of episode of care) • Previous specialised treatment • Admission date • Separation date • Total leave days • Mode of separation • Source of referral to public psychiatric hospital * • Referral to further care * • Total psychiatric care days * • Mental health legal status * • CLINICAL ITEMS <ul style="list-style-type: none"> • Principal diagnosis • Additional diagnosis • Diagnostic Related Group • Major Diagnostic Category

* Indicates items specific to specialised mental health care

³³ Source: National Health Data Committee 2003. *National Health Data Dictionary*. Version 12. AIHW cat. No. HWI 43. Canberra: Australian Institute of Health and Welfare.

National Minimum Data Set – Community Mental Health Care

This collection represents a set of data elements collected at each service contact in ambulatory mental health care. The scope of the collection covers all specialised mental health dedicated to the assessment, treatment or care of non-admitted patients. The scope includes:³⁴

- only ambulatory public community mental health establishments;
- both adult and adolescent and child community mental health services; and
- non-admitted services in hospitals such as specialised psychiatric outpatient services.

The scope excludes:

- admitted patient mental health services;
- support services that are not specialised mental health care services; and
- services provided by non-government organisations and residential services.

Data elements that make up the NMDS – Community Mental Health Care are shown in Table 27.

Table 27: Data elements included in the NMDS – Community Mental Health Care³⁵

<ul style="list-style-type: none"> • Establishment identifier (made up of) <ul style="list-style-type: none"> • <i>State identifier</i> • <i>Establishment sector</i> • <i>Region code</i> • <i>Establishment number</i> • Person Identifier • Sex • Date of birth • Country of birth • Indigenous status • Area of usual residence • Marital status • Mental health legal status • Principal diagnosis • Service contact date
--

National Minimum Data Set – Residential Mental Health Care

In addition to the two patient level data sets currently being collected, a NMDS for Residential Mental Health Care is currently in the final stages of development and is expected to commence collection on 1 July 2004.

³⁴ Source: Mental Health Services in Australia 1999-2000. AIHW (final pre-publication draft), February 2002

³⁵ Source: National Health Data Committee 2003. *National Health Data Dictionary*. Version 12. AIHW cat. No. HWI 43. Canberra: Australian Institute of Health and Welfare.

APPENDIX 3: Priority Future Development Issues

In preparing this version of this specification, the Technical Specifications Drafting Group (TSDG) was aware that a range of issues remain unresolved and specific areas require further development. As indicated earlier, future revisions of the NOCC reporting specification are anticipated, based on day-to-day experience in the use of the various clinical measures. The specification will be reviewed regularly and all revisions will be developed collaboratively between all governments. Future developments will be influenced by:

- day-to-experience in using the measures and the protocol governing their collection;
- experience from the technical side of system development;
- review of the national data and formal research studies of the measurement instruments themselves;
- the needs of the Australian Government, States and Territories and the views of mental health expert groups established to advise on overall implementation and development issues.

This Appendix provides an indicative outline of the issues likely to receive priority focus in future years.

1. Outcome Measures for Child and Adolescent populations

Standard outcome measures recommended in the *National Priorities* document were confined to adults although the casemix development module outlined the requirement to begin collection of several measures by child & adolescent services (HoNOSCA, CGAS, FIHS, Principal and Additional Diagnosis and Mental Health Legal Status). The Strengths and Difficulties Questionnaire has been incorporated into Version 1.5 on the recommendation of the Child and Adolescent Mental Health Outcomes Expert Group.

Further development of outcome measures specific to child/adolescent populations is foreshadowed to occur in subsequent years.

2. Outcome Measures for Older persons

Similar issues apply here. Version 1 of the NOCC dataset includes several measures specific to older people (HoNOS65+, RUGADL in inpatient episodes) while also extending the basic adult reporting requirements to people aged over 65 years. These arrangements have been agreed to by the AMHAC Mental Health Working Group. Additional issues specific to the measurement of outcomes of older people who are consumers of mental health services, and casemix classification development for this client group, will be considered within the advisory structures and as part of the review of data planned to be conducted to support the basic NOCC initiative. An Older Persons Mental Health Expert Group was established in early 2003 to provide advice regarding the existing measures and scope of the NOCC and possible development of outcome measures specific to the older person population.

3. Outcome Measures for Forensic Psychiatry Services

As noted in section 5.3, special issues arise in relation to Forensic Psychiatry Services which may cover all age groups and require additional measures to assessing outcomes. Future national developments in mental health outcome measures will consider options for the introducing supplementary measures for Forensic Psychiatry Services. As a first step, Victoria is undertaking a national project under its IDP funding to investigate the appropriateness of the

existing adult suite of outcome measures for this sector, the need for any supplementary measures and, to devise appropriate implementation protocols and training resources. The project will:

- evaluate the appropriateness of outcome measures to be implemented across adult mental health services for application in the forensic context;
- determine the need for supplementary measures;
- recommend implementation protocols for outcome measures in forensic mental health services with a focus on issues of scope, in particular:
 - when should supplementary measures apply should they be needed?
 - should a forensic suite of measures have application to all forensic clients including those receiving treatment within the mainstream adult mental health system?
- develop training resources specific to the forensic mental health context; and
- inform the introduction of outcome measurement into forensic mental health services across all jurisdictions and to facilitate the adoption of a uniform national approach.

The results of the Victorian project will provide the basis for future decisions regarding possible refinements of the standard measures to meet the needs of Forensic Psychiatry services.

4. Cultural issues in the use of outcome measures

Indigenous persons

Little work has been completed in the formal evaluation of the appropriateness of the standard instruments in the measurement of consumer outcomes for Indigenous persons.

As an initial step, the Northern Territory is undertaking a preliminary project to gather data on the use of the standard measures with Aboriginal and Torres Strait Islander consumers. Initial results should be available early in 2004. The Information Strategy Committee and other national committees will consider the results of this project.

Transcultural

Further development is required to improve the capacity of measures to assess the outcomes of mental health consumers from culturally and linguistically diverse backgrounds. Queensland is currently undertaking a project to determine the cultural issues in the application of the mandated outcome measures in the context of mental health clinicians working with consumers from culturally and linguistically diverse backgrounds, specifically to persons from a non-English speaking background and migrants to Australia. The initial results should be available late in 2004.

5. Consumer self-report measures of outcome

Rather than mandating a specific consumer self-report measure, each State and Territory has selected its own consumer self-report measure of outcome. The flexibility offered to States and Territories recognises that the various 'candidate' instruments have different strengths and that further research and consultation is required prior to setting a particular measure as the national standard. Measures used are:

Jurisdiction	Measure
New South Wales	K10+
ACT	BASIS-32
Queensland	MHI-38
Western Australia	MHI-38
Northern Territory	K10+
Tasmania	BASIS-32
South Australia	K10+
Victoria	BASIS-32

Through its Information Development Plan, Victoria is leading a national project to undertake a comparative analysis of existing consumer self rating measures in use across the different jurisdictions including BASIS 32, MHI, K10 / K10+, with a view to developing a national uniform approach to the use of a consumer self report instrument. Additionally, the project will make clear recommendations in relation to the most suitable existing measures and the possible development of a new Australian self report measure. The results from this project should be available early in 2004.

6. Further development of the episode model for community episodes (Assessment only, Consultation-Liaison and Shared Care)

As noted in section 7.3, considerable complexity exists in applying the NOCC protocol to ambulatory mental health care. Two key issues require guidelines for clinicians as to what, if any, data should be collected.

- How to deal with ‘assessment only’ episodes where the person may only be seen for assessment and then referred elsewhere or is deemed not to require services. In the current version of the specifications, ‘assessment only’ is said to be desirable rather than mandated and left to each jurisdiction to provide guidance to clinicians on what to do with these episodes. A national approach will be developed and incorporated into Version 2.0 of the specifications.
- How to deal with the different patterns of care that are apparent in community mental health services, where the agency may be the only service provider for the consumer or may share service provision with another provider through shared care or consultation-liaison modalities.

There is broad agreement across jurisdictions that collection of data for outcomes purposes is not appropriate or practical in these circumstances although clearly the work needs to be recognised in any casemix model developed to describe the work of mental health services. Ideally, the concept of ‘model of care’ is incorporated in all recording systems to enable the various service types to be distinguished. However, there is inconsistency across the jurisdictions in recording practices and most information systems do not have the capacity to introduce the model of care concept at this stage. Adoption of a national approach has therefore been deferred for future development (post 2003) due to the significant system implications.

Appendix 4 further outlines the issues to be addressed in developing a more sophisticated episode model that recognises the diversity of services included under ‘ambulatory mental health care’.

7. Resolving differences in definitions used under NMDS and NOCC

Definitions developed for the purposes of the NOCC protocol elaborate concepts and data elements not currently covered by the National Health Data Dictionary as well as providing

alternative definitions for items where current definitions do not provide an adequate basis for development in mental health services. Future work is required to both incorporate definitions of new items and concepts which prove to be sufficiently robust and reconcile differences between the NHDD and the alternative NOCC definitions. Changes along these lines will be negotiated under the processes and structures of the National Health Information Agreement.

8. Carer measures

Carer measures are not currently included in the NOCC collection. This is due to a number of issues, including disagreement over what constitutes a carer outcome measure ie. whether it is a measure of a carer's burden or a carer's view of the consumer? Issues regarding terminology, especially in regard to children and adolescents, also need to be resolved in discussed.

Preliminary results of the consumer self-report consultations undertaken through the Victorian led project described above indicate a growing need for a carer measure a part of a suite of complementary measures used in the assessment and treatment of consumers of mental health care. Further development of outcome measures for carers of mental health consumers is a pressing concern for the mental health sector, and will be addressed in the short term.

APPENDIX 4: Future development of the Episode Model for Ambulatory Mental Health Care

A key issue unresolved in the NOCC protocol is 'Are all ambulatory episodes 'in scope' for outcomes and casemix reporting?'. In preparing this document, it was clear that broad agreement existed across jurisdictions that repeated collection of data for outcomes purposes may not be appropriate or practical in a number of circumstances, particularly for people seen for 'assessment only' and services provided to people on a shared care or consultation-liaison basis. Incorporation of these concepts within the episode model underpinning the protocol was however deferred for future years (post 2003), recognising that there will be significant system implications for all jurisdictions.

The text that follows present the discussion notes used by States and Territories in considering the issue. They are replicated here both for convenience and to keep the issue 'on notice' in the preparation of future versions of the protocol.

The definition of ambulatory care is all embracing. This raises the issue of whether it is appropriate to identify a subset of ambulatory care episodes which should be deemed out of scope for outcomes and casemix reporting requirements. Two groups need to be considered.

Assessment only episodes

These concern situations where the person is seen only for assessment and is then referred elsewhere (ie. external to the Mental Health Service Organisation), or is assessed as not currently requiring further ambulatory care services. Good practice suggests that all such cases be 'registered' or recorded in some way if the assessment is 'significant' and involves face-to-face contact. However, it is inappropriate to expect that such cases be subject to the full outcomes and casemix collection (eg the concept of episode end/discharge is inapplicable). Analysis of available data suggests that 'assessment only' cases are significant in volume and comprise up to 20% of individuals seen by the 'average' community mental health team, and up to 40% for some teams such as crisis services. Clarifying the exclusion of this group is an important point to promote clinician acceptance of the overall NOCC initiative.

There is an additional reason to distinguish these cases from those consumers who are assessed and accepted for treatment and care. To do otherwise would confound the analysis of outcomes and casemix data by confusing individuals who receive 'partial services' from those receiving full treatment services. 'Assessment only' cases are best considered to be a separate product of mental health services. They need to be 'counted' but excluded from the more demanding data reporting aspects.

The outcomes assessment protocol developed by Victoria explicitly excludes such cases from data collection but the issue is not addressed in the NSW specification nor featured in the collections designed by other jurisdictions. Note that the need to specify the business rules for 'assessment only' cases is equally important to the data provided by States and Territories under the National Minimum Data Set - Community Mental Health Care but specific rules have not been established at this stage.

A possible definition is offered by work currently being undertaken in New Zealand in a major casemix and outcomes project based on the Australian MH-CASC study.³⁶

“Assessment only episodes refer to episodes of mental health care where the person was seen on a face-to-face basis in the community for a maximum of two occasions only for assessment and the outcome of the assessment was:

- *The person was admitted to a psychiatric inpatient unit;*

OR

- *No further intervention by this health care agency was planned;*

OR

- *For child and adolescent clients only, the person is placed on a waiting list and no further appointment is scheduled within the next 3 months.*

Note:

- The requirement for face-to-face contact assists in clarifying the reporting requirements in relation to the telephone-based triage and referral work of mental health agencies. This work becomes out of scope for outcomes and casemix purposes.
- The 2-session rule is designed as a sensible threshold, based on consultations with clinicians. However, it could be modified subject to acceptance of the overall concept.
- The ‘waiting list’ rule for child/adolescent reflects the styles of practice in those services where consumers are seen, assessed as requiring further care, and placed in a virtual queue as a means to manage demand.
- If Assessment Only is accepted as a necessary data element, it would need to be collected at the Admission Collection occasion.
- Resolving that ‘assessment only’ episodes are excluded from outcome and casemix reporting requirements does not imply that they are also exempt from the basic occasion of service reporting requirements under the National Minimum Data Set - Community Mental Health Care. This would be counterproductive. Occasion of service data are essential to future analysis of level of service provision direct to the assessment and triage functions of mental health provider agencies.
- A decision on acceptance of this item needs to be separated from deciding an implementation timetable. Given that it may not be possible for most jurisdictions to implement now, it may be practical to propose in principal agreement to collect post June 2003. Earlier adoption by some jurisdictions could be optional.

Consultation-liaison and Shared Care episodes

Questions about the inclusion/exclusion of each of these ‘models of care’ are frequent when information collection requirements are discussed with clinicians. Each causes difficulty in interpreting how the collection and reporting protocol might apply.

³⁶ Gaines P, Bower A & Buckingham W. *Mental Health Classification and Outcomes Study: Study Resource Manual*. Health Research Council of New Zealand: Auckland, 2001

A 'model of care' data item is required to distinguish these cases and is being trialed in the New Zealand national study, with the following domain:

- *Direct care – where the mental health agency is the primary mental health provider for the consumer and delivers care in the inpatient setting, the community setting or both.*
- *Shared care - in which the mental health agency works with other care providers (usually the patient's General Practitioner) and the care is shared on a formal basis between the various agencies or providers.*
- *Consultation/liaison - where the consumer remains under the clinical care of another provider (typically a general practitioner in the community setting, or a specialist physician in a general hospital setting) and a specialist mental health provider provides consultation and liaison services such as a 'second opinion' or advice on a particular problem such as medication management or psychological treatment. Like Shared Care, in consultation/liaison models a provider other than the mental health service is the primary provider of the mental health care.*

Distinguishing these different models is necessary to provide a coherent set of rules to clinicians about which consumers are 'in scope' for outcomes and casemix data. Early considerations that drove the Information Development Plan were focused on Direct Care service delivery, and gave little attention to the applicability of the collection to the newer shared care and consultation- liaison models. Practicalities suggest that it is not appropriate to impose a cycle of regular outcomes and casemix reporting for cases seen only through shared care or consultation- liaison arrangements.

A recognition of these various models of care is fundamental to understanding differences in the outcomes, quality and cost of different services. Like 'assessment only' cases, both shared care and consultation/liaison models have significant capacity to confound the interpretation of outcome and casemix data. Patients with similar levels of need will appear to be receiving different levels of service depending on whether they are participating in a shared care scheme. Such understanding is also required for the successful introduction of output-based funding models.


Proposal: Apply the same solution as 'assessment only' – i.e. Consultation/liaison and shared care cases to be 'counted' but excluded from outcomes and casemix reporting.

Note:

- If agreed, the data element 'Model of Care' would need to be introduced as a further splitting variable for ambulatory episodes.
- Model of Care would be required at all three Collection Occasions. While it is best based on retrospective judgement (i.e. at Review and Discharge), recording at admission would be necessary because it influences the subsequent reporting requirements.
- Exclusion from outcome and casemix reporting requirements does not imply exemption from occasion of service reporting requirements under the National Minimum Data Set - Community Mental Health Care. The same arrangement as per Assessment Only should apply.

Implications of 'Assessment Only' and 'Model of Care' for episode model

Putting all this together implies that a more sophisticated model of episodes is required to recognise the reality of current mental health practices in Australia. A summary of the model that would underpin the protocol is shown below. Shaded boxes indicate those episode types subject to outcomes and casemix reporting requirements.



Summary of issues to be resolved in future versions of the NOCC protocol:

1. Should special provision be made to identify and exclude 'Assessment only' episodes? If so:
 - Is the proposed definition agreed?
 - When should this item be implemented?
2. Should special provision be made to identify and exclude Shared Care and Assessment Only Episodes through the introduction of the item 'Model of care'? If so:
 - Are the proposed definitions agreed?
 - When should this item be implemented?

APPENDIX 5: Membership of Information Strategy Committee

Dr Aaron Groves (Chair)	Director, Office of Menal Health, Department of Health, Western Australia
Ms Lorna Payne	Manager, Service Monitoring and Review, Mental Health Branch, Department of Human Services, Victoria
Ms Carolyn Muir	Principal Information Officer, Centre for Mental Health, NSW Health Department
Mr Terry Barker	Senior Policy Officer, Mental Health Program Management, Department of Health and Community Services, Northern Territory
Ms Ruth Catchpole	Manager, Systems and Outcomes, Mental Health Unit, Queensland Health
Ms Danuta Pawelek	Director, Systems Development, Office of Mental Health, Department of Health, Western Australia
Mr Andre Jenkins	Mental Health Unit, Department of Human Services, South Australia
Mr Raymond Kemp	Manager, Mental Health Information and Evaluation Unit, Department of Health and Human Services, Tasmania
Ms Deborah Shaw	Department of Health and Community Care, ACT
Ms Jenny Hargreaves	Head, Patient Morbidity and Mental Health Services Unit, Australian Institute of Health and Welfare
Ms Helen Connor	Consumer Representative, Mental Health Council of Australia
Ms Judy Hardy	Carer Representative, Mental Health Council of Australia
Mr Jonathen Garde	Health Working Group Secretariat, Steering Committee for the Review of Commonwealth/State Service Provision (SCRCSSP)
Mr Allen Morris-Yates	Principal Information Officer, National Secretariat, Strategic Planning Group for Private Psychiatric Services
Ms Kim Walker	Assistant Director, Quality and Effectiveness Section, Mental Health and Suicide Prevention Branch, Department of Health and Ageing
Mr Bill Buckingham	Buckingham & Associates Pty Ltd, Consultant to Department of Health and Ageing
Ms Sally Goodspeed	Director, Health Section, Australian Bureau of Statistics
Ms Kristen Breed (Secretariat)	Quality and Effectiveness Section, Mental Health and Suicide Prevention Branch, Department of Health and Ageing

APPENDIX 6: Membership of Technical Specifications Drafting Group

Ms Kim Walker	Department of Health and Ageing
Ms Kristen Breed	Department of Health and Ageing
Mr Bill Buckingham	Consultant to Department of Health and Ageing
Ms Gavin Stewart	New South Wales Health Department
Ms Lorna Payne	Victorian Department of Human Services
Ms Jenny Hargreaves	Australian Institute of Health & Welfare
Mr David Braddock	Australian Institute of Health & Welfare
Mr Allen Morris-Yates	Strategic Planning Group for Private Psychiatric Services
Ms Ruth Catchpoole	Queensland Health

APPENDIX 7: Log of Amendments to the National Outcomes and Casemix Collection Technical Specifications Version 1.5

PAGE / PARAGRAPH	AMENDMENT
verso	Document information, history and citations updated to reflect new version.
1-2	Foreword updated to reflect new Plan and version. Main content placed in the 'Background' section.
5-8	Background updated, incorporating information from Version 1 Foreword.
6 / footnote 3	Footnote added to clarify scope in relation to aged care residential services.
9 / 2.5	Content added clarifying that national agreement on NOCC specifications indicates an agreement to follow the protocol but does not dictate the timetable for implementation; this is bilaterally negotiated.
10 / footnote 5	Footnote added to clarify HoNOS65+ version recommended for use.
12-13 / 3.1.5	Content updated to incorporate additional information regarding consumer self-report measures. Table 1 updated to reflect jurisdictions decisions regarding the consumer self rating measure.
14 / 3.2.4	SDQ section references updated. Footnote 7 added to minimise confusion re versions specified for NOCC and versions available on SDQ website.
17 / 4.3	Updated to reflect current status and version. Paragraph 4.4 of version 1 deleted.
17 / footnote 11	Footnote added to clarify scope in relation to aged care residential services.
26	Representation of Service Unit Identifier expanded to field width 6.
33 / Table 4	SDQ incorporated in Table 4
33 / Table 4 / notes	Notes amended to reflect incorporation of SDQ and include discharge rating notes for the HoNOS family.
34 / Table 5	SDQ and other consumer self report measures included in Table 5.
35-37 / Table 6	Scenario 9 - 'and CGAS' deleted. Scenario 11 – Assessment Only amended indicating desirability of using the measures for all assessments. Scenario 13 and 14 included.
38 / 7.4	This section has been updated to reflect incorporation of the parent measure versions of SDQ.
39-40 / 7.4.8-7.4.10	Section added to describe issues specific to the SDQ versions.
40 / 7.5	Content amended to foreshadow timetable for Version 2 and status of Expert Groups.
42 / Figure 2	Consumer self rating measures are now specified in the data model.
43 / 8.2.2	Paragraph amended to include YEAR in the file name given that each extract pertains to a specific year.
44 / Table 7	SDQ incorporated into table 7.
45	Table 9 - Data record layout included for file termination record.
46	LSP-16 Item 08 added to Table 13, increasing record length to 58

PAGE / PARAGRAPH	AMENDMENT
48-51	Data record layouts for all consumer self rating measures added (tables 18-21).
53 – 66	Guide to error codes included. Error codes table updated to include validation rules for consumer self-rated measures and File Termination Record.
67	Mental Health Provider Entity Reference File - entire section and tables revised for clarification.
76	Additional Diagnoses definition added as a separate entry (previously included with Principal Diagnosis).
78-82	All BASIS32 fields incorporated into dictionary.
83	Collection Occasion Identifier definition added.
83	Collection Status – Domain – Codes 4 and 5 amended to 3 and 4, respectively.
86	Focus of Care – definitions amended to correct wording.
88	HoNOS Item 08a: Codes for Sleep Problems and Problems with Appetite corrected – previous version reversed.
92-94	All K10+ fields incorporated into dictionary.
98	Mental Health Service Setting – Domain 1: Psychiatric inpatient service: First sentence amended to read ‘Refers to overnight care provided in Mental Health Service Setting Domain: Last sentence of 1 amended to clarify that treatment provided by Ambulatory care teams to consumers admitted to ‘community general hospitals’ should only be classified as inpatient episodes for designated Special Care Suites. Mental Health Service Setting – Domain 2: Community residential mental health services: First sentence amended to read ‘Refers to overnight care ...
100	Field width for Mental Health Provider Entity Identifier increased from 10 to 12 to accommodate increase from 4 to 6 for the Service Unit Identifier component.
100-106	All MHI-38 fields incorporated into dictionary
106	NOCC Reporting Specification Version – Domain expanded to add code for version 1.5
107	Principal Diagnoses definition added as a separate entry (previously included with Additional Diagnosis).
110-119	All SDQ fields incorporated into dictionary.
119	Field width for Service Unit Identifier increased from 4-6.
122-123	Tables 26 and 27 updated to reflect changes to the NMDS.
123	Words added to foreshadow introduction of the NMDS for Residential Mental Health Care
124-127	Appendix 3 updated to reflect development and priorities, including <ul style="list-style-type: none"> • inclusion of SDQ • outcomes/status of IDP national projects • Carer measures
132-133	Membership of ISC and Technical Specifications Drafting Group updated.
134	Appendix 7 added – Log of amendments.